S7175-1-4

SOUTH CAROLINA VITAL AND MORBIDITY STATISTICS

1984

VOLUME I

ANNUAL VITAL STATISTICS SERIES

THE DIVISION OF BIOSTATISTICS
OFFICE OF VITAL RECORDS AND PUBLIC HEALTH STATISTICS
SOUTH CAROLINA DEPARTMENT OF HEALTH AND
ENVIRONMENTAL CONTROL

SOUTH CAROLINA COUNTIES AND HEALTH DISTRICTS


GREENVILLE
PICKENS
APPALACHIA II
OCONEE
ANDERSON
APPALACHIA I
SPARTANBURG
CHEROKEE
UNION
APPALACHIA III
LAURENS
ABBEVILLE
GREENWOOD
UPPER SAVANNAH
McCORMICK
YORK
CATAWBA
CHESTER
LANCASTER
NEWBERRY
WEST MIDLANDS
SALUDA
EDGEFIELD
FAIRFIELD
EAST MIDLANDS
RICHLAND
LEXINGTON
AIKEN
LOWER SAVANNAH I
BARNWELL
ALLENDALE
KERSHAW
LEE
WATEREE
SUMTER
CLARENDON
CALHOUN
ORANGEBURG
LOWER SAVANNAH II
BAMBERG
CHESTERFIELD
MARLBORO
PEE DEE II
DARLINGTON
DILLON
MARION
FLORENCE
PEE DEE I
HORRY
WACCAMAW
WILLAMSBURG
GEORGETOWN
BERKELEY
DORCHESTER
TRIDENT
CHARLESTON
COLLETON
HAMPTON
LOW COUNTRY
JASPER
BEAUFORT

SOUTH CAROLINA VITAL AND MORBIDITY STATISTICS 1984

VOLUME I
ANNUAL VITAL STATISTICS SERIES

THE DIVISION OF BIOSTATISTICS
OFFICE OF VITAL RECORDS AND PUBLIC HEALTH STATISTICS
SOUTH CAROLINA DEPARTMENT OF HEALTH AND
ENVIRONMENTAL CONTROL

MAY 1986

COMMISSIONER AND STATE REGISTRAR

Robert S. Jackson, M.D.

OFFICE OF VITAL RECORDS AND PUBLIC HEALTH STATISTICS

Murray B. Hudson, M.P.H.
Director

James E. Ferguson, M.M., M.A.
Statistics and Research Administrator

PREFACE

The majority of this report contains vital statistics data for South Carolina events that occurred in 1984. Vital Statistics certificates filed with the Office of Vital Records and Public Health Statistics of the South Carolina Department of Health and Environmental Control are the primary source of data presented in this report. These records include certificates of live births, deaths, fetal deaths, marriages, divorces and annulments. Each year, approximately 140,000 vital records are added to the nearly 6 1/2 million such documents stored in the Office of Vital Records and Public Health Statistics.

The purpose of this report is to provide basic reference data for a variety of users. These statistics provide a useful and quantitative data base for consumers in the public and private sectors in support of a variety of uses and activities -- population dynamics, health economics, planning, program development and evaluation, research and surveillance.

Data are presented for South Carolina, its 46 counties, and places of 2,500 or more population. The report is divided into six major sections. The first section is a 20-year summary of selected vital statistics. The second section is devoted to population data. The next three sections contain the core of the publication by presenting data on the major vital events. The last section is devoted to morbidity statistics. This section contains tables showing the number of reported cases of selected communicable diseases by county.

Population estimates for the intercensal years were prepared by the Division of Research and Statistical Services of the South Carolina Budget and Control Board under the Federal-State Cooperative Program on population estimating for local areas. The Division of Communicable Disease of the South Carolina Department of Health and Environmental Control furnished the morbidity data. A table showing reported cases of venereal disease by type by county is included in the Morbidity Section. These data were furnished by the Division of Venereal Disease Control.

The format of this report has changed from year to year as efforts are made to provide and present the data in the most useful and concise manner.

Suggestions and comments concerning this report will be welcomed. More detailed statistical data pertaining to vital events may be obtained by submitting a request to:

Office of Vital Records and Public Health Statistics
South Carolina Department of Health and Environmental Control
2600 Bull Street
Columbia, South Carolina 29201

TABLE OF CONTENTS

Page

Completeness of Registration i

Allocation of Events by Residence and Occurrence ii

Definitions of Terms iii

Interpretation of Data iv

Vital Statistics Rates and Ratios vi

Equivalents in Pounds and Ounces of the Gram Weight Intervals and Symbols Used in Tables vii

SUMMARY OF VITAL EVENTS

Table 1. Population, Live Births, Deaths, Marriages and Divorces, with Rates per 1,000 Population, by Race: South Carolina, 1965-1984 (Residence Data) 1

Table 2. Out-of-Wedlock Births, Low Weight Births, Fetal Deaths, Deaths Under One Year and Under 28 Days, and Maternal Deaths, with Rates, by Race: South Carolina, 1965-1984 (Residence Data) 2

Table 3. Mortality From Selected Causes of Death by Race with Rates per 100,000 Population: South Carolina, 1965-1984 (Residence Data) 3

POPULATION

Summary of Population 5

Table 4. Population, Live Births, Deaths and Natural Increase South Carolina, 1964-1984 6

Figure 1. Population Growth Due to Natural Increase: South Carolina 1964-1984 (Residence Data) 6

Figure 2. Population Distribution of South Carolina, 1984 7

Table 5. Estimates of Population by Race: South Carolina and Each County, 1984 8

BIRTHS

Page

Summary of Births 9

Figure 3. Live Birth Rate Distribution of South Carolina, 1984 .. 9

Table 6. Live Births and Live Birth Rates by Race: South Carolina, 1962-1984 (Residence Data) 10

Figure 4. Live Birth Rates by Race: South Carolina, 1962-1984 (Residence Data) 10

Table 7. Live Births by Attendant by Place of Delivery: South Carolina, 1984 (Residence Data) 11

Table 8. Percentages of Births Occurring in Hospitals by Race: South Carolina, 1975-1984 (Residence Data) 11

Table 9. Percentage Distribution of Out-of-Wedlock Live Births by Age of Mother: South Carolina, 1980-1984 (Residence Data) 12

Table 10. Percentage Distribution of Live Births by Age of Mother: South Carolina, 1980-1984 (Residence Data) 12

Table 11. Live Births by Birth Weight by Race with Percentages of Births in Weight Group: South Carolina, 1984 (Residence Data) 13

Table 12. Percent of Births Less Than 2,500 Grams, by Age of Mother and Race: South Carolina, 1984 (Residence Data) 13

Figure 5. Percent of Births Less Than 2,500 Grams, by Age of Mother and Race: South Carolina, 1984 (Residence Data) 14

Figure 6. Percentage Distribution of Live Births by Birth Weight and Race: South Carolina, 1984 (Residence Data) 14

Table 13. Fertility Rates by Race: South Carolina, 1960, 1970-1984 15

Table 14. Population of Females Age 15-44 Years by Race: South Carolina, 1960, 1970-1984 15

Table 15. Sex Ratio of Males per 100 Females: South Carolina, 1980-1984 (Residence Data) 16

Table 16. Live Births and Birth Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1984 (Residence Data) 17

BIRTHS

Page

Table 17. Live Births and Birth Rate by Race: South Carolina and Each County and Places of 2,500 or More Population, 1984 (Occurrence Data) 21

Table 18. Live Births by Race and Sex: South Carolina and Each County, 1984 (Residence Data) 25

Table 19. Live Births by Race and Sex: South Carolina and Each County, 1984 (Occurrence Data) 26

Table 20. Live Births by County of Occurrence by County of Residence, South Carolina, 1984 27

Table 21. Live Births by Number of Prenatal Care Visits: South Carolina and Each County, 1984 (Residence Data) 29

Table 21-A Live Births by Number of Prenatal Care Visits By Race: South Carolina, and Each County, 1984 (Residence Data) 30

Table 22. Live Births by Month Prenatal Care Began: South Carolina and Each County, 1984 (Residence Data) 32

Table 22-A Live Births by Month Prenatal Care Began by Race: South Carolina and Each County, 1984 (Residence Data) 33

Table 23. Live Births by Attendant: South Carolina and Each County, 1984 (Residence Data) 35

Table 23-A Live Births by Attendant by Race: South Carolina and Each County, 1984 (Residence Data) 36

Table 24. Live Births by Attendant: South Carolina and Each County, 1984 (Occurrence Data) 38

Table 24-A Live Births by Attendant by Race: South Carolina and Each County, 1984 (Occurrence Data) 39

Table 25. Live Births and Percent of Live Births by Marital Status and Race, by Age of Mother: South Carolina, 1984 (Residence Data) 41

Table 26. Live Births by Age of Mother: South Carolina and Each County, 1984 (Residence Data) 42

Table 26-A Live Births by Age of Mother and Race: South Carolina and Each County, 1984 (Residence Data) 43

BIRTHS

Page

Table 27. Live Births to Mothers Less Than 20 Years Old: South Carolina and Each County, 1984 (Residence Data) 45

Table 28. Live Births by Birth Weight, Age of Mother, and Race: South Carolina, 1984 (Residence Data) 46

Table 29. Low Weight Live Births and Percent of Low Weight Live Births: South Carolina and Each County, 1984 (Residence Data) 47

Table 30. Low Weight Live Births by Age of Mother: South Carolina and Each County, 1984 (Residence Data) 48

Table 30-A Low Weight Live Births by Age of Mother and Race: South Carolina and Each County, 1984 (Residence Data) 49

Table 31. Live Births by Birth Weight and Race: South Carolina and Each County, 1984 (Residence Data) 51

Table 32. Out-of-Wedlock Live Births and Percent of Live Births Out-of-Wedlock: South Carolina and Each County, 1984 (Residence Data) 57

Table 33. Out-of-Wedlock Live Births by Age of Mother: South Carolina and Each County: 1984 (Residence Data) 58

Table 34. Live Births with Reported Congenital Malformations: South Carolina and Each County, 1984 (Residence Data) . 59

Table 35. Live Births with Reported Congenital Malformations by Type of Malformation: South Carolina, 1982-1984 (Residence Data) 60

DEATHS

Summary of Death 61

Figure 7. Death Rate Map Distribution of South Carolina, 1984 ... 61

Table 36. Death Rates by Race: South Carolina, 1962-1984 (Residence Data) 62

Figure 8. Death Rate Graph by Race: South Carolina, 1962-1984 (Residence Data) 62

Table 37. Percentage Distribution of Deaths by Race, by Age: South Carolina, 1965 and 1984 (Residence Data) 63

DEATHS

Page

Table 38. Leading Causes of Infant Death, by Age at Death: South Carolina, 1984 (Residence Data) 64

Table 39. Maternal Deaths by Cause, Race and Age: South Carolina, 1984 (Residence Data) 65

Table 40. Violent Deaths With Rates by Type: South Carolina, 1980-1984 (Residence Data) 66

Table 41. Types of Accidental Deaths by Sex: South Carolina, 1984 (Residence Data) 66

Table 42. Methods of Suicidal Deaths by Sex: South Carolina, 1984 (Residence Data) 67

Table 43. Methods of Homicidal Deaths by Sex: South Carolina, 1984 (Residence Data) 67

Table 44. Distribution of Malignant Neoplasms by Site: South Carolina, 1984 (Residence Data) 68

Table 45. Deaths From Major Cardiovascular Diseases: South Carolina, 1984, (Residence Data) 69

Table 46. Mortality From Ten Leading Causes of Death by Race: South Carolina, 1984 (Residence Data) 70

Figure 9. Percentage Distribution of the Ten Leading Causes of Death and Deaths From All Causes, by Sex: South Carolina, 1984, (Residence Data) 70

Table 47. Mortality From Five Leading Causes of Death in Specified Age Groups by Race: South Carolina, 1984 (Residence Data) 71

Table 48. Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1984 (Residence Data) 72

Table 49. Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1984 (Occurrence Data) 76

Table 50. Deaths by Race and Sex: South Carolina and Each County, 1984 (Residence Data) 80

DEATHS

Page

Table 51. Deaths by Race and Sex: South Carolina and Each County, 1984 (Occurrence Data) 81

Table 52. Deaths and Death Rates From Selected Causes, by Race and Sex: South Carolina, 1984 (Residence Data) 82

Table 52-A Deaths From Selected Causes, by Race and Sex: Each County, 1984 (Residence Data) 83

Table 53. Deaths From Selected Causes, by Age, Race, and Sex, South Carolina, 1984 (Residence Data) 106

Table 54. Deaths by Certifier: South Carolina and Each County, 1984 (Occurrence Data) 116

Table 54-A Deaths by Certifier, by Race: South Carolina and Each County, 1984 (Occurrence Data) 117

Table 55. Deaths by Burial Disposition: South Carolina and Each County, 1984 (Occurrence Data) 119

Table 55-A Deaths by Burial Disposition by Race: South Carolina and Each County, 1984 (Occurrence Data) 120

Table 56. Major Causes of Accidental Death: South Carolina and Each County, 1984 (Residence Data) 121

Table 57. Major Causes of Accidental Death: South Carolina and Each County, 1984 (Occurrence Data) 122

Table 58. Deaths From Suicide by Method: South Carolina, 1984 (Occurrence Data) 123

Table 59. Deaths From Homicide by Method: South Carolina, 1984 (Occurrence Data) 124

Table 60. Infant Deaths and Infant Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1984 (Residence Data) 125

Table 61. Infant Deaths and Infant Mortality Rates by Race: South Carolina and Each County, 1984 (Residence Data) 129

Table 62. Neonatal Deaths and Neonatal Mortality Rates by Race: South Carolina and Each County, 1984 (Residence Data) . 130

Table 63. Postneonatal Deaths and Postneonatal Mortality Rates by Race: South Carolina and Each County, 1984 (Residence Data) 131

DEATHS

Page

Table 64. Fetal Deaths and Fetal Mortality Rates by Race: South Carolina and Each County, 1984 (Residence Data) 132

Table 65. Fetal Deaths by Age of Mother: South Carolina and Each County, 1984 (Residence Data) 133

Table 66. Perinatal Deaths and Perinatal Mortality Rates by Race: South Carolina and Each County, 1983 (Residence Data) 134

Table 67. Maternal Deaths and Maternal Mortality Rates by Race: South Carolina and Each County, 1984 (Residence Data) 135

Table 68. Maternal Deaths and Maternal Mortality Rates by Race: South Carolina and Each County, 1984 (Occurrence Data) 135

MARRIAGES, DIVORCES, AND ANNULMENTS

Summary of Marriages, Divorces and Annulments 136

Figure 10. Percentage of Non-Residents Obtaining Marriage Licenses in South Carolina, 1965-1984 136

Table 69. Marriages by Race of Bride and Race of Groom: South Carolina, 1984 (Occurrence Data) 137

Table 70. Marriages by County in Which License Was Issued, by Residential Status: South Carolina and Each County, 1984 138

Table 71. Marriages by Residential Status, by County of Marriage: South Carolina, 1984 (Occurrence Data) 139

Table 72. Marriages by Race, by Residential Status, by Age Groups of Brides: South Carolina, 1984 140

Table 73. Marriages by Race, By Residential Status, by Age Groups of Grooms: South Carolina, 1984 141

Table 74. Marriages by Age of Bride by Age of Groom: South Carolina, 1984 142

MARRIAGES, DIVORCES, AND ANNULMENTS

Page

Table 75. Divorces and Annulments by Number of Children Involved, by Race: South Carolina and Each County, 1984 143

Table 76. Divorces by Plaintiff, by Legal Grounds for Decree: South Carolina and Each County, 1984 144

Table 77. Divorces by Age Groups, by Race: South Carolina, 1984 . 145

Table 78. Divorces and Annulments by Duration of Marriage, by Race: South Carolina, 1984 146

MORBIDITY

Table 79. Reported Cases of Selected Communicable Diseases: South Carolina and Each County, 1984 147

Table 80. Reported Cases of Venereal Disease: South Carolina and Each County, 1984 149

APPENDIX

Sample Certificates 150

Comparability Ratios 155

COMPLETENESS OF REGISTRATION

Statewide legislation requiring the registration of births and deaths became effective January 1, 1915. South Carolina was admitted into the National Death Registration Area in 1916 and in the National Birth Registration Area in 1919. After failing to meet the completeness of registration tests, the state was excluded from both in 1925. On the basis of later tests, South Carolina was readmitted into the National Birth and Death Registration Areas in 1928. Birth registration, tested for completeness in 1950, was found to be 90 percent complete. Death registration is believed to be even more complete than birth registration since legal requirements must be met.

Marriage records have been filed with the South Carolina Department of Health and Environmental Control since July, 1950. The reporting form prevented the state from being admitted as a Marriage Registration Area (MRA) in the national system until legislation was enacted in 1970 to standardize the reporting form which enabled the state to be admitted as a MRA in 1971.

Reports of divorces and annulments have been filed with the South Carolina Department of Health and Environmental Control since July, 1962. The reporting of these events reached 90 percent completeness in 1971, which enabled the state to qualify as a Divorce Registration Area.

No thorough study of the completeness of fetal death registration in South Carolina has yet been made. While the law requires that the death of any fetus that has advanced beyond the 20th week of gestation or weighs 350 grams or more be registered it is believed that registration is notably incomplete. Fetal death registration will continue to improve in regard to completeness of registration as an increasing amount of attention is directed to the relationship of fetal deaths and early infant deaths.

Delayed registration results in undernumeration of vital events for a specific time period. Frequency counts in this report are based on 1984 events processed in the state office before May 1985. As this publication goes to press, 1 birth, 4 death, and 0 fetal death records for 1984 were processed after the closing date and were not added to the statistical file.

ALLOCATION OF EVENTS BY RESIDENCE OR OCCURRENCE

The user of vital event data must be aware of the methods used in compiling the data if he/she is to make valid interpretations. With respect to geographic allocation of vital events, the data may be compiled either by place of residence or by place of occurrence.

RESIDENCE DATA are allocated to the place in South Carolina where the person normally resided, regardless of where the event occurred. A cooperative system of interstate exchange of transcripts of birth and death records permits events occurring to South Carolina residents in other states to be included in the South Carolina resident tabulations. In these tabulations, births are allocated to the county of the mother's residence and deaths are allocated to the the county of residence of the deceased. Since there is no interstate exchange of transcripts of marriage and divorce records, these statistics are limited to those events which occurred in South Carolina.

OCCURRENCE DATA are allocated to the place in South Carolina where the event occurred, regardless of the usual residence of the person involved.

Both residence and occurrence data are useful for different purposes. Occurrence data represent the requirements for hospitals and other health facilities. These types of data may help to determine such needs as maternity services, intensive care facilities for newborn babies, or emergency room facilities. Residence data are more properly utilized in measuring the fertility and the incidence of death in the population living in an area.

PLACE OF RESIDENCE OR OCCURRENCE 1984

	BIRTHS			DEATHS		
	Total	White	Nonwhite	Total	White	Nonwhite
Occurring in S.C.	48,296	28,893	19,403	25,390	17,133	8,257
Residents of S.C.	47,818	28,534	19,284	24,707	16,566	8,141
Non-Residents	478	359	119	683	567	116
Occurring to S.C. Residents	50,561	30,607	19,954	26,363	17,815	8,548
In South Carolina	47,818	28,534	19,284	24,707	16,566	8,141
Out-of-State	2,743	2,073	670	1,656	1,249	407

Note: Events to South Carolina residents on military status outside of the United States are not reflected in these tabulations.

DEFINITIONS OF TERMS

RESIDENCE DATA: Data allocated to the place in South Carolina where the person normally resided, regardless of where the event occurred.

OCCURRENCE DATA: Data allocated to the place in South Carolina where the event occurred, regardless of the usual residence of the person involved.

LIVE BIRTH: The complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. (Definition recommended by World Health Organization in 1950).

LOW BIRTH WEIGHT: Low birth weight is one for which the birth weight is less than 2,500 grams (5 pounds, 8 ounces), regardless of the period of gestation.

OUT-OF-WEDLOCK: A birth which occurs to a woman who has never been legally married or who has been widowed or legally divorced from her husband in excess of 280 days.

FETAL DEATH: Death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. (Definition recommended by World Health Organization in 1950). A fetal death is required to be reported if the fetus has completed or passed the twentieth week of gestation or weighs 350 grams or more. (Weight criteria effective in 1978. *Vital Statistics Laws and Regulations 61-19: Vital Statistics,* Section *21(a)*).

INFANT DEATH: Death of a live born infant under one year of age.

NEONATAL DEATH: Death of a live born infant under 28 days of age.

POSTNEONATAL DEATH: Death of a live born infant 28-364 days of age.

PERINATAL DEATH: Neonatal deaths plus fetal deaths.

MATERNAL DEATH: Death of a woman whose cause of death is assigned to Complications of Pregnancy, Childbirth, and the Puerperium (Ninth Revision ICD 630-676).

UNDERLYING CAUSE OF DEATH: The disease or injury which initiated the train of morbid events, leading directly to death. *(International Classification of Disease).*

NATURAL INCREASE: The increase in the population due to excess of births over deaths for a particular period.

INTERPRETATION OF DATA

SMALL NUMBER FREQUENCIES: There are variations in all statistics which are the results of chance. This characteristic is of particular importance in classifications with small numbers of events where small variations are proportionately large in relation to the base figure. As an example, small changes in the number of deaths or births in small population areas or in the number of deaths from uncommon causes could result in large changes in these rates. For this reason, rates for counties with small populations or other small bases should be used cautiously.

MEDICAL CERTIFICATION OF DEATH: Since the medical certification of death can be made only by a person authorized by law, usually a physician or coroner, the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the acumen and ability of the medical attendant to make the proper diagnosis and by the care with which the death certificate is filled out. In addition, mortality statistics represent the underlying cause of death as indicated by the attending physician or coroner. It is recognized that death may not result from a single morbid condition. However, this report does not include multiple cause tabulations.

COMPARABILITY: In order that disease classifications may be consistent with advances in medical science and changes in diagnostic practice, any system for categorizing causes of death must periodically be revised. Major revision in the International Classification of Diseases (ICD), by which causes of death are classified, occur approximately every ten years, and each decennial revision of the ICD has produced some break in comparability of cause of death statistics. In South Carolina, the Sixth Revision of the ICD was used from 1949-1957; the Seventh Revision from 1958-1968; the Eighth 1969-1978; and the Ninth Revision went into effect in 1979.

Prior to 1949, under the first five revisions, cause of death was selected on the basis of priority tables for multiple causes, as set forth in The Manual For Joint Causes of Death. Under the Sixth, Seventh, Eighth, and Ninth Revisions of the International Lists, the cause selected for tabulation has been the "underlying" cause, defined as the "disease or injury which initiated the train of morbid events, leading directly to death". (ICDA, Eighth Revision, 1968, Vol. 1, page xxix).

The introduction of the concept of "underlying" cause in 1949 with the Sixth Revision resulted in the basic change in classification of death which seriously affects the interpretation of mortality trends before and after 1949. The Seventh Revision was essentially a clarification of the Sixth Revision, but the Eighth Revision introduced some major modifications in classification lists and coding procedures. The Ninth Revision also brought some major changes in classification and coding.

In order to make valid comparisons of mortality by cause for events classified by different revisions of the ICD, comparability ratios are needed. Comparability ratios are computed by the National Center for Health Statistics from the results of dual coding of certificates according to the old and the new procedures. The comparability ratios were derived by taking the number of deaths classified to a given cause by the Ninth Revision and dividing the result by the number of deaths classified to that cause by the Eighth Revision. On a national level, provisional comparability ratios for the United States based on the Eighth and Ninth Revisions have been developed for a limited number of causes in the Monthly Vital Statistics Report, Vol. 28, Number 11 published by the National Center for Health Statistics.

RACE: Information on race of the mother and father is required on birth and fetal death certificates, and the race of the decedent is reported on death certificates. Fetal deaths utilize the race of mother. For statistical purposes, the tables in this report are based on the broad classifications of "white" and "nonwhite".

On live births, the races of father and of mother were coded independently and the race of child was generated for the tables in this report by comparing the two parents' codes and following a set of rules:

(1) When the race of both mother and father are white, the child's race will be white;
(2) When both the mother's and father's races are unknown, the race of the child will be nonwhite;
(3) When the race of one of the parents is white and the other parent's race is unknown, the race of the child will be white;
(4) For all combinations other than the above, the race of the child will be nonwhite.

Below is a cross-classification of race of father by race of mother for resident live births for South Carolina, 1984.

Race of Father	RACE OF MOTHER						
	White	Black	Indian	Chinese	Japanese	Other	Total
White	28,481	33	26	5	10	120	28,675
Black	111	9,614	5	-	3	20	9,753
Indian	24	-	10	-	-	1	35
Chinese	4	-	-	13	1	1	19
Japanese	6	-	-	-	3	-	9
Other	44	2	-	-	1	123	170
Unknown	2,126	9,749	18	-	-	7	11,900
Total	30,796	19,398	59	18	18	272	50,561

"Other" includes Hawaiian, Filipino, Other Pacific Islander, and Other nonwhite. The not-stated race includes out-of-wedlock births where the father's race is not shown and also actual unknown race.

VITAL STATISTICS RATES AND RATIOS

Vital statistics data provide better measures of health status when they are related to the size of the population and particularly to the age and sex components of the population. These relationships are usually expressed in terms of rates or percentages. During intercensal years, the validity of vital statistics rates depends upon the accuracy of population estimates.

For the most part, rates presented in this report are crude rates, i.e., the number of events per 1,000 total population. Crude rates are limited for purposes of making comparisons among geographic areas and for changes over time because they ignore characteristics of the population, such as age and sex. Age-adjusted rates or further analyses may be necessary in order to make valid comparisons.

Rates used in this report are calculated as follows:

Cause of Death Rate $= \dfrac{\text{Annual number of deaths from a stated cause}}{\text{Population of area}} \times 100{,}000$

Death Rate (crude) $= \dfrac{\text{Annual number of deaths}}{\text{Population of area}} \times 1{,}000$

Divorce Rate (crude) $= \dfrac{\text{Annual number of divorces}}{\text{Population of area}} \times 1{,}000$

Fetal Mortality Rate $= \dfrac{\text{Annual number of fetal deaths}}{\text{Annual number of live births}} \times 1{,}000$

General Fertility Rate $= \dfrac{\text{Annual number of live births}}{\text{Population of women 15-44 years of age}} \times 1{,}000$

Out-of-Wedlock Birth Rate $= \dfrac{\text{Annual number of out-of-wedlock births}}{\text{Annual number of live births}} \times 1{,}000$

Infant Mortality Rate $= \dfrac{\text{Annual number of infant deaths}}{\text{Annual number of live births}} \times 1{,}000$

Live Birth Rate (crude) $= \dfrac{\text{Annual number of live births}}{\text{Population of area}} \times 1{,}000$

Marriage Rate (crude) $= \dfrac{\text{Annual number of marriages}}{\text{Population of area}} \times 1{,}000$

Maternal Mortality Rate $= \dfrac{\text{Annual number of maternal deaths}}{\text{Annual number of live births}} \times 10{,}000$

Neonatal Mortality Rate $= \dfrac{\text{Annual number of neonatal deaths}}{\text{Annual number of live births}} \times 1{,}000$

Postneonatal Mortality Rate $= \dfrac{\text{Annual number of postneonatal deaths}}{\text{Annual number of live births}} \times 1{,}000$

Perinatal Mortality Rate $= \dfrac{\text{Annual number of fetal deaths plus Annual number of neonatal deaths}}{\text{Annual number of live births plus Annual number of fetal deaths}} \times 1{,}000$

Low Weight Birth Rate $= \dfrac{\text{Annual number of live births weighing less than 2500 grams}}{\text{Annual number of live births}} \times 1{,}000$

GRAM WEIGHT EQUIVALENTS IN POUNDS AND OUNCES

500 grams or less = 1 lb. 1 oz. or less
501-1,000 grams = 1 lb. 2 oz. - 2 lb. 3 oz.
1,001-1,500 grams = 2 lb. 4 oz. - 3 lb. 4 oz.
1,501-2,000 grams = 3 lb. 5 oz. - 4 lb. 6 oz.
2,001-2,500 grams = 4 lb. 7 oz. - 5 lb. 8 oz.
2,501-3,000 grams = 5 lb. 9 oz. - 6 lb. 9 oz.
3,001-3,500 grams = 6 lb. 10 oz. - 7 lb. 11 oz.
3,501-4,000 grams = 7 lb. 12 oz. - 8 lb. 13 oz.
4,001-4,500 grams = 8 lb. 14 oz. - 9 lb. 14 oz.
4,501-5,000 grams = 9 lb. 15 oz. - 11 lb. 0 oz.
5,001 grams or more = 11 lb. 1 oz. - or more

Symbols Used in Tables

Class or item not applicable	...
Data not available	---
Quantity zero in frequency tables	-
Quantity zero in rate or percent tables	0
Rate or percent more than 0 but less than 0.05	0.0
Both frequency and population base zero in rate or percent tables	-
Figures within parentheses not included in totals	( )

SUMMARY OF VITAL EVENTS

Table 1.
Population, Live Births, Deaths, Marriages and Divorces with Rates per 1,000 Population by Race, South Carolina, 1965-1984
(Residence Data)

Year	Race	Population 1/	Resident Births		Resident Deaths		Marriages 2/		Annulments And Divorces 3/	
			Number	Rate	Number	Rate	Number	Rate	Number	Rate
1965	Total	2,512,200	52,853	21.0	21,668	8.6	42,336	18.4	3,068	1.2
	White	1.676.900	30,635	18.3	13,101	7.8	35,360	21.1	2.628	1.6
	Nonwhite	835,500	22,218	26.6	8,567	10.3	10,976	13.1	440	0.5
1966	Total	2,536,800	50,653	20.0	22,081	8.7	49,812	19.6	3,124	1.2
	White	1,702,500	30,118	17.7	13,427	7.9	38,021	22.3	2,695	1.6
	Nonwhite	834,800	20,535	24.6	8,654	10.4	11,791	14.1	429	0.5
1967	Total	2,660,000	49,822	18.7	21,762	8.2	52,148	19.6	3,584 4/	1.3
	White	1,841,424	29,996	16.3	13,611	7.4	39,522	21.5	3,071	1.7
	Nonwhite	818,576	19,826	24.2	8,151	10.0	12,626	15.4	491	0.6
1968	Total	2,669,000	49,158	18.4	23,411	8.8	54,943	20.6	4,518	1.7
	White	1,836,000	30,416	16.6	14,778	8.0	42,091	22.9	3,873	2.1
	Nonwhite	833,000	18,742	22.5	8,633	10.4	12,852	15.4	645	0.8
1969	Total	2,698,000	50,401	18.7	22,820	8.5	57,981	21.5	5,435	2.0
	White	1,856,600	31,626	17.0	14,612	7.9	44,310	23.9	4,567	2.5
	Nonwhite	841,400	18,775	22.3	8,208	9.8	13,671	16.2	868	1.0
1970	Total	2,590,516	52,283	20.2	22,762	8.8	57,887	22.3	5,829	2.3
	White	1,794,430	32,703	18.2	14,752	8.2	44,730	24.9	4,972	2.8
	Nonwhite	796,086	19,580	24.6	8,010	10.1	13,157	16.5	857	1.1
1971	Total	2,626,800	52,984	20.2	23,140	8.8	58,034	22.1	6,657	2.5
	White	1,833,500	32,912	18.0	15,035	8.2	44,485	24.3	5,613	3.1
	Nonwhite	793,300	20,072	25.3	8,105	10.2	13,549	17.1	1,044	1.3
1972	Total	2,665,000	49,951	18.7	23,920	9.0	59,983	22.5	7,646	2.9
	White	1,873,800	30,857	16.5	15,475	8.3	45,039	24.0	6,489	3.5
	Nonwhite	791,200	19,094	24.1	8,445	10.7	14,944	18.9	1,157	1.5
1973	Total	2,726,000	48,922	17.9	24,871	9.1	56,876	20.9	8,266	3.0
	White	1,930,000	29,881	15.5	16,188	8.4	42,198	21.9	6,973	3.6
	Nonwhite	796,000	19,041	23.9	8,683	10.9	14,678	18.4	1,293	1.6
1974	Total	2,784,000	48,432	17.4	24,169	8.7	53,009	19.0	8,816	3.2
	White	---	29,469	15.0	15,941	8.1	39,731	20.3	7,431	3.8
	Nonwhite	---	18,963	23.0	8,228	10.0	13,278	16.1	1,385	1.7
1975	Total	2,818,000	46,665	16.6	23,343	8.3	50,249	17.8	9,671	3.4
	White	1,942,000	28,016	14.4	15,464	8.0	38.372	19.8	8,243	4.2
	Nonwhite	876,000	18,649	21.3	7,879	9.0	11,877	13.6	1,428	1.6
1976	Total	2,848,000	47,651	16.7	23.639	8.3	50,698	17.8	10.641	3.7
	White	1,962,000	28,529	14.5	15,652	8.0	38,482	19.6	8,954	4.6
	Nonwhite	886,000	19,122	21.6	7,987	9.0	12,216	13.8	1,687	1.9
1977	Total	2,876,000	49,848	17.3	24,254	8.4	51,306	17.8	10,717	3.7
	White	1,966,700	29,646	15.1	16,088	8.2	38,924	19.8	8,969	4.6
	Nonwhite	909,100	20,202	22.2	8,166	9.0	12,382	13.6	1,748	1.9
1978	Total	2,917,200	49,558	17.0	24,055	8.2	52,960	18.1	11,900	4.1
	White	2,014,100	29,048	14.4	15,993	7.9	40,224	20.0	9,903	4.9
	Nonwhite	903,100	20,510	22.7	8,062	8.9	12,736	14.1	1,998	2.2
1979	Total	2,931,900	50,586	17.3	24.343	8.3	53,505	18.2	13,747	4.7
	White	2,022,600	29,839	14.8	16,207	8.0	40,790	20.2	11.283	5.6
	Nonwhite	909,300	20,747	22.8	8,136	8.9	12,715	14.0	2,464	2.7
1980	Total	3,121,820	51,908	16.6	25,138	8.1	53.915	17.3	13,595	4.4
	White	2,147,224	30,559	14.2	16,781	7.8	40,955	19.1	11,155	5.2
	Nonwhite	974,596	21,349	21.9	8,357	8.6	12,960	13.3	2,440	2.5
1981	Total	3,196,247	51,745	16.2	25,410	7.9	54,415	17.0	13,974	4.4
	White	2,196,957	30,542	13.9	17,199	7.8	41,746	19.0	11,503	5.2
	Nonwhite	999,290	21,203	21.2	8,210	8.2	12,669	12.7	2,471	2.5
1982	Total	3,256,259	51,554	15.8	25,066	7.7	53,496	16.4	13,600	4.2
	White	2,236,690	30,652	13.7	16,823	7.5	40,655	18.2	11,233	5.0
	Nonwhite	1,019,569	20,902	20.5	8,243	8.1	12,841	12.6	2,367	2.3
1983	Total	3,316,306	50,731	15.3	26,130	7.9	53,691	16.2	13,601	4.1
	White	2,276,477	30,448	13.4	17,717	7.8	41.490	18.2	11,060	4.9
	Nonwhite	1,039,829	20,283	19.5	8,413	8.1	12,201	11.7	2,541	2.4
1984	Total	3,300,500	50,561	15.3	26,363	8.0	55.357	16.8	13,674	4.1
	White	2,259,528	30,607	13.5	17,815	7.9	42,557	18.8	11,111	4.9
	Nonwhite	1,040.972	19,954	19.2	8,548	8.2	12,800	12.3	2,563	2.5

1/ 1970 and 1980 are actual census counts; estimated population for intercensal years. Estimates by race for 1974 have not been published. See S.C. Vital and Morbidity Statistics. 1974, page 5.

2/ Figures represent all reported marriages where license was issued in South Carolina.

3/ Figures represent all reported divorces and annulments granted in South Carolina by race of husband.

4/ Includes 22 races not stated.

Table 2.

Out-of-Wedlock, Low Weight Births, Fetal Deaths, Death Under One Year and Under 28 Days1/ and Maternal Deaths, with Rates2/ by Race: South Carolina, 1965-1984

(Residence Data)

Year	Race	Out-of-Wedlock Live Births		Low Weight Live Births		Fetal Deaths		Infant Deaths				Maternal Deaths	
								Under 1 Year		Under 28 Days			
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1965	Total	7,433	140.6	5,132	97.1	1,039	19.7	1,638	31.0	994	18.8	38	7.2
	White	924	30.2	2,214	72.3	411	13.4	679	22.2	528	17.2	11	3.6
	Nonwhite	6,509	293.0	2,918	131.3	628	28.3	959	43.2	466	20.9	27	12.2
1966	Total	7,417	146.4	4,933	97.4	937	18.5	1,517	29.9	874	17.3	35	6.9
	White	1,061	35.2	2,271	75.4	377	12.5	641	21.3	482	16.0	7	2.3
	Nonwhite	6,356	309.5	2,662	129.6	560	27.3	876	42.7	392	19.2	28	13.6
1967	Total	7,521	151.0	4,833	97.0	937	18.8	1,384	27.8	891	17.9	24	4.8
	White	1,124	37.5	2,224	74.1	414	13.8	628	20.9	493	16.4	8	2.7
	Nonwhite	6,397	322.7	2,609	131.6	523	26.4	756	38.1	398	20.1	16	8.1
1968	Total	7,353	149.6	4,804	97.7	851	17.3	1,342	27.3	838	17.0	28	5.7
	White	1,117	36.7	2,277	74.9	394	13.0	614	20.2	457	15.0	11	3.6
	Nonwhite	6,236	332.7	2,527	134.8	457	24.4	728	38.8	381	20.3	17	9.1
1969	Total	7,439	147.6	4,828	95.8	845	16.8	1,220	24.2	776	15.4	18	3.6
	White	1,193	37.7	2,203	69.7	381	12.0	599	18.9	439	13.9	6	1.9
	Nonwhite	6,246	332.7	2,625	139.8	464	24.7	621	33.1	337	17.9	12	6.4
1970	Total	7,858	150.3	5,008	95.8	815	15.6	1,199	22.9	798	15.3	23	4.4
	White	1,226	37.5	2,374	72.6	417	12.8	607	18.6	469	14.3	6	1.8
	Nonwhite	6,632	338.7	2,634	134.5	398	20.3	592	30.2	329	16.8	17	8.7
1971	Total	8,218	155.1	4,690	88.5	813 3/	15.3	1,149	21.7	789	14.9	28	5.3
	White	1,191	36.2	2,145	65.2	366	11.1	536	16.3	423	12.9	8	2.4
	Nonwhite	7,027	350.1	2,545	126.8	445	22.2	613	30.5	366	18.2	20	10.0
1972	Total	8,387	167.9	4,533	90.7	791	15.8	1,126	22.5	774	15.5	19	3.8
	White	1,249	40.5	2,065	66.9	351	11.4	536	17.4	405	13.1	5	1.6
	Nonwhite	7,138	373.8	2,468	129.3	440	23.0	590	30.9	369	19.3	14	7.3
1973	Total	8,778	179.4	4,404	90.0	809 3/	16.5	1,105	22.6	752	15.4	18	3.7
	White	1,314	44.0	1,989	66.6	354	11.8	527	17.6	395	13.2	4	1.3
	Nonwhite	7,464	392.0	2,415	126.8	453	23.8	578	30.4	357	18.7	14	7.4
1974	Total	8,811	181.9	4,401	90.9	732 4/	15.1	1,031	21.3	727	15.0	10	2.1
	White	1,281	43.5	1,901	64.5	327	11.1	493	16.7	377	12.8	4	1.4
	Nonwhite	7,530	397.1	2,500	131.8	402	21.2	538	28.4	350	18.5	6	3.2
1975	Total	9,242	198.0	4,205	90.1	653 5/	14.0	897	19.2	638	13.7	5	1.1
	White	1,394	49.8	1,840	65.7	282	10.1	431	15.4	318	11.4	1	0.4
	Nonwhite	7,848	420.8	2,365	126.8	370	19.8	466	25.0	320	17.2	4	2.1
1976	Total	9,447	198.3	4,237	88.9	715 6/	15.0	930	19.5	633	13.3	13	2.7
	White	1,404	49.2	1,758	61.6	312	10.9	400	14.0	284	10.0	2	0.7
	Nonwhite	8,043	420.6	2,479	129.6	398	20.8	530	27.7	349	18.3	11	5.8
1977	Total	10,419	209.0	4,442	89.1	685 7/	13.7	876	17.6	607	12.2	10	2.0
	White	1,588	53.6	1,811	61.1	301	10.2	387	13.1	285	9.6	1	0.3
	Nonwhite	8,831	437.1	2,631	130.2	378	18.7	489	24.2	322	15.9	9	4.5
1978	Total	10,822	218.4	4,418	89.1	664	13.4	919	18.5	614	12.4	8	1.6
	White	1,674	57.6	1,749	60.2	284	9.8	386	13.3	274	9.4	5	1.7
	Nonwhite	9,148	446.0	2,669	130.1	380	18.5	533	26.0	340	16.6	3	1.5
1979	Total	10,749	212.5	4,479	88.5	654	12.9	857	17.0	565	11.2	6	1.2
	White	1,571	52.6	1,848	61.9	279	9.4	367	12.3	260	8.7	-	0
	Nonwhite	9,178	442.4	2,631	126.8	375	18.1	490	23.6	305	14.7	6	2.9
1980	Total	11,191	215.6	4,493	86.6	672	12.9	809	15.6	561	10.8	12	2.3
	White	1,747	57.2	1,836	60.1	288	9.4	330	10.8	232	7.6	7	2.3
	Nonwhite	9,444	442.4	2,657	124.5	384	17.9	479	22.4	329	15.4	5	2.3
1981	Total	11,339	219.1	4,582	88.5	669	12.9	836	16.2	562	10.9	3	0.6
	White	1,735	56.8	1,876	61.4	280	9.2	379	12.4	247	8.1	-	0
	Nonwhite	9,604	453.0	2,706	127.6	389	18.3	457	21.6	315	14.9	3	1.4
1982	Total	11,626	225.5	4,580	88.8	684	13.3	832	16.1	552	10.7	6	1.2
	White	2,013	65.7	1,884	61.5	284	9.3	367	12.0	248	8.1	-	0
	Nonwhite	9,613	459.9	2,696	129.0	400	19.1	465	22.2	304	14.5	6	2.9
1983	Total	11,908	234.7	4,395	86.6	645	12.7	760	15.0	497	9.8	4	0.8
	White	2,105	69.1	1,864	61.2	272	8.9	343	11.3	215	7.1	1	0.3
	Nonwhite	9,803	483.3	2,531	124.8	373	18.4	417	20.6	282	13.9	3	1.5
1984	Total	11,916	235.7	4,431	87.6	640	12.7	743	14.7	495	9.8	5	1.0
	White	2,129	69.5	1,916	62.6	292	9.5	339	11.1	239	7.8	3	1.0
	Nonwhite	9,787	490.5	2,515	126.0	348	17.4	404	20.2	256	12.8	2	1.0

1/ Data on infant deaths under 28 days (1965-1966) derived from Vital Statistics of the United States.
2/ Rates for out-of-wedlock births, low weight births, fetal deaths, deaths under one year and under 28 days are calculated per 1,000 live births, rates for maternal deaths are calculated per 10,000 live births.
3/ Includes 2 race not stated
4/ Includes 3 race not stated
5/ Includes 1 race not stated
6/ Includes 5 race not stated
7/ Includes 6 race not stated

Table 3
Mortality From Selected Causes of Death by Race With Rates[1] Per 100.000 Population
South Carolina, 1975-1984
(Residence Data)

Year	Total		White		Nonwhite		Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
	Malignant Neoplasms 140-209 (140-208), 1.0026						Hypertension 400,401.403 (401.403), 1.2703					
1975	3,840	136.3	2,685	138.3	1.155	131.8	101	3.6	38	2.0	63	7.2
1976	3,979	139.7	2,844	145.0	1.135	128.1	88	3.1	41	2.1	47	5.3
1977	4,272	148.5	3.030	154.1	1,242	136.6	67	2.3	30	1.5	37	4.1
1978	4,278	146.6	3,011	149.5	1,267	140.3	71	2.4	24	1.2	47	5.2
1979	4,563	155.6	3,210	158.7	1,353	148.8	99	3.4	55	2.7	44	4.8
1980	4,890	156.6	3,466	161.4	1,424	146.1	112	3.6	51	2.4	61	6.3
1981	4,904	153.4	3,487	158.7	1,417	141.8	108	3.4	47	2.1	61	6.1
1982	5,059	155.4	3,523	157.5	1,536	150.7	132	4.1	62	2.8	70	6.9
1983	5,255	158.4	3,700	162.5	1,555	149.5	112	3.4	44	1.9	68	6.5
1984	5,524	167.4	3,809	168.6	1,715	164.8	128	3.9	52	2.3	76	7.3
	Malignant Neoplasms of Cervix 180 (180), N.A.*						Atherosclerosis 440 (440), 1.0649					
1975	89	3.2	38	2.0	51	5.8	233	8.3	165	8.5	68	7.8
1976	97	3.4	47	2.4	50	5.6	242	8.5	179	9.1	63	7.1
1977	91	3.2	47	2.4	44	4.8	222	7.7	157	8.0	65	7.1
1978	78	2.7	40	2.0	38	4.2	239	8.2	185	9.2	54	6.0
1979	69	2.4	34	1.7	35	3.8	255	8.7	192	9.5	63	6.9
1980	94	3.0	48	2.2	46	4.7	264	8.5	175	8.2	89	9.1
1981	64	2.0	35	1.6	29	2.9	271	8.5	198	9.0	73	7.3
1982	94	2.9	48	2.1	46	4.5	266	8.2	187	8.4	79	7.7
1983	88	2.7	46	2.0	42	4.0	260	7.8	204	9.0	56	5.3
1984	87	2.6	47	2.1	40	3.8	250	7.6	201	8.9	49	4.7
	Cerebrovascular Disease 430-438 (430-438), 1.0049						Ischemic Heart Disease 410-414 (410-414), 0.8784					
1975	2,725	96.7	1.698	87.4	1,027	117.2	7,026	249.3	5,135	264.4	1,891	215.9
1976	2,739	96.2	1,722	87.8	1,017	114.8	7,143	250.8	5,214	265.7	1,929	217.7
1977	2,697	93.8	1,688	85.8	1,009	111.0	7,224	251.2	5,264	267.7	1,960	215.6
1978	2,541	87.1	1,569	77.9	972	107.6	7,067	242.3	5,190	257.7	1,877	207.8
1979	2,513	85.7	1,549	76.6	964	106.0	5,956	203.1	4,460	220.5	1.496	164.5
1980	2,488	79.7	1,532	71.3	956	98.1	6,060	194.1	4,655	216.8	1,405	144.2
1981	2,384	74.6	1,461	66.5	923	92.4	5,978	187.0	4,686	213.3	1,292	129.3
1982	2,378	73.0	1,429	63.9	949	93.1	5,926	182.0	4,543	203.1	1,383	135.6
1983	2,340	70.6	1,419	62.3	921	88.6	6,449	194.5	4,922	216.2	1,527	146.9
1984	2,377	72.0	1,492	66.0	885	85.0	6,163	186.7	4,693	207.7	1.470	141.2
	Heart Disease 390-398,402,404,410-429 (390-398,402,404-429), 1.0126						Influenza and Pneumonia 470-474,480-486 (480-486,487) 0.9264					
1975	8,139	288.8	5,757	296.4	2,382	271.9	707	25.1	441	22.7	266	30.4
1976	8,392	294.7	5,956	303.6	2,436	274.9	669	23.5	445	22.7	224	25.3
1977	8,636	300.3	6,069	308.6	2,567	282.4	673	23.4	430	21.9	243	26.7
1978	8,550	293.1	6,013	298.6	2,537	280.9	702	24.1	475	23.6	227	25.1
1979	8,640	297.7	6,081	300.7	2,559	281.4	546	18.6	376	18.6	170	18.7
1980	9,047	289.8	6,421	299.0	2,626	269.4	559	17.9	380	17.7	179	18.4
1981	9,151	286.3	6,603	300.6	2,548	255.0	646	20.2	448	20.4	198	19.8
1982	9,083	278.9	6,457	288.7	2,626	257.6	618	19.0	415	18.6	203	19.9
1983	9,662	291.3	6,926	304.2	2,736	263.1	667	20.1	458	20.1	209	20.1
1984	9,343	283.1	6,669	295.2	2,674	256.9	672	20.4	477	21.1	195	18.7

NOTE: 8th revision codes; then 9th revision codes in parentheses and comparability ratios (see comparability explanation under "Interpretation of Data")

[1] Rates in table have not been adjusted

* Not Available

Table 3 (cont.)

	Total		White		Nonwhite		Total		White		Nonwhite	
Year	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
	Diabetes Mellitus 250 (250), 0.9991						Accidents, All Types E800-E949 (E800-E949), 0.9970					
1975	523	18.6	276	14.2	247	28.2	1,624	57.6	1,055	54.3	569	65.0
1976	468	16.4	245	12.5	223	25.2	1,593	55.9	983	50.1	610	68.8
1977	480	16.7	256	13.0	224	24.6	1,749	60.8	1,116	56.7	633	69.6
1978	450	15.4	245	12.2	205	22.7	1,658	56.8	1,052	52.2	606	67.1
1979	471	16.1	274	13.5	197	21.7	1,729	59.0	1,076	53.2	653	71.8
1980	475	15.2	256	11.9	219	22.5	1,700	54.5	1,092	50.9	608	62.4
1981	498	15.6	285	13.0	213	21.3	1,692	52.9	1,070	48.7	622	62.2
1982	476	14.6	240	10.7	236	23.1	1,548	47.5	1,031	46.1	517	50.7
1983	486	14.6	248	10.9	238	22.9	1,728	52.1	1,128	49.5	600	57.7
1984	480	14.5	248	11.0	232	22.3	1,721	52.1	1,113	49.3	608	58.4
	Complications of Pregnancy, Childbirth and Puerperium 630-678 (630-676), 1.100 2/						Motor Vehicle Accidents E810-E823 (E810-E825), 1.0117					
1975	5	1.1	1	0.1	4	2.1	814	28.9	535	27.5	279	31.8
1976	13	2.7	2	0.7	11	5.8	816	28.7	526	26.8	290	32.7
1977	10	2.0	1	0.3	9	4.5	952	33.1	676	34.4	276	30.4
1978	8	1.6	5	1.7	3	1.5	919	31.5	613	30.4	306	33.9
1979	6	1.2	-	0	6	2.9	915	31.2	599	29.6	316	34.8
1980	12	2.3	7	2.3	5	2.3	863	27.6	592	27.6	271	27.8
1981	3	0.6	-	0	3	1.4	849	26.6	616	28.0	233	23.3
1982	6	1.2	-	0	6	2.9	753	23.1	517	23.1	236	23.1
1983	4	0.8	1	0.3	3	1.5	859	25.9	613	26.9	246	23.6
1984	5	1.0	3	1.0	2	1.0	949	28.8	648	28.7	301	28.9
	Congenital Anomalies 740-759 (740-759), 0.9984						Suicide E950-E959 (E950-E959), 1.0032					
1975	207	7.3	128	6.6	79	9.0	328	11.6	293	15.1	35	4.0
1976	204	7.2	132	6.7	72	8.1	285	10.0	247	12.6	38	4.3
1977	207	7.2	122	6.2	85	9.3	359	12.5	311	15.8	48	5.3
1978	185	6.3	112	5.6	73	8.1	332	11.4	290	14.4	42	4.7
1979	229	7.8	143	7.1	86	9.5	308	10.5	281	13.9	27	3.0
1980	196	6.3	118	5.5	78	8.0	301	9.6	251	11.7	50	5.1
1981	213	6.7	125	5.7	88	8.8	348	10.9	305	13.9	43	4.3
1982	219	6.7	127	5.7	92	9.0	366	11.2	323	14.4	43	4.2
1983	208	6.2	117	5.1	91	8.7	334	10.1	302	13.3	32	3.1
1984	186	5.6	128	5.7	58	5.6	390	11.8	340	15.1	50	4.8
	Certain Conditions Originating In The Perinatal Period 760-778 (760-779), 1.0765						Homicide E960-E978 (E960-E978), 1.0057					
1975	471	16.7	222	11.4	249	28.4	444	15.8	189	9.7	255	29.1
1976	479	16.8	201	10.2	278	31.4	352	12.4	142	7.2	210	23.7
1977	469	16.3	207	10.5	262	28.8	380	13.2	174	8.8	206	22.7
1978	441	15.1	188	9.3	253	28.0	359	12.3	165	8.2	194	21.5
1979	422	14.4	167	8.3	255	28.0	387	13.2	168	8.3	219	24.1
1980	446	14.3	175	8.2	271	27.8	392	12.6	162	7.5	230	23.6
1981	452	14.1	188	8.6	264	26.4	357	11.2	158	7.2	199	19.9
1982	416	12.8	177	7.9	239	23.4	379	11.6	171	7.6	208	20.4
1983	400	12.1	168	7.4	232	22.3	323	9.7	148	6.5	175	16.8
1984	404	12.2	169	7.5	235	22.6	304	9.2	125	5.5	179	17.2

NOTE: 8th revision codes; then 9th revision codes in parentheses and comparability ratios (see comparability explanation under "Interpretation of Data")

1/ Rates in table have not been adjusted

* Not Available

2/ Rates per 10,000 live births

POPULATION

SUMMARY OF POPULATION

The estimated population of South Carolina for 1984 was 3,300,500, a decrease of 15,806 (0.5 percent) from the 1983 estimated population of 3,316,306. The 1984 estimate was an increase of 18.6 percent over the 1974 estimated population of 2,784,000. Population figures for 1984 used in this report were prepared by the Division of Research and Statistical Services of the South Carolina Budget and Control Board.

1970 and 1980 CENSUS OF POPULATION

Population Density: In 1970, the population density (number of persons per square mile of land area) of South Carolina was approximately 85.6. Based on the most recent census count, the 1980 population density had increased to 103.4, a 20.8 percent increase. Approximately 70 percent of the 46 counties in South Carolina had population densities less than that of the state in 1980, and ten of these counties actually had less than 40 people per square mile of land area.

Race and Age: In 1970, there were 1,794,430 white and 796,086 nonwhite persons residing in South Carolina. The 1980 census count recorded a 19.7 percent increase in white population and a 22.4 percent increase in nonwhite population. Of the ten year population change from 1970 to 1980, the 25-34 year age group showed the greatest percentage increase. Only two age groups, 5-9 and 10-14, showed a decrease in population from 1970 to 1980. The age distribution and the percent change in number of resident population from 1970 to 1980 are as follows:

	1970		1980		Percent Change
	Total	Percent	Total	Percent	1970-1980
Total	2,590,516	100.0	3,121,820	100.0	+20.5
Under 1 Year	48,675	1.9	50,686	1.6	+ 4.1
1 - 4 Years	187,089	7.2	187,830	6.0	+ 0.4
5 - 9 Years	269,242	10.4	253,643	8.1	- 5.8
10 - 14 Years	282,703	10.9	266,179	8.5	- 5.8
15 - 19 Years	280,881	10.8	317,234	10.2	+12.9
20 - 24 Years	238,202	9.2	313,738	10.1	+31.7
25 - 34 Years	320,245	12.4	516,741	16.6	+61.4
35 - 44 Years	286,000	11.0	350,505	11.2	+22.6
45 - 54 Years	277,119	10.7	299,183	9.6	+ 8.0
55 - 64 Years	209,400	8.1	278,753	8.9	+33.1
65 - 74 Years	125,224	4.8	189,527	6.1	+51.4
75 and Over	65,736	2.5	97,801	3.1	+48.8

Table 4.
Population, Live Births, Deaths, and Natural Increase
South Carolina, 1964 - 1984
(Residence Data)

YEAR	POPULATION	RESIDENT BIRTHS		RESIDENT DEATHS		NATURAL INCREASE
		Number	Rate	Number	Rate	(Births minus Deaths)
1964	2,487,600	56,906	22.9	21,309	8.6	35,597
1965	2,512,200	52,853	21.0	21,668	8.6	31,185
1966	2,536,800	50,653	20.0	22,081	8.7	28,572
1967	2,660,000	49,822	18.7	21,762	8.2	28,060
1968	2,669,000	49,158	18.4	23,411	8.8	25,747
1969	2,698,000	50,401	18.7	22,822	8.5	27,581
1970	2,590,516	52,283	20.2	22,762	8.8	29,521
1971	2,626,800	52,984	20.2	23,140	8.8	29.884
1972	2,665,000	49,951	18.7	23,920	9.0	26,031
1973	2,726,000	48,922	17.9	24,871	9.1	24,051
1974	2,784,000	48,432	17.4	24,169	8.7	24,263
1975	2,818,000	46,665	16.6	23,434	8.3	23,322
1976	2,848,000	47,651	16.7	23,639	8.3	24,012
1977	2,876,000	49,848	17.3	23,254	8.4	25,954
1978	2,918,000	49,558	17.0	24,058	8.2	25,503
1979	2,931,900	50,586	17.3	24,343	8.3	26,243
1980	3,121,820	51,908	16.6	25,138	8.1	26,770
1981	3,196,247	51,745	16.2	25,410	7.9	26,335
1982	3,256,259	51,554	15.8	25,066	7.7	26,488
1983	3,316,306	50,731	15.3	26,130	7.9	24,601
1984	3,300,500	50,561	15.3	26,363	8.0	24,198

Rate per 1,000 population

Figure 1.

BIRTH RATES, DEATH RATES, AND NATURAL INCREASE
South Carolina, 1964-1984 (Residence Data)



Figure 2.

POPULATION (*) DISTRIBUTION OF SOUTH CAROLINA, 1984


100001 - 310000
50001 - 100000
25001 - 50000
1 - 25000

(*) BASED ON 1984 ESTIMATES OF POPULATION

Table 5.
Estimates of South Carolina Population By Race By County
July, 1984

County of Residence	Total	White	Nonwhite
SOUTH CAROLINA	3,300,500	2,259,528	1,040,972
Abbeville	22,900	15,151	7,749
Aiken	111,900	83,079	28,821
Allendale	10,900	3,944	6,956
Anderson	138,500	113,684	24,816
Bamberg	18,100	7,542	10,558
Barnwell	20,200	11,578	8,622
Beaufort	78,600	50,716	27,884
Berkeley	112,800	81,351	31,449
Calhoun	11,600	5,148	6,452
Charleston	288,800	184,387	104,413
Cherokee	41,200	32,820	8,380
Chester	30,800	18,660	12,140
Chesterfield	38,400	25,631	12,769
Clarendon	28,000	11,745	16,255
Colleton	33,500	17,797	15,703
Darlington	64,500	38,180	26,320
Dillon	32,100	17,998	14,102
Dorchester	70,900	51,520	19,380
Edgefield	17,800	8,783	9,017
Fairfield	20,800	8,497	12,303
Florence	114,000	70,223	43,777
Georgetown	46,500	25,353	21,147
Greenville	300,700	244,153	56,547
Greenwood	59,900	41,993	17,907
Hampton	18,800	8,742	10,058
Horry	121,400	93,078	28,322
Jasper	14,400	6,056	8,344
Kershaw	41,500	28,188	13,312
Lancaster	55,400	41,477	13,923
Laurens	53,300	37,431	15,869
Lee	18,600	7,049	11,551
Lexington	153,700	136,854	16,846
McCormick	7,300	2,795	4,505
Marion	34,800	16,364	18,436
Marlboro	32,300	16,616	15,684
Newberry	31,900	21,564	10,336
Oconee	51,200	45,921	5,279
Orangeburg	85,900	36,865	49,035
Pickens	84,200	77,329	6,871
Richland	279,600	165,312	114,288
Saluda	16,900	10,831	6,069
Spartanburg	208,000	163,775	44,225
Sumter	93,500	50,573	42,927
Union	30,800	21,500	9,300
Williamsburg	39,100	14,565	24,535
York	114,500	86,710	27,790

SOURCE: Division of Research and Statistical Services

BIRTHS

SUMMARY OF BIRTHS

In 1984, there were 50,561 live births to South Carolina residents with a crude rate of 15.3 per 1,000 estimated population. Of the total resident live births, 30,607 (60.5 percent) were white and 19,954 (39.5 percent) were nonwhite. The white live birth rate was 13.5 per 1,000 estimated population; the nonwhite rate was 19.2.

Figure 3

RESIDENT BIRTH RATES

SOUTH CAROLINA, 1984



In 1973, the resident birth rate in South Carolina dropped to its lowest rate since 1950 and, in 1975, a new record low rate of 16.6 was set. The 1976 rate reflected a stabilization after several years of declining rates and the 1977 rate of 17.3 showed a slight increase (3.6 percent) over the 1976 rate of 16.7. In 1978, the rate fell again slightly to a rate of 17.0, but in 1979, the birth rate again rose slightly to a rate of 17.3. The current birth rate of 15.3 remains the same as the 1983 rate, which is the lowest rate ever recorded since rates started declining in 1980, which is the lowest rate recorded since 1915.

Table 6.
Total Live Births and Birth Rate by Race
1962 - 1984
South Carolina Residents

YEAR	TOTAL		WHITE		NONWHITE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
1962	58,142	23.9	34,216	21.4	23,926	28.7
1963	58,231	23.7	34,256	21.0	23,975	28.8
1964	56,906	22.9	33.184	20.1	23,722	28.4
1965	52,853	21.0	30,635	18.3	22.218	26.6
1966	50,653	20.0	30,118	17.7	20,535	24.4
1967	49,822	18.7	29,996	16.3	19,826	24.2
1968	49,158	18.4	30,416	16.6	18,742	22.5
1969	50,401	18.7	31,626	17.0	18,775	22.3
1970	52,283	20.2	32,703	18.2	19.580	24.6
1971	52,984	20.2	32,912	18.0	20,072	25.3
1972	49,951	18.7	30,857	16.5	19,094	24.1
1973	48,922	17.9	29,881	15.5	19,041	23.9
1974	48,432	17.4	29,469	15.0	18,963	23.0
1975	46,665	16.6	28,016	14.4	18,649	21.3
1976	47,651	16.7	28,529	14.5	19,122	21.6
1977	49,848	17.3	29,646	15.1	20,202	22.2
1978	49,558	17.0	29,048	14.4	20,510	22.7
1979	50,586	17.3	29,839	14.8	20,747	22.8
1980	51,908	16.6	30,559	14.2	21,349	21.9
1981	51,745	16.2	30,542	13.9	21,203	21.2
1982	51,554	15.8	30,652	13.7	20,902	20.5
1983	50,731	15.3	30,448	13.4	20,283	19.5
1984	50,561	15.3	30,607	13.5	19,954	19.2

Rate per 1,000 population

Figure 4.



ATTENDANT AT BIRTH

Tables 23 and 24 give the number of births according to attendant at delivery by county of residence and occurrence. Of the total 50,561 resident births, 96.8 percent were attended by a physician. The term "physician" includes osteopaths, residents, interns and externs. Midwives attended 2.1 percent of the total births, 2.3 percent of the white births, and 2.8 percent of the nonwhite births. Other and not stated attendant accounted for less than one percent of total births. The term "other" includes any specified attendant other than physician, midwife or self-attended. Included in the "not stated" category are unknown, not specified or not classifiable attendants.

Table 7 shows resident births by attendant by delivery site. Deliveries by midwives in hospitals represent deliveries by certified nurse-midwives. Granny midwife deliveries are reflected as midwife deliveries at residence and other delivery sites.

Table 7.
Live Births by Attendant by Place of Delivery
South Carolina, 1984
(Residence Data)

	Total	Physician	Certified Nurse Midwife	Lay Midwife & Other Midwife	Self	Other Attendant	Unk
Hospital or Clinic	50,020	48,956	988	75	-	-	1
Doctors Office	181	29	150	2	-	-	-
Enroute or Born on Arrival	99	7	-	8	18	66	-
Residence	261	3	2	43	57	154	2
Total	50,561	48,995	1,140	128	75	220	3

The percentages of total births which were delivered in hospitals are shown by race in Table 8 for the 10-year period 1975-84. In 1975, 98.1 percent of the total births occurred in hospitals; 1984 showed a slight increase (0.8 percent). The greatest change has been among nonwhite births for which the frequency of the hospital delivery has increased from 95.9 percent in 1975 to 98.8 percent in 1984.

Table 8.
Percentages of Births Occurring in Hospitals by Race:
South Carolina, 1975-1984
(Residence Data)

Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1975	98.1	99.6	95.9	1980	99.3	99.5	99.1
1976	98.5	99.6	97.0	1981	99.2	99.5	98.7
1977	98.8	99.8	97.8	1982	99.0	99.2	98.5
1978	99.0	99.5	98.3	1983	99.0	99.9	98.8
1979	99.2	99.5	98.7	1984	98.9	99.0	98.8

OUT-OF-WEDLOCK

In 1984, there were 11,916 out-of-wedlock live births to resident mothers in South Carolina, representing 23.6 percent of all live births. This is an increase of less than 1.0 percent from the percent of out-of-wedlock reported in 1983. The out-of-wedlock rate (rate per 1,000 total live births) increased from 234.7 in 1983 to 235.7 in 1984. Data for 1984 out-of-wedlock live births and percent of out-of-wedlock live births are given, by county, in Table 32 . As in the past, out-of-wedlock births occurred more frequently among young mothers. Females under age 20 accounted for 42.2 percent of all out-of-wedlock live births in 1984. However, this percentage has decreased 14.4 percent since 1980.

Table 9.
Percentage Distribution of Out-of-Wedlock Live Births
By Age of Mother: South Carolina, 1980-1984
(Residence Data)

Age	1980	1981	1982	1983	1984
All Ages.................	100.0	100.0	100.0	100.0	100.0
Under 15 Years...........	2.4	1.9	2.0	2.0	1.8
15-19 Years..............	46.9	45.6	43.5	41.7	40.3
20-24 Years..............	33.7	33.9	34.7	34.8	35.8
25-29 Years..............	11.4	12.6	13.3	14.3	14.4
30 Years and Over........	5.6	6.0	6.5	7.2	10.0

AGE OF MOTHER

In 1984, there were 220 resident live births to mothers under 15 years of age and only 4 live births to mothers 45 years of age and over. Women aged 15-44 years were responsible for 99.5 percent of all live births. The median age of resident mothers giving birth in 1984 was 24 years. The youngest resident mother giving birth in 1984 was 12 years old and the oldest was 48 years old.

Table 10.
Percentage Distribution of Live Births by Age of Mother:
South Carolina, 1980-1984
(Residence Data)

Age	1980	1981	1982	1983	1984
All Ages.................	100.0	100.0	100.0	100.0	100.0
Under 15 Years...........	0.6	0.4	0.5	0.5	0.5
15-19 Years..............	19.2	18.5	18.0	17.4	16.7
20-24 Years..............	35.0	34.6	34.0	33.8	33.6
25-29 Years..............	28.7	28.9	29.2	29.4	29.2
30-34 Years..............	13.0	13.9	14.0	14.5	15.5
35-39 Years..............	3.1	3.2	3.7	3.9	4.1
40-44 Years..............	0.5	0.5	0.5	0.5	0.6
45 Years and Over........	0.0	0.0	0.0	0.0	0.0

BIRTH WEIGHT

Birth weights of less than 5 pounds 8 ounces (Low Birth Weight) were reported for 8.8 percent of 50,561 resident births in 1984. A greater proportion of the nonwhite children were born at the low birth weights than were the white children. The nonwhite low birth weight rate was 126.0 per 1,000 live births; the white rate, 62.6.

Table 11.
Live Births by Birth Weight by Race
With Percentages of Births in Weight Group:
South Carolina, 1984
(Residence Data)

Weight Group	Total Number	Total Percent	White Number	White Percent	Nonwhite Number	Nonwhite Percent
Total....................	50,561	100.0	30,607	100.0	19,954	100.0
Less Than 2,500 grams....	4,431	8.8	1,916	6.3	2,515	12.6
Under 500 grams.......	97	0.2	34	0.1	63	0.3
500-999 grams.........	357	0.7	131	0.4	226	1.1
1,000-1,499 grams.....	426	0.8	173	0.6	253	1.3
1,500-1,999 grams.....	838	1.6	374	1.2	464	2.3
2,000-2,499 grams.....	2,713	5.4	1,204	3.9	1,509	15.1
2,500 or More grams......	46,128	91.2	28,690	93.7	17,438	87.4
Unknown Weight...........	2	0.0	1	0.0	1	0.0

The live birth of an infant weighing 1,499 grams or less was a very infrequent event (1.7 percent of all live births). The gram weight group of 2,000-2,499 grams represented only 5.4 percent of all live births, but accounted for 61.2 percent of all of the low birth weight babies.

In relation to age of mother, low weight births were comparatively frequent among very young mothers; 12.4 percent of all births to mothers age 15-19 were low weight. Only 7.4 percent of all live births to mothers age 25-34 were low weight. The percent of births that are low weight, by age of mother and race, is shown in Table 12 and Figure 5.

Table 12.
Percent* of Births Less than 2,500 Grams
By Age of Mother and Race:
South Carolina, 1984
(Residence Data)

	Under 15	15-19	20-24	25-34	35-44	45 & Over
Total	18.1	12.4	8.6	7.4	9.3	0
White	17.5	8.7	6.1	5.5	5.5	0
Nonwhite	18.3	15.4	12.4	11.0	11.1	0

*Low weight birth percentages are based on total live births within each age group.

Figure 5.

Percent of Births Less than 2,500 Grams by Age of Mother and Race South Carolina, 1984 (Residence Data)



Eighty-two percent of all resident live births in 1984 occurred in the weight interval 2,500-3,999 grams. The first group in this interval (2,500-2,999 grams) contained 17.6 percent of all live births. The second gram weight group (3,000-3,499) contained 37.2 percent and the third (3,500-3,999 grams), 26.9 percent. Only a comparatively small proportion of births (1.6 percent) occurred in the upper weight interval of 4,500 grams or more.

Comparison of the percentages of white and nonwhite births at weights around the modal group for the distribution reveals some variation (see Figure 6). For both, the highest proportion of births occurred at 3,000-3,499 grams, but the mean white live birth weight was higher than the nonwhite mean weight.

Figure 6.

Percentage Distribution of Live Births by Birthweight and Race South Carolina, 1984 (Residence Data)



FERTILITY PATTERNS

Though the crude birth rate relates the event of birth to the entire population, it does not measure the proper population exposed to the chance of having a birth, since it is based on both sexes in the population. However, the crude birth rate is an index to the relative speed at which additions are being made to a population through childbirth. If the event of birth were to be related to the population exposed to risk, that is, to females of the childbearing ages 15-44, a more specific rate could be computed. This fertility rate per 1,000 females in the age group 15-44 has decreased 14.3 percent from 73.3 in 1975 to 62.8 in 1984, even though the female population between these ages has increased by 26.4 percent. By race, this 1975 to 1984 pattern shows a 10.1 percent decrease in the white fertility rate and a 22.4 percent decrease occurring to nonwhites.

Table 13.
Fertility Rates1/ by Race:
South Carolina, 1960, 1970-1984

YEAR	TOTAL	WHITE	NONWHITE
1960	120.3	103.1	155.6
1970	93.7	83.4	117.9
1971	92.1	82.6	113.7
1972	84.8	75.7	105.3
1973	81.1	71.6	102.6
1974	78.5	69.0	100.0
1975	73.3	63.4	95.9
1976	74.5	64.7	96.4
1977	76.5	66.0	100.1
1978	74.2	63.2	98.7
1979	72.1	62.1	94.2
1980	69.1	60.4	87.4
1981	67.2	58.8	84.6
1982	65.4	57.9	81.0
1983	63.0	56.4	76.3
1984	62.8	57.0	74.4

1/ Rate per 1,000 census population of females aged 15-44 years (1960, 1970, 1980)
Rate per 1,000 projected female population aged 15-44 years (1971-1979)
Rate per 1,000 estimated female population aged 15-44 years (1981-1984)

Table 14.
Population of Females Age 15-44, by Race:
South Carolina, 1960, 1970-1984

YEAR	TOTAL	WHITE	NONWHITE
1960	496,192	333,772	162,420
1970	558,052	392,021	166,031
1971	575,207	398,639	176,568
1972	589,015	407,756	181,259
1973	602,886	417,291	185,595
1974	616,927	427,272	189,655
1975	636,469	442,097	194,372
1976	639,264	440,857	198,407
1977	651,320	449,482	201,838
1978	663,289	458,227	205,062
1979*	697,351	479,583	217,768
1980	746,625	505,229	241,396
1981	769,799	519,118	250,681
1982	787,720	529,546	258,174
1983	805,657	539,988	265,669
1984	804,807	536,698	268,109

*revised

SEX RATIO

Out of the total 50,561 live births occurring to South Carolina residents in 1984, male births numbered 25,643 and female births numbered 24,918, giving a ratio of 102.9 males per 100 females.

Table 15.
Sex Ratio of Males Per 100 Females:
South Carolina, 1980-1984
(Residence Data)

Year	Total	White	Nonwhite
1980	105.1	106.0	103.8
1981	102.8	104.8	99.9
1982	103.1	103.2	102.9
1983	103.4	105.2	100.7
1984	102.9	104.8	100.0

MULTIPLE BIRTHS

During 1984, a total of 1,065 live births occurred as a result of multiple births. Of that number, there were 522 sets of twins and 7 sets of triplets. The 1,065 multiple births resulted in a ratio of 1 multiple birth per 47.5 live births.

CONCENITAL MALFORMATIONS

Congenital malformations were reported on 346 birth records in 1984. This corresponds to a rate of 6.8 per 1,000 live births. The three major malformations reported in 1984 were 1) Other Anomalies of Limbs, 2) Congenital Anomalies of Genital Organs, and 3) Other, Unspecified or Multiple Anomalies. Table 34 shows live births with reported congenital malformations for residents of South Carolina and each county.

Table 16.
Live Births and Birth Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1984
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	50,561	15.3	30,607	13.5	19,954	19.2
Abbeville................	311	13.6	183	12.1	128	16.5
Abbeville..............	90	---	37	---	53	---
Honea Path (Part)......	2	---	2	---	-	---
Balance of County......	219	---	144	---	75	---
Aiken....................	1,741	15.6	1,197	14.4	544	18.9
New Ellenton...........	39	---	18	---	21	---
Aiken..................	260	---	137	---	123	---
N. Augusta.............	248	---	187	---	61	---
Balance of County......	1,194	---	855	---	339	---
Allendale................	197	18.1	49	12.4	148	21.3
Allendale..............	86	---	16	---	70	---
Balance of County......	111	---	33	---	78	---
Anderson.................	1,779	12.8	1,363	12.0	416	16.8
Belton.................	52	---	39	---	13	---
Honea Path (Part)......	43	---	33	---	10	---
Williamston............	30	---	23	---	7	---
Clemson Village (Part).	-	---	-	---	-	---
Pendleton..............	41	---	16	---	25	---
Anderson...............	404	---	220	---	184	---
Balance of County......	1,209	---	1,032	---	177	---
Bamberg..................	283	15.6	108	14.3	175	16.6
Bamberg................	67	---	37	---	30	---
Denmark................	63	---	12	---	51	---
Balance of County......	153	---	59	---	94	---
Barnwell.................	305	15.1	170	14.7	135	15.7
Barnwell...............	86	---	43	---	43	---
Williston..............	47	---	26	---	21	---
Blackville............	44	---	12	---	32	---
Balance of County......	128	---	89	---	39	---
Beaufort.................	1,394	17.7	843	16.6	551	19.8
Beaufort...............	162	---	107	---	55	---
Port Royal.............	86	---	57	---	29	---
Hilton Head............	168	---	147	---	21	---
Balance of County......	978	---	532	---	446	---
Berkeley.................	2,159	19.1	1,512	18.6	647	20.6
Goose Creek............	290	---	234	---	56	---
Hanahan................	211	---	169	---	42	---
Moncks Corner..........	103	---	73	---	30	---
Balance of County......	1,555	---	1,036	---	519	---
Calhoun..................	179	15.4	77	15.0	102	15.8
Balance of County......	179	---	77	---	102	---
Charleston...............	5,476	19.0	3,034	16.5	2,442	23.4
Mt. Pleasant...........	357	---	283	---	74	---
Summerville............	13	---	10	---	3	---
Isle of Palms..........	35	---	35	---	-	---
Charleston.............	1,805	---	773	---	1,032	---
N. Charleston..........	1,075	---	630	---	445	---
Balance of County......	2,191	---	1,303	---	888	---

Table 16. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Cherokee.................	546	13.3	375	11.4	171	20.4
Gaffney................	207	---	101	---	106	---
Balance of County......	339	---	274	---	65	---
Chester..................	517	16.8	255	13.7	262	21.6
Chester................	144	---	49	---	95	---
Great Falls............	31	---	20	---	11	---
Balance of County......	342	---	186	---	156	---
Chesterfield.............	529	13.8	300	11.7	229	17.9
Cheraw.................	92	---	49	---	43	---
Pageland...............	50	---	26	---	24	---
Balance of County......	387	---	225	---	162	---
Clarendon................	446	15.9	125	10.6	321	19.7
Manning................	74	---	17	---	57	---
Balance of County......	372	---	108	---	264	---
Colleton.................	544	16.2	248	13.9	296	18.8
Walterboro.............	173	---	78	---	95	---
Balance of County......	371	---	170	---	201	---
Darlington...............	851	13.2	447	11.7	404	15.3
Darlington.............	117	---	48	---	69	---
Hartsville.............	148	---	78	---	70	---
Balance of County......	586	---	321	---	265	---
Dillon...................	542	16.9	214	11.9	328	23.3
Dillon.................	139	---	52	---	87	---
Balance of County......	403	---	162	---	241	---
Dorchester...............	1,254	17.7	907	17.6	347	17.9
Summerville............	397	---	294	---	103	---
Balance of County......	857	---	613	---	244	---
Edgefield................	288	16.2	126	14.3	162	18.0
Edgefield.............	45	---	13	---	32	---
Johnston...............	50	---	13	---	37	---
Balance of County......	193	---	100	---	93	---
Fairfield................	323	15.5	97	11.4	226	18.4
Winnsboro..............	55	---	18	---	37	---
Balance of County......	268	---	79	---	189	---
Florence.................	1,801	15.8	894	12.7	907	20.7
Lake City..............	110	---	25	---	85	---
Florence...............	446	---	183	---	263	---
Balance of County......	1,245	---	686	---	559	---
Georgetown...............	728	15.7	316	12.5	412	19.5
Andrews (Part).........	53	---	19	---	34	---
Georgetown.............	183	---	69	---	114	---
Balance of County......	492	---	228	---	264	---
Greenville...............	4,218	14.0	3,249	13.3	969	17.1
Travelers Rest.........	5	---	4	---	1	---
Simpsonville...........	44	---	40	---	4	---
Fountain Inn (Part)....	17	---	12	---	5	---
Mauldin................	15	---	11	---	4	---
Greenville.............	1,228	---	713	---	515	---
Greer (Part)...........	54	---	47	---	7	---
Balance of County......	2,855	---	2,422	---	433	---

Table 16. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Greenwood................	812	13.6	482	11.5	330	18.4
Greenwood..............	349	---	161	---	188	---
Balance of County......	463	---	321	---	142	---
Hampton..................	303	16.1	97	11.1	206	20.5
Hampton................	36	---	19	---	17	---
Balance of County......	267	---	78	---	189	---
Horry....................	1,896	15.6	1,360	14.6	536	18.9
Conway.................	218	---	132	---	86	---
Myrtle Beach...........	392	---	321	---	71	---
N. Myrtle Beach........	82	---	73	---	9	---
Surfside Beach.........	43	---	43	---	-	---
Balance of County......	1,161	---	791	---	370	---
Jasper...................	267	18.5	94	15.5	173	20.7
Balance of County......	267	---	94	---	173	---
Kershaw..................	633	15.3	401	14.2	232	17.4
Camden.................	117	---	54	---	63	---
Balance of County......	516	---	347	---	169	---
Lancaster................	725	13.1	468	11.3	257	18.5
Lancaster..............	195	---	81	---	114	---
Balance of County......	530	---	387	---	143	---
Laurens..................	759	14.2	468	12.5	291	18.3
Clinton................	119	---	57	---	62	---
Fountain Inn (Part)....	8	---	3	---	5	---
Laurens................	152	---	63	---	89	---
Balance of County......	480	---	345	---	135	---
Lee......................	317	17.0	77	10.9	240	20.8
Bishopville............	60	---	20	---	40	---
Balance of County......	257	---	57	---	200	---
Lexington................	2,137	13.9	1,811	13.2	326	19.4
Batesburg (Part).......	50	---	19	---	31	---
Cayce..................	146	---	111	---	35	---
Springdale.............	1	---	1	---	-	---
W. Columbia............	330	---	279	---	51	---
Irmo...................	36	---	36	---	-	---
Balance of County......	1,574	---	1,365	---	209	---
McCormick................	118	16.2	41	14.7	77	17.1
Balance of County......	118	---	41	---	77	---
Marion...................	553	15.9	182	11.1	371	20.1
Marion.................	155	---	48	---	107	---
Mullins................	84	---	21	---	63	---
Balance of County......	314	---	113	---	201	---
Marlboro.................	478	14.8	190	11.4	288	18.4
Bennettsville..........	168	---	53	---	115	---
McColl.................	52	---	43	---	9	---
Balance of County......	258	---	94	---	164	---
Newberry.................	447	14.0	236	10.9	211	20.4
Newberry...............	148	---	63	---	85	---
Balance of County......	299	---	173	---	126	---

Table 16. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Oconee..................	676	13.2	586	12.8	90	17.0
Seneca.................	130	---	77	---	53	---
Walhalla...............	46	---	39	---	7	---
Westminster............	45	---	41	---	4	---
Balance of County......	455	---	429	---	26	---
Orangeburg..............	1,333	15.5	419	11.4	914	18.6
Orangeburg.............	272	---	89	---	183	---
Balance of County......	1,061	---	330	---	731	---
Pickens.................	979	11.6	885	11.4	94	13.7
Liberty................	29	---	26	---	3	---
Pickens................	50	---	43	---	7	---
Clemson Village (Part).	69	---	49	---	20	---
Easley.................	238	---	210	---	28	---
Balance of County......	593	---	557	---	36	---
Richland................	4,072	14.6	1,975	11.9	2,097	18.3
Forest Acres...........	3	---	3	---	-	---
Irmo...................	77	---	72	---	5	---
Columbia...............	2,045	---	788	---	1,257	---
Balance of County......	1,947	---	1,112	---	835	---
Saluda..................	252	14.9	129	11.9	123	20.3
Batesburg (Part).......	10	---	2	---	8	---
Saluda.................	56	---	28	---	28	---
Balance of County......	186	---	99	---	87	---
Spartanburg.............	2,939	14.1	2,110	12.9	829	18.7
Woodruff...............	23	---	19	---	4	---
Spartanburg............	757	---	334	---	423	---
Greer (Part)...........	28	---	22	---	6	---
Balance of County......	2,131	---	1,735	---	396	---
Sumter..................	1,774	19.0	943	18.6	831	19.4
Sumter.................	558	---	223	---	335	---
Balance of County......	1,216	---	720	---	496	---
Union...................	355	11.5	210	9.8	145	15.6
Union..................	116	---	56	---	60	---
Balance of County......	239	---	154	---	85	---
Williamsburg............	616	15.8	160	11.0	456	18.6
Andrews (Part).........	3	---	3	---	-	---
Kingstree..............	81	---	16	---	65	---
Balance of County......	532	---	141	---	391	---
York....................	1,709	14.9	1,194	13.8	515	18.5
Clover.................	56	---	40	---	16	---
Fort Mill..............	75	---	56	---	19	---
York...................	125	---	67	---	58	---
Rock Hill..............	596	---	295	---	301	---
Balance of County......	857	---	736	---	121	---

Rate per 1,000 estimated population

Table 17.
Live Births and Birth Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1984
(Occurrence Data)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	48,296	14.7	28,893	12.9	19,403	18.8
Abbeville................	211	9.2	80	5.3	131	16.9
Abbeville..............	210	---	80	---	130	---
Honea Path (Part)......	-	---	-	---	-	---
Balance of County......	1	---	-	---	1	---
Aiken....................	484	4.3	274	3.3	210	7.3
New Ellenton...........	-	---	-	---	-	---
Aiken..................	481	---	271	---	210	---
N. Augusta.............	-	---	-	---	-	---
Balance of County......	3	---	3	---	-	---
Allendale................	122	11.2	25	6.3	97	13.9
Allendale..............	-	---	-	---	-	---
Balance of County......	122	---	25	---	97	---
Anderson.................	1,859	13.4	1,398	12.3	461	18.6
Belton.................	1	---	-	---	1	---
Honea Path (Part)......	-	---	-	---	-	---
Williamston............	-	---	-	---	-	---
Clemson Village (Part).	-	---	-	---	-	---
Pendleton..............	-	---	-	---	-	---
Anderson...............	1,852	---	1,393	---	459	---
Balance of County......	6	---	5	---	1	---
Bamberg..................	325	18.0	148	19.6	177	16.8
Bamberg................	268	---	101	---	167	---
Denmark................	-	---	-	---	-	---
Balance of County......	57	---	47	---	10	---
Barnwell.................	120	5.9	47	4.1	73	8.5
Barnwell...............	120	---	47	---	73	---
Williston..............	-	---	-	---	-	---
Blackville............	-	---	-	---	-	---
Balance of County......	-	---	-	---	-	---
Beaufort.................	1,531	19.5	842	16.6	689	24.7
Beaufort...............	811	---	304	---	507	---
Port Royal.............	-	---	-	---	-	---
Hilton Head............	161	---	141	---	20	---
Balance of County......	559	---	397	---	162	---
Berkeley.................	8	0.1	3	0.0	5	0.2
Goose Creek............	-	---	-	---	-	---
Hanahan................	-	---	-	---	-	---
Moncks Corner..........	-	---	-	---	-	---
Balance of County......	8	---	3	---	5	---
Calhoun..................	2	0.2	-	---	2	0.3
Balance of County......	2	---	-	---	2	---
Charleston...............	9,208	31.9	5,624	30.5	3,584	34.3
Mt. Pleasant...........	-	---	-	---	-	---
Summerville............	-	---	-	---	-	---
Isle of Palms..........	1	---	1	---	-	---
Charleston.............	6,089	---	3,148	---	2,941	---
N. Charleston..........	2,266	---	1,799	---	467	---
Balance of County......	852	---	676	---	176	---

Table 17. (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Cherokee.................	335	8.1	179	5.5	156	18.6
Gaffney................	-	---	-	---	-	---
Balance of County......	335	---	179	---	156	---
Chester..................	416	13.5	175	9.4	241	19.9
Chester................	1	---	-	---	1	---
Great Falls............	-	---	-	---	-	---
Balance of County......	415	---	175	---	240	---
Chesterfield.............	374	9.7	137	5.3	237	18.6
Cheraw.................	371	---	135	---	236	---
Pageland...............	-	---	-	---	-	---
Balance of County......	3	---	2	---	1	---
Clarendon................	320	11.4	80	6.8	240	14.8
Manning................	315	---	80	---	235	---
Balance of County......	5	---	-	---	5	---
Colleton.................	319	9.5	108	6.1	211	13.4
Walterboro.............	297	---	99	---	198	---
Balance of County......	22	---	9	---	13	---
Darlington...............	551	8.5	247	6.5	304	11.6
Darlington.............	429	---	170	---	259	---
Hartsville.............	121	---	77	---	44	---
Balance of County......	1	---	-	---	1	---
Dillon...................	338	10.5	110	6.1	228	16.2
Dillon.................	337	---	109	---	228	---
Balance of County......	1	---	1	---	-	---
Dorchester...............	11	0.2	6	0.1	5	0.3
Summerville............	3	---	2	---	1	---
Balance of County......	8	---	4	---	4	---
Edgefield................	116	6.5	16	1.8	100	11.1
Edgefield..............	112	---	16	---	96	---
Johnston...............	1	---	-	---	1	---
Balance of County......	3	---	-	---	3	---
Fairfield................	146	7.0	26	3.1	120	9.8
Winnsboro..............	-	---	-	---	-	---
Balance of County......	146	---	26	---	120	---
Florence.................	2,662	23.4	1,371	19.5	1,291	29.5
Lake City..............	3	---	-	---	3	---
Florence...............	2,652	---	1,370	---	1,282	---
Balance of County......	7	---	1	---	6	---
Georgetown...............	727	15.6	275	10.8	452	21.4
Andrews (Part).........	-	---	-	---	-	---
Georgetown.............	723	---	274	---	449	---
Balance of County......	4	---	1	---	3	---
Greenville...............	5,109	17.0	4,045	16.6	1,064	18.8
Travelers Rest.........	-	---	-	---	-	---
Simpsonville...........	140	---	100	---	40	---
Fountain Inn (Part)....	-	---	-	---	-	---
Mauldin................	-	---	-	---	-	---
Greenville.............	4,660	---	3,670	---	990	---
Greer (Part)...........	282	---	251	---	31	---
Balance of County......	27	---	24	---	3	---

Table 17. (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Greenwood................	1,650	27.5	941	22.4	709	39.6
Greenwood..............	1,650	---	941	---	709	---
Balance of County......	-	---	-	---	-	---
Hampton..................	217	11.5	47	5.4	170	16.9
Hampton................	-	---	-	---	-	---
Balance of County......	217	---	47	---	170	---
Horry....................	1,921	15.8	1,395	15.0	526	18.6
Conway.................	-	---	-	---	-	---
Myrtle Beach...........	954	---	757	---	197	---
N. Myrtle Beach........	1	---	1	---	-	---
Surfside Beach.........	-	---	-	---	-	---
Balance of County......	966	---	637	---	329	---
Jasper...................	1	0.1	-	---	1	0.1
Balance of County......	1	---	-	---	1	---
Kershaw..................	522	12.6	313	11.1	209	15.7
Camden.................	519	---	311	---	208	---
Balance of County......	3	---	2	---	1	---
Lancaster................	514	9.3	279	6.7	235	16.9
Lancaster..............	512	---	278	---	234	---
Balance of County......	2	---	1	---	1	---
Laurens..................	183	3.4	106	2.8	77	4.9
Clinton................	136	---	84	---	52	---
Fountain Inn (Part)....	-	---	-	---	-	---
Laurens................	43	---	20	---	23	---
Balance of County......	4	---	2	---	2	---
Lee......................	161	8.7	16	2.3	145	12.6
Bishopville............	160	---	16	---	144	---
Balance of County......	1	---	-	---	1	---
Lexington................	1,918	12.5	1,599	11.7	319	18.9
Batesburg (Part).......	-	---	-	---	-	---
Cayce..................	-	---	-	---	-	---
Springdale.............	-	---	-	---	-	---
W. Columbia............	1	---	-	---	1	---
Irmo...................	-	---	-	---	-	---
Balance of County......	1,917	---	1,599	---	318	---
McCormick................	-	---	-	---	-	---
Balance of County......	-	---	-	---	-	---
Marion...................	698	20.1	250	15.3	448	24.3
Marion.................	612	---	219	---	393	---
Mullins................	80	---	31	---	49	---
Balance of County......	6	---	-	---	6	---
Marlboro.................	219	6.8	70	4.2	149	9.5
Bennettsville..........	218	---	70	---	148	---
McColl.................	-	---	-	---	-	---
Balance of County......	1	---	-	---	1	---
Newberry.................	366	11.5	179	8.3	187	18.1
Newberry...............	366	---	179	---	187	---
Balance of County......	-	---	-	---	-	---

Table 17. (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Oconee..................	545	10.6	467	10.2	78	14.8
Seneca................	-	---	-	---	-	---
Walhalla..............	1	---	1	---	-	---
Westminster...........	-	---	-	---	-	---
Balance of County......	544	---	466	---	78	---
Orangeburg..............	1,444	16.8	471	12.8	973	19.8
Orangeburg............	1	---	-	---	1	---
Balance of County......	1,443	---	471	---	972	---
Pickens.................	601	7.1	557	7.2	44	6.4
Liberty...............	-	---	-	---	-	---
Pickens...............	-	---	-	---	-	---
Clemson Village (Part).	-	---	-	---	-	---
Easley................	600	---	556	---	44	---
Balance of County......	1	---	1	---	-	---
Richland................	5,099	18.2	2,659	16.1	2,440	21.3
Forest Acres..........	1	---	1	---	-	---
Irmo..................	-	---	-	---	-	---
Columbia..............	5,090	---	2,654	---	2,436	---
Balance of County......	8	---	4	---	4	---
Saluda..................	-	---	-	---	-	---
Batesburg (Part).......	-	---	-	---	-	---
Saluda................	-	---	-	---	-	---
Balance of County......	-	---	-	---	-	---
Spartanburg.............	3,012	14.5	2,170	13.2	842	19.0
Woodruff..............	-	---	-	---	-	---
Spartanburg...........	2,022	---	1,259	---	763	---
Greer (Part)..........	-	---	-	---	-	---
Balance of County......	990	---	911	---	79	---
Sumter..................	1,910	20.4	978	19.3	932	---
Sumter................	1,380	---	594	---	786	---
Balance of County......	530	---	384	---	146	---
Union...................	255	8.3	131	6.1	124	13.3
Union.................	253	---	130	---	123	---
Balance of County......	2	---	1	---	1	---
Williamsburg............	266	6.8	43	3.0	223	9.1
Andrews (Part).........	-	---	-	---	-	---
Kingstree.............	263	---	43	---	220	---
Balance of County......	3	---	-	---	3	---
York....................	1,500	13.1	1,006	11.6	494	17.8
Clover................	-	---	-	---	-	---
Fort Mill.............	-	---	-	---	-	---
York..................	51	---	30	---	21	---
Rock Hill.............	1,445	---	975	---	470	---
Balance of County......	4	---	1	---	3	---

Rate per 1,000 estimated population

Table 18.

Live Births by Race and Sex: South Carolina and Each County, 1984

(Residence Data)

County of Residence	TOTAL			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	50,561	25,643	24,918	30,607	15,664	14,943	19,954	9,979	9,975
Abbeville	311	167	144	183	105	78	128	62	66
Aiken	1,741	899	842	1,197	624	573	544	275	269
Allendale	197	101	96	49	29	20	148	72	76
Anderson	1,779	874	905	1,363	678	685	416	196	220
Bamberg	283	131	152	108	50	58	175	81	94
Barnwell	305	167	138	170	97	73	135	70	65
Beaufort	1,394	671	723	843	407	436	551	264	287
Berkeley	2,159	1,132	1,027	1,512	796	716	647	336	311
Calhoun	179	91	88	77	44	33	102	47	55
Charleston	5,476	2,772	2,704	3,034	1,561	1,473	2,442	1,211	1,231
Cherokee	546	285	261	375	193	182	171	92	79
Chester	517	269	248	255	132	123	262	137	125
Chesterfield	529	271	258	300	158	142	229	113	116
Clarendon	446	232	214	125	67	58	321	165	156
Colleton	544	285	259	248	131	117	296	154	142
Darlington	851	425	426	447	226	221	404	199	205
Dillon	542	269	273	214	117	97	328	152	176
Dorchester	1,254	641	613	907	478	429	347	163	184
Edgefield	288	136	152	126	61	65	162	75	87
Fairfield	323	167	156	97	51	46	226	116	110
Florence	1,801	909	892	894	460	434	907	449	458
Georgetown	728	363	365	316	156	160	412	207	205
Greenville	4,218	2,171	2,047	3,249	1,677	1,572	969	494	475
Greenwood	812	417	395	482	241	241	330	176	154
Hampton	303	146	157	97	57	40	206	89	117
Horry	1,896	954	942	1,360	700	660	536	254	282
Jasper	267	120	147	94	40	54	173	80	93
Kershaw	633	313	320	401	210	191	232	103	129
Lancaster	725	346	379	468	224	244	257	122	135
Laurens	759	369	390	468	224	244	291	145	146
Lee	317	174	143	77	38	39	240	136	104
Lexington	2,137	1,045	1,092	1,811	885	926	326	160	166
McCormick	118	53	65	41	16	25	77	37	40
Marion	553	271	282	182	82	100	371	189	182
Marlboro	478	265	213	190	115	75	288	150	138
Newberry	447	236	211	236	122	114	211	114	97
Oconee	676	364	312	586	320	266	90	44	46
Orangeburg	1,333	686	647	419	216	203	914	470	444
Pickens	979	529	450	885	483	402	94	46	48
Richland	4,072	2,069	2,003	1,975	1,003	972	2,097	1,066	1,031
Saluda	252	138	114	129	70	59	123	68	55
Spartanburg	2,939	1,502	1,437	2,110	1,077	1,033	829	425	404
Sumter	1,774	889	885	943	460	483	831	429	402
Union	355	173	182	210	104	106	145	69	76
Williamsburg	616	323	293	160	90	70	456	233	223
York	1,709	833	876	1,194	589	605	515	244	271

Table 19.
Live Births by Race and Sex: South Carolina and Each County, 1984
(Occurrence Data)

County of Occurrence	TOTAL			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	48,296	24,464	23,832	28,893	14,769	14,124	19,403	9,695	9,708
Abbeville	211	106	105	80	43	37	131	63	68
Aiken	484	238	246	274	135	139	210	103	107
Allendale	122	61	61	25	16	9	97	45	52
Anderson	1,859	906	953	1,398	687	711	461	219	242
Bamberg	325	159	166	148	70	78	177	89	88
Barnwell	120	74	46	47	34	13	73	40	33
Beaufort	1,531	742	789	842	407	435	689	335	354
Berkeley	8	1	7	3	1	2	5	–	5
Calhoun	2	2	–	–	–	–	2	2	–
Charleston	9,208	4,697	4,511	5,624	2,918	2,706	3,584	1,779	1,805
Cherokee	335	176	159	179	88	91	156	88	68
Chester	416	218	198	175	90	85	241	128	113
Chesterfield	374	181	193	137	72	65	237	109	128
Clarendon	320	167	153	80	42	38	240	125	115
Colleton	319	162	157	108	60	48	211	102	109
Darlington	551	282	269	247	128	119	304	154	150
Dillon	338	169	169	110	61	49	228	108	120
Dorchester	11	4	7	6	2	4	5	2	3
Edgefield	116	57	59	16	10	6	100	47	53
Fairfield	146	77	69	26	12	14	120	65	55
Florence	2,662	1,346	1,316	1,371	723	648	1,291	623	668
Georgetown	727	371	356	275	136	139	452	235	217
Greenville	5,109	2,634	2,475	4,045	2,096	1,949	1,064	538	526
Greenwood	1,650	830	820	941	464	477	709	366	343
Hampton	217	110	107	47	30	17	170	80	90
Horry	1,921	961	960	1,395	711	684	526	250	276
Jasper	1	–	1	–	–	–	1	–	1
Kershaw	522	240	282	313	149	164	209	91	118
Lancaster	514	245	269	279	137	142	235	108	127
Laurens	183	89	94	106	53	53	77	36	41
Lee	161	81	80	16	4	12	145	77	68
Lexington	1,918	955	963	1,599	793	806	319	162	157
McCormick	–	–	–	–	–	–	–	–	–
Marion	698	350	348	250	125	125	448	225	223
Marlboro	219	118	101	70	37	33	149	81	68
Newberry	366	197	169	179	90	89	187	107	80
Oconee	545	305	240	467	266	201	78	39	39
Orangeburg	1,444	750	694	471	254	217	973	496	477
Pickens	601	319	282	557	297	260	44	22	22
Richland	5,099	2,560	2,539	2,659	1,345	1,314	2,440	1,215	1,225
Saluda	–	–	–	–	–	–	–	–	–
Spartanburg	3,012	1,560	1,452	2,170	1,121	1,049	842	439	403
Sumter	1,910	978	932	978	484	494	932	494	438
Union	255	114	141	131	62	69	124	52	72
Williamsburg	266	137	129	43	19	24	223	118	105
York	1,500	735	765	1,006	497	509	494	238	256

Table 20.
LIVE BIRTHS BY COUNTY OF OCCURRENCE BY COUNTY OF RESIDENCE
SOUTH CAROLINA, 1984

County of Occurrence	County of Residence																							
	Abbeville	Aiken	Allendale	Anderson	Bamberg	Barnwell	Beaufort	Berkeley	Calhoun	Charleston	Cherokee	Chester	Chesterfield	Clarendon	Colleton	Darlington	Dillon	Dorchester	Edgefield	Fairfield	Florence	Georgetown	Greenville	Greenwood
Abbeville	161	-	-	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
Aiken	1	417	2	-	4	38	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-
Allendale	-	-	100	-	1	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anderson	33	-	-	1444	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	2
Bamberg	-	4	-	-	153	20	1	1	5	11	-	-	-	-	6	-	-	-	36	-	-	-	-	1
Barnwell	-	1	2	-	6	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beaufort	-	-	3	-	-	-	1288	-	-	1	-	-	-	-	9	-	-	-	-	-	-	-	-	-
Berkeley	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Calhoun	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Charleston	-	-	41	-	-	3	33	2133	-	5419	-	1	1	4	211	1	1	1152	-	-	1	40	-	-
Cherokee	-	-	-	-	-	-	-	-	-	-	322	-	-	-	-	-	-	-	-	-	-	-	-	-
Chester	-	-	-	-	-	-	-	-	-	-	-	381	-	-	-	-	-	-	-	13	-	-	-	-
Chesterfield	-	-	-	-	-	-	-	-	-	-	-	-	256	-	-	2	1	-	-	-	-	-	-	-
Clarendon	-	-	-	-	-	-	-	-	1	-	-	-	-	241	-	-	-	-	-	-	-	-	-	-
Colleton	-	-	2	-	-	-	-	-	-	2	-	-	-	-	300	-	-	9	-	-	-	-	-	-
Darlington	-	-	-	-	-	-	-	1	-	-	-	-	31	-	-	441	4	-	-	-	34	-	-	-
Dillon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	301	-	-	-	1	-	-	-
Dorchester	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	-
Edgefield	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95	-	-	-	-	-
Fairfield	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	144	-	-	-	-
Florence	-	-	-	-	-	-	-	1	1	-	-	1	86	24	-	384	59	1	-	-	1712	11	-	-
Georgetown	-	-	-	-	-	-	-	1	-	4	-	-	-	1	[illegible]	-	-	-	-	-	6	599	-	-
Greenville	1	-	-	267	1	-	-	1	-	1	1	1	-	-	-	-	-	-	1	-	-	-	4141	7
Greenwood	110	5	-	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45	-	-	-	2	791
Hampton	-	-	12	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horry	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	2	74	-	-
Jasper	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kershaw	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	4	-	-	-	-
Lancaster	-	-	-	-	-	-	-	-	-	-	-	25	17	-	-	-	-	-	-	2	-	-	-	-
Laurens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	6	-	-	-	-	-	-	-	-
Lexington	-	20	-	-	-	2	-	-	12	-	-	1	1	1	-	-	-	1	-	15	-	-	1	2
McCormick	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Marion	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	162	-	-	-	8	-	-	-
Marlboro	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	1	7	-	-	-	-	-	-	-
Newberry	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-
Oconee	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Orangeburg	-	3	16	-	93	41	-	2	131	-	-	-	-	1	10	-	-	30	-	-	1	-	-	-
Pickens	-	-	-	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	-
Richland	1	25	5	-	19	18	1	3	27	5	1	12	2	12	2	3	-	3	3	137	2	2	-	1
Saluda	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spartanburg	-	-	-	1	-	-	-	-	-	1	143	-	-	-	-	-	-	-	-	-	-	-	22	-
Sumter	-	-	-	1	1	-	-	-	1	-	-	-	-	157	-	8	-	1	-	-	11	-	-	-
Union	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-
Williamsburg	-	-	-	-	-	-	-	1	-	-	-	-	-	5	-	-	-	-	-	-	16	1	-	-
York	-	-	-	-	1	-	-	-	-	-	1	74	-	-	-	-	-	-	-	2	-	-	2	-
Out-of-State	4	1264	14	6	4	70	68	7	-	30	78	10	121	-	1	5	7	8	130	1	1	1	17	1

Table 20 (cont.)
LIVE BIRTHS BY COUNTY OF OCCURRENCE BY COUNTY OF RESIDENCE
SOUTH CAROLINA, 1984

County of Occurrence	County of Residence																						
	Hampton	Horry	Jasper	Kershaw	Lancaster	Laurens	Lee	Lexington	McCormick	Marion	Marlboro	Newberry	Oconee	Orangeburg	Pickens	Richland	Saluda	Spartanburg	Sumter	Union	Williamsburg	York	Out-of-State
Abbeville	-	-	-	-	-	-	-	-	19	-	-	-	-	-	-	-	-	-	-	-	-	-	11
Aiken	-	-	-	-	-	-	-	3	-	-	-	-	-	2	-	-	8	-	-	-	-	-	1
Allendale	14	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anderson	-	-	-	-	-	2	-	-	-	-	-	-	132	-	92	-	-	-	-	-	-	1	142
Bamberg	3	-	1	-	-	-	-	1	-	-	-	-	-	75	-	-	-	-	-	-	-	-	7
Barnwell	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-
Beaufort	52	-	175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Berkeley	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calhoun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Charleston	27	16	2	1	-	1	2	2	-	2	1	-	1	59	1	1	-	1	3	-	10	-	37
Cherokee	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	1	-	2	4
Chester	-	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	12	1
Chesterfield	-	-	-	-	1	-	1	-	-	-	104	-	-	-	-	-	-	-	-	-	-	-	9
Clarendon	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	43	-	26	-	-
Colleton	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darlington	-	-	-	1	-	-	30	-	-	-	5	-	-	-	-	2	-	-	1	-	-	-	1
Dillon	-	-	-	-	-	-	-	1	-	3	3	-	-	-	-	-	-	-	-	-	-	-	29
Dorchester	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Edgefield	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	1	13	-	-	-	-	-	-
Fairfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Florence	-	25	-	-	-	-	28	1	-	76	23	-	-	-	-	1	-	-	23	-	196	-	9
Georgetown	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	106	-	3
Greenville	-	-	-	1	-	120	-	-	1	-	-	1	34	-	287	-	-	214	1	-	1	2	25
Greenwood	-	-	-	-	-	432	-	4	71	-	-	26	-	-	-	1	134	4	-	1	-	-	6
Hampton	174	-	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Horry	-	1772	-	-	1	-	-	-	-	8	1	-	-	-	-	-	-	-	-	-	-	-	59
Jasper	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kershaw	-	-	-	444	23	-	21	-	-	-	-	-	-	-	-	4	-	-	16	-	-	-	2
Lancaster	-	-	-	16	446	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6
Laurens	-	-	-	-	-	172	-	-	-	-	-	4	-	-	-	-	-	4	-	2	-	-	1
Lee	-	-	-	4	-	3	133	-	-	-	-	-	-	-	-	-	-	-	12	-	-	-	1
Lexington	-	1	-	16	1	-	-	1316	-	-	-	32	1	9	-	437	37	1	4	-	-	1	6
McCormick	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Marion	-	57	-	-	-	-	-	-	-	462	-	-	-	-	-	-	-	-	-	-	2	-	6
Marlboro	-	-	-	-	-	-	-	-	-	-	203	-	-	-	-	-	-	-	-	-	-	-	4
Newberry	-	-	-	-	-	3	-	8	-	-	-	324	-	-	-	2	22	-	-	-	-	-	1
Oconee	-	-	-	-	-	-	-	-	-	-	-	-	487	-	41	-	-	-	-	-	-	-	9
Orangeburg	13	-	1	-	-	-	-	2	-	-	-	-	1	1096	-	2	-	-	-	-	-	-	1
Pickens	-	-	-	-	-	-	-	-	-	-	-	-	4	-	553	-	-	-	-	-	-	-	-
Richland	2	3	-	138	15	2	7	790	-	-	-	44	-	79	-	3600	24	3	70	-	5	18	15
Saluda	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spartanburg	-	-	-	-	-	22	-	-	-	-	-	7	1	-	1	1	-	2658	-	116	-	4	35
Sumter	-	1	-	8	-	-	92	-	-	-	-	-	-	2	-	5	-	-	1587	-	28	-	7
Union	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	1	-	232	-	4	1
Williamsburg	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	240	-	2
York	-	-	-	1	75	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1309	33
Out-of-State	12	14	63	2	158	1	2	9	21	2	138	1	15	5	3	13	14	46	11	1	2	354	-

Table 21.

Total Births by Number of Prenatal Care Visits: South Carolina and Each County, 1984

County of Residence	Total Births	Total						
		Number of Prenatal Care Visits						
		No Visits	01-04 Visits	05 Visits	06-10 Visits	11-15 Visits	16+ Visits	Unk
SOUTH CAROLINA	50,561	825	3,527	1,804	19,901	21,061	3,059	383
Abbeville	311	6	20	17	128	130	8	2
Aiken	1,741	17	84	54	534	815	77	160
Allendale	197	5	24	11	69	76	11	1
Anderson	1,779	20	52	48	765	832	62	-
Bamberg	283	4	16	9	121	112	17	4
Barnwell	305	1	13	8	104	149	9	21
Beaufort	1,394	1	33	18	320	903	114	5
Berkeley	2,159	8	101	56	778	1,022	185	9
Calhoun	179	1	5	5	71	94	3	-
Charleston	5,476	87	414	233	1,942	2,280	512	8
Cherokee	546	3	34	24	213	240	25	7
Chester	517	9	56	22	185	220	24	1
Chesterfield	529	10	62	22	201	195	37	2
Clarendon	446	18	57	25	192	140	14	-
Colleton	544	1	40	22	223	199	57	2
Darlington	851	10	91	42	419	239	48	2
Dillon	542	9	86	31	207	177	28	4
Dorchester	1,254	11	60	40	460	573	103	7
Edgefield	288	12	42	17	94	106	6	11
Fairfield	323	7	25	18	113	126	32	2
Florence	1,801	19	58	26	855	771	69	3
Georgetown	728	16	56	22	273	312	49	-
Greenville	4,218	53	285	194	2,229	1,279	176	2
Greenwood	812	4	78	36	381	246	65	2
Hampton	303	1	48	22	115	100	17	-
Horry	1,896	64	156	62	846	653	113	2
Jasper	267	3	10	2	93	143	16	-
Kershaw	633	9	27	11	146	366	73	1
Lancaster	725	10	38	20	287	330	40	-
Laurens	759	9	89	31	355	218	45	12
Lee	317	7	26	15	109	133	27	-
Lexington	2,137	13	64	31	799	1,076	141	13
McCormick	118	1	16	5	48	39	7	2
Marion	553	18	72	30	224	188	21	-
Marlboro	478	15	106	52	161	127	10	7
Newberry	447	4	18	11	166	206	42	-
Oconee	676	19	21	15	227	351	43	-
Orangeburg	1,333	18	47	46	636	561	18	7
Pickens	979	10	44	29	442	423	31	-
Richland	4,072	59	304	136	1,350	1,877	328	18
Saluda	252	6	35	12	114	73	7	5
Spartanburg	2,939	68	304	112	1,297	1,046	57	55
Sumter	1,774	129	104	56	528	826	130	1
Union	355	5	25	14	158	126	23	4
Williamsburg	616	9	61	39	280	217	10	-
York	1,709	16	120	53	643	747	129	1

Table 21-A.

Live Births by Number of Prenatal Care Visits By Race:
South Carolina and Each County, 1984

County of Residence	Total Births	White						
		Number of Prenatal Care Visits						
		No Visits	01-04 Visits	05 Visits	06-10 Visits	11-15 Visits	16+ Visits	Unk
SOUTH CAROLINA	30,607	227	1,154	709	11,273	14,783	2,236	225
Abbeville	183	2	7	8	67	91	7	1
Aiken	1,197	6	36	29	320	650	63	93
Allendale	49	1	1	-	14	29	4	-
Anderson	1,363	7	22	25	560	698	51	-
Bamberg	108	1	5	2	37	54	8	1
Barnwell	170	1	3	3	47	101	5	10
Beaufort	843	1	11	7	179	546	97	2
Berkeley	1,512	4	26	34	498	793	150	7
Calhoun	77	-	1	1	16	56	3	-
Charleston	3,034	18	114	68	925	1,533	371	5
Cherokee	375	1	15	9	157	167	19	7
Chester	255	2	7	4	81	147	14	-
Chesterfield	300	-	12	3	106	149	29	1
Clarendon	125	-	4	2	47	63	9	-
Colleton	248	-	15	3	79	115	35	1
Darlington	447	2	24	10	206	169	35	1
Dillon	214	2	12	7	85	88	20	-
Dorchester	907	5	30	25	290	465	88	4
Edgefield	126	-	1	2	33	82	5	3
Fairfield	97	2	5	2	22	52	14	-
Florence	894	3	14	12	372	448	44	1
Georgetown	316	2	7	3	90	182	32	-
Greenville	3,249	23	165	136	1,775	1,010	138	2
Greenwood	482	2	34	15	212	167	50	2
Hampton	97	-	6	3	31	51	6	-
Horry	1,360	29	85	42	595	518	89	2
Jasper	94	2	3	-	26	55	8	-
Kershaw	401	4	5	3	86	252	51	-
Lancaster	468	3	13	9	159	251	33	-
Laurens	468	2	33	16	232	145	33	7
Lee	77	1	1	1	19	45	10	-
Lexington	1,811	11	41	22	627	970	130	10
McCormick	41	-	1	-	13	22	4	1
Marion	182	4	7	4	67	86	14	-
Marlboro	190	3	28	12	68	73	5	1
Newberry	236	2	3	2	72	132	25	-
Oconee	586	13	17	13	192	311	40	-
Orangeburg	419	2	7	7	157	232	11	3
Pickens	885	6	37	22	397	396	27	-
Richland	1,975	12	63	33	536	1,131	196	4
Saluda	129	-	7	4	56	55	6	1
Spartanburg	2,110	33	134	64	915	868	45	51
Sumter	943	10	36	15	225	575	92	-
Union	210	2	8	8	97	81	11	3
Williamsburg	160	-	3	2	58	91	6	-
York	1,194	3	55	17	427	588	103	1

Table 21-A.
Live Births by Number of Prenatal Care Visits By Race: South Carolina and Each County, 1984

County of Residence	Total Births	Nonwhite						
		Number of Prenatal Care Visits						
		No Visits	01-04 Visits	05 Visits	06-10 Visits	11-15 Visits	16+ Visits	Unk
SOUTH CAROLINA	19,954	598	2,373	1,095	8,628	6,279	823	158
Abbeville	128	4	13	9	61	39	1	1
Aiken	544	11	48	25	214	165	14	67
Allendale	148	4	23	11	55	47	7	1
Anderson	416	13	30	23	205	134	11	–
Bamberg	175	3	11	7	84	58	9	3
Barnwell	135	–	10	5	57	48	4	11
Beaufort	551	–	22	11	141	357	17	3
Berkeley	647	4	75	22	280	229	35	2
Calhoun	102	1	4	4	55	38	–	–
Charleston	2,442	69	300	165	1,017	747	141	3
Cherokee	171	2	19	15	56	73	6	–
Chester	262	7	49	18	104	73	10	1
Chesterfield	229	10	50	19	95	46	8	1
Clarendon	321	18	53	23	145	77	5	–
Colleton	296	1	25	19	144	84	22	1
Darlington	404	8	67	32	213	70	13	1
Dillon	328	7	74	24	122	89	8	4
Dorchester	347	6	30	15	170	108	15	3
Edgefield	162	12	41	15	61	24	1	8
Fairfield	226	5	20	16	91	74	18	2
Florence	907	16	44	14	483	323	25	2
Georgetown	412	14	49	19	183	130	17	–
Greenville	969	30	120	58	454	269	38	–
Greenwood	330	2	44	21	169	79	15	–
Hampton	206	1	42	19	84	49	11	–
Horry	536	35	71	20	251	135	24	–
Jasper	173	1	7	2	67	88	8	–
Kershaw	232	5	22	8	60	114	22	1
Lancaster	257	7	25	11	128	79	7	–
Laurens	291	7	56	15	123	73	12	5
Lee	240	6	25	14	90	88	17	–
Lexington	326	2	23	9	172	106	11	3
McCormick	77	1	15	5	35	17	3	1
Marion	371	14	65	26	157	102	7	–
Marlboro	288	12	78	40	93	54	5	6
Newberry	211	2	15	9	94	74	17	–
Oconee	90	6	4	2	35	40	3	–
Orangeburg	914	16	40	39	479	329	7	4
Pickens	94	4	7	7	45	27	4	–
Richland	2,097	47	241	103	814	746	132	14
Saluda	123	6	28	8	58	18	1	4
Spartanburg	829	35	170	48	382	178	12	4
Sumter	831	119	78	41	303	251	38	1
Union	145	3	17	6	61	45	12	1
Williamsburg	456	9	58	37	222	126	4	–
York	515	13	65	36	216	159	26	–

Table 22.
Live Birth by Month Prenatal Care Began
South Carolina and Each County, 1984
(Residence Data)

County of Residence	Total	TOTAL										
		None	1st Month	2nd Month	3rd Month	4th Month	5th Month	6th Month	7th Month	8th Month	9th Month	Unk
SOUTH CAROLINA	50,561	823	4,847	17,764	11,130	6,093	3,764	2,464	1,652	935	408	681
Abbeville	311	6	27	139	69	34	16	7	8	1	-	4
Aiken	1,741	17	194	560	392	182	105	74	46	29	5	137
Allendale	197	5	17	51	49	20	25	7	14	5	3	1
Anderson	1,779	20	98	1,080	275	141	83	38	33	8	3	-
Bamberg	283	4	24	94	61	45	16	21	10	2	3	3
Barnwell	305	1	21	117	74	27	22	12	8	4	-	19
Beaufort	1,394	1	178	542	374	183	65	24	14	5	4	4
Berkeley	2,159	8	235	613	530	317	224	121	71	28	10	2
Calhoun	179	1	8	72	40	27	11	11	7	2	-	-
Charleston	5,476	87	796	1,608	1,084	713	471	320	212	134	47	4
Cherokee	546	2	36	171	130	82	38	23	20	11	8	25
Chester	517	9	63	178	102	54	43	33	22	10	3	-
Chesterfield	529	10	52	177	110	61	55	23	17	13	8	3
Clarendon	446	18	21	125	109	61	44	30	17	15	6	-
Colleton	544	1	76	187	130	67	38	18	16	6	4	1
Darlington	851	10	108	300	146	114	72	42	26	22	9	2
Dillon	542	9	38	156	130	52	53	40	30	24	7	3
Dorchester	1,254	11	171	399	264	184	98	66	37	17	6	1
Edgefield	288	12	24	81	61	31	24	23	10	7	3	12
Fairfield	323	7	3	108	65	49	40	22	14	5	7	3
Florence	1,801	19	423	713	328	149	82	42	23	16	3	3
Georgetown	728	16	57	262	166	79	67	33	26	15	5	2
Greenville	4,218	53	409	1,577	868	473	326	218	154	90	46	4
Greenwood	812	4	110	342	143	76	44	29	14	13	5	32
Hampton	303	1	55	102	65	39	22	12	5	2	-	-
Horry	1,896	64	221	648	387	226	133	84	81	34	14	4
Jasper	267	3	38	78	78	39	24	5	-	1	1	-
Kershaw	633	9	34	236	158	80	44	30	18	17	6	1
Lancaster	725	10	71	301	177	77	40	25	16	7	1	-
Laurens	759	9	69	248	182	83	53	35	21	18	5	36
Lee	317	7	15	90	67	59	31	26	14	7	1	-
Lexington	2,137	13	117	1,109	490	180	92	66	29	21	5	15
McCormick	118	1	14	42	22	10	14	3	6	-	3	3
Marion	553	18	73	170	97	66	48	38	28	10	5	-
Marlboro	478	15	15	98	103	76	40	43	37	27	11	13
Newberry	447	4	31	168	128	55	28	13	12	6	2	-
Oconee	676	19	38	292	153	75	50	27	13	5	3	1
Orangeburg	1,333	18	100	400	301	212	127	88	55	18	7	7
Pickens	979	10	48	401	242	104	78	49	26	16	5	-
Richland	4,072	59	95	1,359	1,029	550	331	251	179	114	66	39
Saluda	252	6	10	90	55	29	17	14	11	9	2	9
Spartanburg	2,939	68	190	908	629	337	207	163	90	52	21	274
Sumter	1,774	128	73	386	446	279	157	116	85	60	43	1
Union	355	5	18	99	98	53	34	14	16	3	3	12
Williamsburg	616	9	72	194	152	71	61	27	21	6	3	-
York	1,709	16	261	693	371	172	71	58	40	20	6	1

Table 22-A.
Live Birth by Month Prenatal Care Began by Race, South Carolina and Each County, 1984
(Residence Data)

County of Residence	Total	WHITE										
		None	1st Month	2nd Month	3rd Month	4th Month	5th Month	6th Month	7th Month	8th Month	9th Month	Unk
SOUTH CAROLINA	30,607	226	3,550	12,902	6,697	3,076	1,569	995	658	360	139	435
Abbeville	183	2	17	97	42	12	3	1	7	-	-	2
Aiken	1,197	6	159	441	258	118	55	40	26	19	3	72
Allendale	49	1	6	19	7	8	5	-	2	1	-	-
Anderson	1,363	7	86	901	195	88	45	17	20	3	1	-
Bamberg	108	1	15	44	23	14	-	6	4	-	1	-
Barnwell	170	1	15	70	47	10	7	8	2	2	-	8
Beaufort	843	1	108	360	217	99	28	16	7	5	1	1
Berkeley	1,512	4	174	467	386	212	141	70	39	12	6	1
Calhoun	77	-	4	50	11	6	1	3	1	1	-	-
Charleston	3,034	18	568	1,041	606	331	192	126	76	48	25	3
Cherokee	375	-	27	129	89	58	19	8	12	7	2	24
Chester	255	2	42	110	48	21	17	9	4	2	-	-
Chesterfield	300	-	48	127	58	29	21	7	3	4	2	1
Clarendon	125	-	9	60	28	15	5	5	1	2	-	-
Colleton	248	-	43	102	47	24	17	7	5	2	1	-
Darlington	447	2	75	191	77	42	25	18	9	4	3	1
Dillon	214	2	21	75	57	19	14	9	10	6	1	-
Dorchester	907	5	140	315	198	123	58	33	20	10	4	1
Edgefield	126	-	20	57	33	7	2	3	1	-	-	3
Fairfield	97	2	1	54	21	7	1	5	3	-	1	2
Florence	894	3	261	419	130	42	19	8	5	6	-	1
Georgetown	316	2	35	156	68	23	19	3	6	2	1	1
Greenville	3,249	23	364	1,383	678	327	190	115	91	47	27	4
Greenwood	482	2	86	229	70	38	15	9	5	9	2	17
Hampton	97	-	19	47	14	10	5	-	1	1	-	-
Horry	1,360	29	197	525	278	144	71	44	47	16	7	2
Jasper	94	2	10	35	28	9	8	1	-	1	-	-
Kershaw	401	4	29	183	101	40	18	11	10	5	-	-
Lancaster	468	3	61	214	110	40	20	9	9	2	-	-
Laurens	468	2	59	185	108	41	20	15	8	8	-	22
Lee	77	1	7	38	16	11	1	-	2	1	-	-
Lexington	1,811	11	104	987	406	144	62	50	19	13	3	12
McCormick	41	-	10	20	7	1	-	-	1	-	1	1
Marion	182	4	30	80	35	13	4	9	4	3	-	-
Marlboro	190	3	7	51	51	29	11	12	12	8	2	4
Newberry	236	2	20	113	62	21	7	2	6	2	1	-
Oconee	586	13	34	267	136	62	33	23	10	5	2	1
Orangeburg	419	2	45	181	92	47	22	10	12	2	3	3
Pickens	885	6	44	377	217	93	70	41	19	13	5	-
Richland	1,975	12	61	926	527	193	77	62	53	35	16	13
Saluda	129	-	6	66	29	12	5	5	1	2	1	2
Spartanburg	2,110	33	172	755	452	198	103	99	41	26	8	223
Sumter	943	10	50	269	283	164	80	40	26	14	7	-
Union	210	2	14	72	63	24	14	4	5	2	1	9
Williamsburg	160	-	26	72	43	11	6	1	-	-	1	-
York	1,194	3	221	542	245	96	33	31	13	9	-	1

Table 22-A.

Live Birth by Month Prenatal Care Began by Race, South Carolina and Each County, 1984

(Residence Data)

County of Residence	Total	NONWHITE										
		None	1st Month	2nd Month	3rd Month	4th Month	5th Month	6th Month	7th Month	8th Month	9th Month	Unk
SOUTH CAROLINA	19,954	597	1,297	4,862	4,433	3,017	2,195	1,469	994	575	269	246
Abbeville	128	4	10	42	27	22	13	6	1	1	–	2
Aiken	544	11	35	119	134	64	50	34	20	10	2	65
Allendale	148	4	11	32	42	12	20	7	12	4	3	1
Anderson	416	13	12	179	80	53	38	21	13	5	2	–
Bamberg	175	3	9	50	38	31	16	15	6	2	2	3
Barnwell	135	–	6	47	27	17	15	4	6	2	–	11
Beaufort	551	–	70	182	157	84	37	8	7	–	3	3
Berkeley	647	4	61	146	144	105	83	51	32	16	4	1
Calhoun	102	1	4	22	29	21	10	8	6	1	–	–
Charleston	2,442	69	228	567	478	382	279	194	136	86	22	1
Cherokee	171	2	9	42	41	24	19	15	8	4	6	1
Chester	262	7	21	68	54	33	26	24	18	8	3	–
Chesterfield	229	10	4	50	52	32	34	16	14	9	6	2
Clarendon	321	18	12	65	81	46	39	25	16	13	6	–
Colleton	296	1	33	85	83	43	21	11	11	4	3	1
Darlington	404	8	33	109	69	72	47	24	17	18	6	1
Dillon	328	7	17	81	73	33	39	31	20	18	6	3
Dorchester	347	6	31	84	66	61	40	33	17	7	2	–
Edgefield	162	12	4	24	28	24	22	20	9	7	3	9
Fairfield	226	5	2	54	44	42	39	17	11	5	6	1
Florence	907	16	162	294	198	107	63	34	18	10	3	2
Georgetown	412	14	22	106	98	56	48	30	20	13	4	1
Greenville	969	30	45	194	190	146	136	103	63	43	19	–
Greenwood	330	2	24	113	73	38	29	20	9	4	3	15
Hampton	206	1	36	55	51	29	17	12	4	1	–	–
Horry	536	35	24	123	109	82	62	40	34	18	7	2
Jasper	173	1	28	43	50	30	16	4	–	–	1	–
Kershaw	232	5	5	53	57	40	26	19	8	12	6	1
Lancaster	257	7	10	87	67	37	20	16	7	5	1	–
Laurens	291	7	10	63	74	42	33	20	13	10	5	14
Lee	240	6	8	52	51	48	30	26	12	6	1	–
Lexington	326	2	13	122	84	36	30	16	10	8	2	3
McCormick	77	1	4	22	15	9	14	3	5	–	2	2
Marion	371	14	43	90	62	53	44	29	24	7	5	–
Marlboro	288	12	8	47	52	47	29	31	25	19	9	9
Newberry	211	2	11	55	66	34	21	11	6	4	1	–
Oconee	90	6	4	25	17	13	17	4	3	–	1	–
Orangeburg	914	16	55	219	209	165	105	78	43	16	4	4
Pickens	94	4	4	24	25	11	8	8	7	3	–	–
Richland	2,097	47	34	433	502	357	254	189	126	79	50	26
Saluda	123	6	4	24	26	17	12	9	10	7	1	7
Spartanburg	829	35	18	153	177	139	104	64	49	26	13	51
Sumter	831	118	23	117	163	115	77	76	59	46	36	1
Union	145	3	4	27	35	29	20	10	11	1	2	3
Williamsburg	456	9	46	122	109	60	55	26	21	6	2	–
York	515	13	40	151	126	76	38	27	27	11	6	–

Table 23.
Live Births by Attendant: South Carolina and Each County, 1984
(Residence Data)

County of Residence	Total	Total								
		Physician		Certified Nurse Midwife		Lay Midwife Other Midwife		Other Attendant	Self	Unknown
		In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital			
SOUTH CAROLINA	50,561	48,963	32	988	152	83	45	220	75	3
Abbeville	311	310	-	-	-	-	-	-	1	-
Aiken	1,741	1,728	-	2	2	-	-	6	3	-
Allendale	197	194	-	-	-	-	-	-	3	-
Anderson	1,779	1,766	-	4	-	-	1	8	-	-
Bamberg	283	150	-	91	17	22	1	2	-	-
Barnwell	305	283	-	14	5	1	-	1	1	-
Beaufort	1,394	1,363	-	-	1	25	-	4	1	-
Berkeley	2,159	1,934	-	207	1	2	1	9	5	-
Calhoun	179	173	-	4	1	-	-	-	1	-
Charleston	5,476	5,203	3	218	5	3	6	27	11	-
Cherokee	546	546	-	-	-	-	-	-	-	-
Chester	517	515	-	-	-	-	-	2	-	-
Chesterfield	529	524	-	-	-	-	-	4	1	-
Clarendon	446	438	-	2	-	-	-	5	1	-
Colleton	544	508	18	2	1	2	-	10	3	-
Darlington	851	834	-	3	-	8	-	6	-	-
Dillon	542	540	-	-	-	-	-	2	-	-
Dorchester	1,254	1,140	1	88	6	2	3	13	1	-
Edgefield	288	283	-	-	-	-	-	4	1	-
Fairfield	323	319	-	2	-	-	-	2	-	-
Florence	1,801	1,783	-	1	-	-	-	14	2	1
Georgetown	728	716	-	5	-	-	-	5	2	-
Greenville	4,218	4,165	3	13	5	3	11	14	4	-
Greenwood	812	809	-	1	1	-	-	1	-	-
Hampton	303	295	-	2	1	-	-	3	2	-
Horry	1,896	1,843	-	43	-	-	-	4	6	-
Jasper	267	264	-	-	-	1	1	1	-	-
Kershaw	633	626	-	[illegible]	1	-	2	3	1	-
Lancaster	725	722	1	-	-	1	-	1	-	-
Laurens	759	748	-	5	-	1	1	3	1	-
Lee	317	313	1	2	-	-	-	1	-	-
Lexington	2,137	2,084	-	5	36	-	4	6	2	-
McCormick	118	118	-	-	-	-	-	-	-	-
Marion	553	546	2	-	-	-	-	4	1	-
Marlboro	478	475	-	-	-	-	-	-	3	-
Newberry	447	444	-	-	-	-	-	3	-	-
Oconee	676	674	-	-	-	-	-	2	-	-
Orangeburg	1,333	1,237	-	62	13	8	-	10	1	2
Pickens	979	976	1	-	-	-	1	1	-	-
Richland	4,072	3,981	1	14	51	1	7	11	6	-
Saluda	252	249	-	-	2	-	-	1	-	-
Spartanburg	2,939	2,914	-	4	1	-	5	15	-	-
Sumter	1,774	1,571	1	191	1	2	-	5	3	-
Union	355	352	-	-	-	1	-	-	2	-
Williamsburg	616	608	-	3	-	-	-	2	3	-
York	1,709	1,699	-	-	1	-	1	5	3	-

Table 23-A.
Live Births by Attendant by Race: South Carolina and Each County, 1984
(Residence Data)

County of Residence	Total	White								
		Physician		Certified Nurse Midwife		Lay Midwife Other Midwife		Other Attendant	Self	Unknown
		In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital			
SOUTH CAROLINA	30,607	29,805	19	492	140	36	37	63	13	2
Abbeville	183	183	-	-	-	-	-	-	-	-
Aiken	1,197	1,189	-	2	2	-	-	2	2	-
Allendale	49	48	-	-	-	-	-	-	1	-
Anderson	1,363	1,355	-	3	-	-	1	4	-	-
Bamberg	108	63	-	28	13	4	-	-	-	-
Barnwell	170	157	-	7	5	1	-	-	-	-
Beaufort	843	823	-	-	1	18	-	1	-	-
Berkeley	1,512	1,430	-	74	1	1	-	6	-	-
Calhoun	77	72	-	4	1	-	-	-	-	-
Charleston	3,034	2,915	3	96	5	2	5	6	2	-
Cherokee	375	375	-	-	-	-	-	-	-	-
Chester	255	255	-	-	-	-	-	-	-	-
Chesterfield	300	298	-	-	-	-	-	2	-	-
Clarendon	125	125	-	-	-	-	-	-	-	-
Colleton	248	234	10	1	1	1	-	1	-	-
Darlington	447	443	-	1	-	3	-	-	-	-
Dillon	214	213	-	-	-	-	-	1	-	-
Dorchester	907	857	1	38	4	-	3	4	-	-
Edgefield	126	126	-	-	-	-	-	-	-	-
Fairfield	97	96	-	-	-	-	-	1	-	-
Florence	894	890	-	-	-	-	-	4	-	-
Georgetown	316	311	-	4	-	-	-	1	-	-
Greenville	3,249	3,204	3	12	5	3	11	8	3	-
Greenwood	482	480	-	1	1	-	-	-	-	-
Hampton	97	94	-	2	1	-	-	-	-	-
Horry	1,360	1,322	-	34	-	-	-	3	1	-
Jasper	94	94	-	-	-	-	-	-	-	-
Kershaw	401	398	-	-	1	-	1	-	1	-
Lancaster	468	467	-	-	-	-	-	1	-	-
Laurens	468	462	-	3	-	-	1	2	-	-
Lee	77	76	-	1	-	-	-	-	-	-
Lexington	1,811	1,764	-	5	35	-	4	2	1	-
McCormick	41	41	-	-	-	-	-	-	-	-
Marion	182	182	-	-	-	-	-	-	-	-
Marlboro	190	190	-	-	-	-	-	-	-	-
Newberry	236	236	-	-	-	-	-	-	-	-
Oconee	586	584	-	-	-	-	-	2	-	-
Orangeburg	419	378	-	26	11	1	-	-	1	2
Pickens	885	882	1	-	-	-	1	1	-	-
Richland	1,975	1,914	-	6	49	-	4	2	-	-
Saluda	129	127	-	-	2	-	-	-	-	-
Spartanburg	2,110	2,092	-	4	1	-	5	8	-	-
Sumter	943	801	1	140	-	1	-	-	-	-
Union	210	208	-	-	-	1	-	-	1	-
Williamsburg	160	160	-	-	-	-	-	-	-	-
York	1,194	1,191	-	-	1	-	1	1	-	-

Table 23-A.

Live Births by Attendant by Race: South Carolina and Each County, 1984

(Residence Data)

County of Residence	Total	Nonwhite								
		Physician		Certified Nurse Midwife		Lay Midwife Other Midwife		Other Attendant	Self	Unknown
		In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital			
SOUTH CAROLINA	19,994	19,158	13	496	12	47	8	157	62	1
Abbeville	128	127	-	-	-	-	-	-	1	-
Aiken	544	539	-	-	-	-	-	4	1	-
Allendale	148	146	-	-	-	-	-	-	2	-
Anderson	416	411	-	1	-	-	-	4	-	-
Bamberg	175	87	-	63	4	18	1	2	-	-
Barnwell	135	126	-	7	-	-	-	1	1	-
Beaufort	551	540	-	-	-	7	-	3	1	-
Berkeley	647	504	-	133	-	1	1	3	5	-
Calhoun	102	101	-	-	-	-	-	-	1	-
Charleston	2,442	2,288	-	122	-	1	1	21	9	-
Cherokee	171	171	-	-	-	-	-	-	-	-
Chester	262	260	-	-	-	-	-	2	-	-
Chesterfield	229	226	-	-	-	-	-	2	1	-
Clarendon	321	313	-	2	-	-	-	5	1	-
Colleton	296	274	8	1	-	1	-	9	3	-
Darlington	404	391	-	2	-	5	-	6	-	-
Dillon	328	327	-	-	-	-	-	1	-	-
Dorchester	347	283	-	50	2	2	-	9	1	-
Edgefield	162	157	-	-	-	-	-	4	1	-
Fairfield	226	223	-	2	-	-	-	1	-	-
Florence	907	893	-	1	-	-	-	10	2	1
Georgetown	412	405	-	1	-	-	-	4	2	-
Greenville	969	961	-	1	-	-	-	6	1	-
Greenwood	330	329	-	-	-	-	-	1	-	-
Hampton	206	201	-	-	-	-	-	3	2	-
Horry	536	521	-	9	-	-	-	1	5	-
Jasper	173	170	-	-	-	1	1	1	-	-
Kershaw	232	228	-	-	-	-	1	3	-	-
Lancaster	257	255	1	-	-	1	-	-	-	-
Laurens	291	286	-	2	-	1	-	1	1	-
Lee	240	237	1	1	-	-	-	1	-	-
Lexington	326	320	-	-	1	-	-	4	1	-
McCormick	77	77	-	-	-	-	-	-	-	-
Marion	371	364	2	-	-	-	-	4	1	-
Marlboro	288	285	-	-	-	-	-	-	3	-
Newberry	211	208	-	-	-	-	-	3	-	-
Oconee	90	90	-	-	-	-	-	-	-	-
Orangeburg	914	859	-	36	2	7	-	10	-	-
Pickens	94	94	-	-	-	-	-	-	-	-
Richland	2,097	2,067	1	8	2	1	3	9	6	-
Saluda	123	122	-	-	-	-	-	1	-	-
Spartanburg	829	822	-	-	-	-	-	7	-	-
Sumter	831	770	-	51	1	1	-	5	3	-
Union	145	144	-	-	-	-	-	-	1	-
Williamsburg	456	448	-	3	-	-	-	2	3	-
York	515	508	-	-	-	-	-	4	3	-

Table 24.
Live Births by Attendant: South Carolina and Each County, 1984
(Occurrence Data)

County of Occurrence	Total	Total								
		Physician		Certified Nurse Midwife		Lay Midwife Other Midwife				
		In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital	Other Attendant	Self	Unknown
SOUTH CAROLINA	48,296	46,693	31	990	158	82	45	220	75	2
Abbeville	211	210	–	–	–	–	–	–	1	–
Aiken	484	475	–	–	–	–	–	6	3	–
Allendale	122	121	–	–	–	–	–	–	1	–
Anderson	1,859	1,850	–	–	–	–	1	8	–	–
Bamberg	325	26	1	204	55	36	1	2	–	–
Barnwell	120	117	–	1	–	–	–	1	1	–
Beaufort	1,531	1,501	–	–	–	25	–	4	1	–
Berkeley	8	–	–	–	–	–	1	5	2	–
Calhoun	2	–	–	–	–	–	1	–	1	–
Charleston	9,208	8,652	2	489	–	4	6	39	16	–
Cherokee	335	335	–	–	–	–	–	–	–	–
Chester	416	414	–	–	–	–	–	2	–	–
Chesterfield	374	370	–	–	–	–	–	3	1	–
Clarendon	320	314	–	–	–	–	–	5	1	–
Colleton	319	287	19	–	–	–	–	10	3	–
Darlington	551	538	–	–	–	8	–	5	–	–
Dillon	338	337	–	–	–	–	–	1	–	–
Dorchester	11	–	–	–	–	–	3	8	–	–
Edgefield	116	110	–	–	–	–	–	5	1	–
Fairfield	146	144	–	–	–	–	–	2	–	–
Florence	2,662	2,639	–	–	–	–	–	20	2	1
Georgetown	727	719	–	–	–	–	–	6	2	–
Greenville	5,109	5,045	4	24	6	3	10	13	4	–
Greenwood	1,650	1,648	–	–	–	–	–	2	–	–
Hampton	217	213	–	–	–	–	–	2	2	–
Horry	1,921	1,865	–	47	–	–	–	3	6	–
Jasper	1	–	–	–	–	–	1	–	–	–
Kershaw	522	516	–	–	–	–	2	3	1	–
Lancaster	514	511	1	–	–	1	–	1	–	–
Laurens	183	179	–	–	–	–	1	2	1	–
Lee	161	159	1	–	–	–	–	1	–	–
Lexington	1,918	1,792	1	20	95	–	3	5	2	–
McCormick	–	–	–	–	–	–	–	–	–	–
Marion	698	691	2	–	–	–	–	4	1	–
Marlboro	219	216	–	–	–	–	–	–	3	–
Newberry	366	364	–	–	–	–	–	2	–	–
Oconee	545	543	–	–	–	–	–	2	–	–
Orangeburg	1,444	1,433	–	–	–	1	–	8	1	1
Pickens	601	599	–	–	–	–	1	1	–	–
Richland	5,099	5,069	–	–	2	1	7	13	7	–
Saluda	–	–	–	–	–	–	–	–	–	–
Spartanburg	3,012	2,990	–	–	–	–	6	16	–	–
Sumter	1,910	1,696	–	205	–	2	–	4	3	–
Union	255	252	–	–	–	1	–	–	2	–
Williamsburg	266	262	–	–	–	–	–	1	3	–
York	1,500	1,491	–	–	–	–	1	5	3	–

Table 24-A.
Live Births by Attendant by Race: South Carolina and Each County, 1984
(Occurrence Data)

County of Occurrence	Total	White								
		Physician		Certified Nurse Midwife		Lay Midwife Other Midwife		Other Attendant	Self	Unknown
		In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital			
SOUTH CAROLINA	28,893	28,086	18	495	145	35	37	63	13	1
Abbeville	80	80	-	-	-	-	-	-	-	-
Aiken	274	270	-	-	-	-	-	2	2	-
Allendale	25	25	-	-	-	-	-	-	-	-
Anderson	1,398	1,393	-	-	-	-	1	4	-	-
Bamberg	148	9	1	84	47	7	-	-	-	-
Barnwell	47	47	-	-	-	-	-	-	-	-
Beaufort	842	823	-	-	-	18	-	1	-	-
Berkeley	3	-	-	-	-	-	-	3	-	-
Calhoun	-	-	-	-	-	-	-	-	-	-
Charleston	5,624	5,402	2	199	-	3	5	10	3	-
Cherokee	179	179	-	-	-	-	-	-	-	-
Chester	175	175	-	-	-	-	-	-	-	-
Chesterfield	137	135	-	-	-	-	-	2	-	-
Clarendon	80	80	-	-	-	-	-	-	-	-
Colleton	108	96	11	-	-	-	-	1	-	-
Darlington	247	244	-	-	-	3	-	-	-	-
Dillon	110	109	-	-	-	-	-	1	-	-
Dorchester	6	-	-	-	-	-	3	3	-	-
Edgefield	16	16	-	-	-	-	-	-	-	-
Fairfield	26	25	-	-	-	-	-	1	-	-
Florence	1,371	1,366	-	-	-	-	-	5	-	-
Georgetown	275	274	-	-	-	-	-	1	-	-
Greenville	4,045	3,991	4	21	6	2	10	8	3	-
Greenwood	941	940	-	-	-	-	-	1	-	-
Hampton	47	47	-	-	-	-	-	-	-	-
Horry	1,395	1,355	-	37	-	-	-	2	1	-
Jasper	-	-	-	-	-	-	-	-	-	-
Kershaw	313	311	-	-	-	-	1	-	1	-
Lancaster	279	278	-	-	-	-	-	1	-	-
Laurens	106	104	-	-	-	-	1	1	-	-
Lee	16	16	-	-	-	-	-	-	-	-
Lexington	1,599	1,492	-	10	91	-	3	2	1	-
McCormick	-	-	-	-	-	-	-	-	-	-
Marion	250	250	-	-	-	-	-	-	-	-
Marlboro	70	70	-	-	-	-	-	-	-	-
Newberry	179	179	-	-	-	-	-	-	-	-
Oconee	467	465	-	-	-	-	-	2	-	-
Orangeburg	471	469	-	-	-	-	-	-	1	1
Pickens	557	555	-	-	-	-	1	1	-	-
Richland	2,659	2,651	-	-	1	-	5	2	-	-
Saluda	-	-	-	-	-	-	-	-	-	-
Spartanburg	2,170	2,156	-	-	-	-	6	8	-	-
Sumter	978	833	-	144	-	1	-	-	-	-
Union	131	129	-	-	-	1	-	-	1	-
Williamsburg	43	43	-	-	-	-	-	-	-	-
York	1,006	1,004	-	-	-	-	1	1	-	-

Table 24-A.
Live Births by Attendant by Race: South Carolina and Each County, 1984
(Occurrence Data)

County of Occurrence	Total	Nonwhite								
		Physician		Certified Nurse Midwife		Lay Midwife Other Midwife		Other Attendant	Self	Unknown
		In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital			
SOUTH CAROLINA	19,403	18,607	13	495	13	47	8	157	62	1
Abbeville	131	130	-	-	-	-	-	-	1	-
Aiken	210	205	-	-	-	-	-	4	1	-
Allendale	97	96	-	-	-	-	-	-	1	-
Anderson	461	457	-	-	-	-	-	4	-	-
Bamberg	177	17	-	120	8	29	1	2	-	-
Barnwell	73	70	-	1	-	-	-	1	1	-
Beaufort	689	678	-	-	-	7	-	3	1	-
Berkeley	5	-	-	-	-	-	1	2	2	-
Calhoun	2	-	-	-	-	-	1	-	1	-
Charleston	3,584	3,250	-	290	-	1	1	29	13	-
Cherokee	156	156	-	-	-	-	-	-	-	-
Chester	241	239	-	-	-	-	-	2	-	-
Chesterfield	237	235	-	-	-	-	-	1	1	-
Clarendon	240	234	-	-	-	-	-	5	1	-
Colleton	211	191	8	-	-	-	-	9	3	-
Darlington	304	294	-	-	-	5	-	5	-	-
Dillon	228	228	-	-	-	-	-	-	-	-
Dorchester	5	-	-	-	-	-	-	5	-	-
Edgefield	100	94	-	-	-	-	-	5	1	-
Fairfield	120	119	-	-	-	-	-	1	-	-
Florence	1,291	1,273	-	-	-	-	-	15	2	1
Georgetown	452	445	-	-	-	-	-	5	2	-
Greenville	1,064	1,054	-	3	-	1	-	5	1	-
Greenwood	709	708	-	-	-	-	-	1	-	-
Hampton	170	166	-	-	-	-	-	2	2	-
Horry	526	510	-	10	-	-	-	1	5	-
Jasper	1	-	-	-	-	-	1	-	-	-
Kershaw	209	205	-	-	-	-	1	3	-	-
Lancaster	235	233	1	-	-	1	-	-	-	-
Laurens	77	75	-	-	-	-	-	1	1	-
Lee	145	143	1	-	-	-	-	1	-	-
Lexington	319	300	1	10	4	-	-	3	1	-
McCormick	-	-	-	-	-	-	-	-	-	-
Marion	448	441	2	-	-	-	-	4	1	-
Marlboro	149	146	-	-	-	-	-	-	3	-
Newberry	187	185	-	-	-	-	-	2	-	-
Oconee	78	78	-	-	-	-	-	-	-	-
Orangeburg	973	964	-	-	-	1	-	8	-	-
Pickens	44	44	-	-	-	-	-	-	-	-
Richland	2,440	2,418	-	-	1	1	2	11	7	-
Saluda	-	-	-	-	-	-	-	-	-	-
Spartanburg	842	834	-	-	-	-	-	8	-	-
Sumter	932	863	-	61	-	1	-	4	3	-
Union	124	123	-	-	-	-	-	-	1	-
Williamsburg	223	219	-	-	-	-	-	1	3	-
York	494	487	-	-	-	-	-	4	3	-

Table 25.
Live Births and Percent of Live Births by Marital Status and Race, by Age of Mother: South Carolina, 1984
(Residence Data)

Age of Mother	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Live Births by Age of Mother						
All Ages	50,561	100.0	30,607	100.0	19,954	100.0
< 15	237	0.5	40	0.1	197	1.0
15 - 19	8,432	16.7	3,807	12.4	4,625	23.2
20 - 24	16,988	33.6	10,178	33.3	6,810	34.1
25 - 29	14,739	29.2	9,852	32.2	4,887	24.5
30 - 34	7,826	15.5	5,283	17.3	2,543	12.7
35 - 39	2,048	4.0	1,293	4.2	755	3.8
40 - 44	281	0.6	150	0.5	131	0.7
45+	7	0.0	2	0.0	5	0.0
Not Stated	3	0.0	2	0.0	1	0.0
Live Births by Age of Married Mother						
All Ages	38,645	100.0	28,478	100.0	10,167	100.0
< 15	17	0.0	15	0.0	2	0.0
15 - 19	3,625	9.4	2,891	10.2	734	7.2
20 - 24	12,715	32.9	9,418	33.1	3,297	32.4
25 - 29	13,020	33.7	9,585	33.7	3,435	33.8
30 - 34	7,154	18.5	5,170	18.2	1,984	19.5
35 - 39	1,858	4.8	1,252	4.4	606	6.0
40 - 44	250	0.6	145	0.5	105	1.0
45+	6	0.0	2	0.0	4	0.0
Not Stated	-	0	-	0	-	0
Live Births by Age of Unmarried Mother						
All Ages	11,916	100.0	2,129	100.0	9,787	100.0
< 15	220	1.8	25	1.2	195	2.0
15 - 19	4,807	40.3	916	43.0	3,891	39.8
20 - 24	4,273	35.9	760	35.7	3,513	35.9
25 - 29	1,719	14.4	267	12.5	1,452	14.8
30 - 34	672	5.6	113	5.3	559	5.7
35 - 39	190	1.6	41	1.9	149	1.5
40 - 44	31	0.3	5	0.2	26	0.3
45+	1	0.0	-	0	1	0.0
Not Stated	3	0.0	2	0.1	1	0.0

Table 26.
Live Births by Age of Mother: South Carolina and Each County, 1984 (Residence Data)

County of Residence	Total All Ages	Total							
		Under 15	15-19	20-24	25-29	30-34	35-44	45+	Not Stated
SOUTH CAROLINA	50,561	237	8,432	16,988	14,739	7,826	2,329	7	3
Abbeville	311	–	67	104	87	41	12	–	–
Aiken	1,741	6	270	565	570	235	95	–	–
Allendale	197	2	45	64	48	30	8	–	–
Anderson	1,779	7	324	579	532	261	75	1	–
Bamberg	283	–	54	104	60	44	21	–	–
Barnwell	305	–	64	83	99	48	11	–	–
Beaufort	1,394	4	180	528	433	191	58	–	–
Berkeley	2,159	–	282	857	643	280	97	–	–
Calhoun	179	–	37	65	36	30	11	–	–
Charleston	5,476	29	887	1,930	1,517	863	249	1	–
Cherokee	546	3	153	196	125	56	13	–	–
Chester	517	4	105	178	134	75	21	–	–
Chesterfield	529	4	104	187	137	77	20	–	–
Clarendon	446	7	91	139	117	68	24	–	–
Colleton	544	1	92	182	155	88	26	–	–
Darlington	851	2	173	281	239	119	37	–	–
Dillon	542	2	109	214	121	73	23	–	–
Dorchester	1,254	5	159	473	373	193	51	–	–
Edgefield	288	–	47	106	81	41	13	–	–
Fairfield	323	–	58	103	90	62	10	–	–
Florence	1,801	14	304	575	520	288	99	–	1
Georgetown	728	3	109	251	207	127	31	–	–
Greenville	4,218	17	616	1,274	1,301	783	226	1	–
Greenwood	812	9	153	246	255	111	37	1	–
Hampton	303	5	61	82	94	48	13	–	–
Horry	1,896	5	324	707	535	252	73	–	–
Jasper	267	2	58	108	63	28	8	–	–
Kershaw	633	3	90	202	188	122	28	–	–
Lancaster	725	5	152	240	186	107	35	–	–
Laurens	759	8	162	272	183	100	34	–	–
Lee	317	1	63	102	88	45	18	–	–
Lexington	2,137	6	252	648	728	394	109	–	–
McCormick	118	–	26	43	26	17	5	1	–
Marion	553	5	122	181	148	71	26	–	–
Marlboro	478	1	129	189	108	36	15	–	–
Newberry	447	3	75	174	120	58	17	–	–
Oconee	676	2	124	217	204	101	27	1	–
Orangeburg	1,333	11	262	424	393	185	57	–	1
Pickens	979	3	157	307	297	172	43	–	–
Richland	4,072	19	540	1,198	1,307	799	209	–	–
Saluda	252	1	43	95	75	29	9	–	–
Spartanburg	2,939	19	544	960	835	453	127	–	1
Sumter	1,774	6	270	718	492	220	67	1	–
Union	355	1	84	120	95	40	15	–	–
Williamsburg	616	1	133	181	163	100	38	–	–
York	1,709	11	278	536	531	265	88	–	–

Table 26-A.
Live Births by Age of Mother and Race
South Carolina and Each County, 1984
(Residence Data)

County of Residence	Total All Ages	White							
		Under 15	15-19	20-24	25-29	30-34	35-44	45+	Not Stated
SOUTH CAROLINA	30,607	40	3,807	10,178	9,852	5,283	1,443	2	2
Abbeville	183	-	31	57	61	26	8	-	-
Aiken	1,197	3	157	383	415	182	57	-	-
Allendale	49	-	10	15	14	9	1	-	-
Anderson	1,363	1	211	438	431	224	57	1	-
Bamberg	108	-	18	41	29	16	4	-	-
Barnwell	170	-	29	45	70	22	4	-	-
Beaufort	843	-	83	318	275	127	40	-	-
Berkeley	1,512	-	174	629	450	198	61	-	-
Calhoun	77	-	3	31	18	18	7	-	-
Charleston	3,034	3	344	1,073	929	551	134	-	-
Cherokee	375	1	89	137	98	41	9	-	-
Chester	255	-	36	84	82	39	14	-	-
Chesterfield	300	-	33	113	92	52	10	-	-
Clarendon	125	1	19	47	34	20	4	-	-
Colleton	248	-	30	85	72	46	15	-	-
Darlington	447	-	67	147	150	68	15	-	-
Dillon	214	-	38	83	48	34	11	-	-
Dorchester	907	3	97	337	289	144	37	-	-
Edgefield	126	-	12	38	48	20	8	-	-
Fairfield	97	-	9	26	34	24	4	-	-
Florence	894	1	94	289	293	166	51	-	-
Georgetown	316	-	35	109	94	62	16	-	-
Greenville	3,249	2	355	957	1,092	652	191	-	-
Greenwood	482	2	62	148	176	73	21	-	-
Hampton	97	-	20	22	35	17	3	-	-
Horry	1,360	1	174	495	432	203	55	-	-
Jasper	94	-	15	41	25	13	-	-	-
Kershaw	401	1	44	119	135	80	22	-	-
Lancaster	468	2	84	158	136	69	19	-	-
Laurens	468	1	78	173	131	64	21	-	-
Lee	77	-	7	20	31	16	3	-	-
Lexington	1,811	4	178	547	626	356	100	-	-
McCormick	41	-	5	11	13	10	2	-	-
Marion	182	-	25	67	59	24	7	-	-
Marlboro	190	-	45	82	42	16	5	-	-
Newberry	236	1	20	98	75	29	13	-	-
Oconee	586	2	104	185	179	91	24	1	-
Orangeburg	419	1	53	129	150	69	16	-	1
Pickens	885	2	140	278	269	155	41	-	-
Richland	1,975	2	138	497	713	495	130	-	-
Saluda	129	-	14	50	42	17	6	-	-
Spartanburg	2,110	2	310	679	674	352	92	-	1
Sumter	943	-	110	402	283	119	29	-	-
Union	210	-	36	78	59	30	7	-	-
Williamsburg	160	-	25	57	40	32	6	-	-
York	1,194	4	146	360	409	212	63	-	-

Table 26-A.
Live Births by Age of Mother and Race
South Carolina and Each County, 1984
(Residence Data)

County of Residence	Total All Ages	Nonwhite							
		Under 15	15-19	20-24	25-29	30-34	35-44	45+	Not Stated
SOUTH CAROLINA	19,954	197	4,625	6,810	4,887	2,543	886	5	1
Abbeville	128	-	36	47	26	15	4	-	-
Aiken	544	3	113	182	155	53	38	-	-
Allendale	148	2	35	49	34	21	7	-	-
Anderson	416	6	113	141	101	37	18	-	-
Bamberg	175	-	36	63	31	28	17	-	-
Barnwell	135	-	35	38	29	26	7	-	-
Beaufort	551	4	97	210	158	64	18	-	-
Berkeley	647	-	108	228	193	82	36	-	-
Calhoun	102	-	34	34	18	12	4	-	-
Charleston	2,442	26	543	857	588	312	115	1	-
Cherokee	171	2	64	59	27	15	4	-	-
Chester	262	4	69	94	52	36	7	-	-
Chesterfield	229	4	71	74	45	25	10	-	-
Clarendon	321	6	72	92	83	48	20	-	-
Colleton	296	1	62	97	83	42	11	-	-
Darlington	404	2	106	134	89	51	22	-	-
Dillon	328	2	71	131	73	39	12	-	-
Dorchester	347	2	62	136	84	49	14	-	-
Edgefield	162	-	35	68	33	21	5	-	-
Fairfield	226	-	49	77	56	38	6	-	-
Florence	907	13	210	286	227	122	48	-	1
Georgetown	412	3	74	142	113	65	15	-	-
Greenville	969	15	261	317	209	131	35	1	-
Greenwood	330	7	91	98	79	38	16	1	-
Hampton	206	5	41	60	59	31	10	-	-
Horry	536	4	150	212	103	49	18	-	-
Jasper	173	2	43	67	38	15	8	-	-
Kershaw	232	2	46	83	53	42	6	-	-
Lancaster	257	3	68	82	50	38	16	-	-
Laurens	291	7	84	99	52	36	13	-	-
Lee	240	1	56	82	57	29	15	-	-
Lexington	326	2	74	101	102	38	9	-	-
McCormick	77	-	21	32	13	7	3	1	-
Marion	371	5	97	114	89	47	19	-	-
Marlboro	288	1	84	107	66	20	10	-	-
Newberry	211	2	55	76	45	29	4	-	-
Oconee	90	-	20	32	25	10	3	-	-
Orangeburg	914	10	209	295	243	116	41	-	-
Pickens	94	1	17	29	28	17	2	-	-
Richland	2,097	17	402	701	594	304	79	-	-
Saluda	123	1	29	45	33	12	3	-	-
Spartanburg	829	17	234	281	161	101	35	-	-
Sumter	831	6	160	316	209	101	38	1	-
Union	145	1	48	42	36	10	8	-	-
Williamsburg	456	1	108	124	123	68	32	-	-
York	515	7	132	176	122	53	25	-	-

Table 27.
Live Births to Mothers Less Than 20 Years Old
South Carolina and Each County, 1984
(Residence Data)

County of Residence	Age of Mother						
	Total ≤19	<15	15	16	17	18	19
SOUTH CAROLINA	8,669	237	509	1,059	1,649	2,296	2,919
Abbeville	67	-	4	10	14	19	20
Aiken	276	6	21	43	54	66	86
Allendale	47	2	4	5	8	15	13
Anderson	331	7	26	45	52	82	119
Bamberg	54	-	1	6	15	16	16
Barnwell	64	-	3	5	12	16	28
Beaufort	184	4	6	17	41	50	66
Berkeley	282	-	12	22	50	73	125
Calhoun	37	-	2	7	7	10	11
Charleston	916	29	44	97	173	234	339
Cherokee	156	3	11	17	35	44	46
Chester	109	4	8	15	27	23	32
Chesterfield	108	4	9	16	25	26	28
Clarendon	98	7	9	16	18	27	21
Colleton	93	1	9	13	16	19	35
Darlington	175	2	11	20	29	56	57
Dillon	111	2	3	14	23	30	39
Dorchester	164	5	7	15	35	40	62
Edgefield	47	-	4	4	11	14	14
Fairfield	58	-	4	7	11	20	16
Florence	318	14	24	38	77	61	104
Georgetown	112	3	5	10	28	35	31
Greenville	633	17	37	80	115	165	219
Greenwood	162	9	9	30	24	38	52
Hampton	66	5	5	9	15	11	21
Horry	329	5	20	37	62	89	116
Jasper	60	2	2	7	10	21	18
Kershaw	93	3	2	8	12	29	39
Lancaster	157	5	11	20	27	46	48
Laurens	170	8	10	27	34	38	53
Lee	64	1	7	8	12	18	18
Lexington	258	6	19	39	42	66	86
McCormick	26	-	-	2	6	7	11
Marion	127	5	8	14	23	46	31
Marlboro	130	1	4	17	31	38	39
Newberry	78	3	6	12	16	19	22
Oconee	126	2	3	18	25	41	37
Orangeburg	273	11	11	35	43	78	95
Pickens	160	3	11	22	14	54	56
Richland	559	19	39	58	100	157	186
Saluda	44	1	2	4	11	12	14
Spartanburg	563	19	29	79	102	156	178
Sumter	276	6	12	35	50	67	106
Union	85	1	6	11	16	16	35
Williamsburg	134	1	11	17	32	32	41
York	289	11	18	28	66	76	90

Table 28.

Live Births by Birth Weight, Age of Mother, and Race: South Carolina, 1984

(Residence Data)

Age of Mother and Race	Total	Birth Weight											
		499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000+ grams	Not Stated
All Ages	50,561	97	357	426	838	2,713	8,899	18,825	13,593	3,992	741	78	2
White	30,607	34	131	173	374	1,204	4,134	10,931	9,802	3,171	591	61	1
Nonwhite	19,954	63	226	253	464	1,509	4,765	7,894	3,791	821	150	17	1
Under 15 Year	237	2	1	3	12	25	69	80	39	6	-	-	-
White	40	-	-	1	2	4	8	11	10	4	-	-	-
Nonwhite	197	2	1	2	10	21	61	69	29	2	-	-	-
15-19 Years	8,432	13	81	93	216	644	1,937	3,252	1,764	378	50	4	-
White	3,807	3	18	20	78	214	634	1,428	1,096	278	34	4	-
Nonwhite	4,625	10	63	73	138	430	1,303	1,824	668	100	16	-	-
20-24 Years	16,988	31	106	134	275	920	3,156	6,499	4,432	1,215	205	15	-
White	10,178	14	33	58	112	403	1,479	3,745	3,168	980	173	13	-
Nonwhite	6,810	17	73	76	163	517	1,677	2,754	1,264	235	32	2	-
25-34 Years	22,565	49	151	163	297	999	3,394	8,195	6,701	2,143	424	48	1
White	15,135	16	71	76	162	513	1,848	5,269	5,083	1,728	333	36	-
Nonwhite	7,430	33	80	87	135	486	1,546	2,926	1,618	415	91	12	1
35-44 Years	2,329	2	18	33	38	124	341	797	652	250	62	11	1
White	1,443	1	9	18	20	69	165	477	443	181	51	8	1
Nonwhite	886	1	9	15	18	55	176	320	209	69	11	3	-
45 and Over	7	-	-	-	-	-	1	2	4	-	-	-	-
White	2	-	-	-	-	-	-	1	1	-	-	-	-
Nonwhite	5	-	-	-	-	-	1	1	3	-	-	-	-
Not Stated	3	-	-	-	-	1	1	-	1	-	-	-	-
White	2	-	-	-	-	1	-	-	1	-	-	-	-
Nonwhite	1	-	-	-	-	-	1	-	-	-	-	-	-

Table 29.
Low Weight* Live Births and Percent of Low Weight Live Births: South Carolina and Each County, 1984
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
SOUTH CAROLINA	4,431	8.8	1,916	6.3	2,515	12.6
Abbeville	24	7.7	10	5.5	14	10.9
Aiken	138	7.9	72	6.0	66	12.1
Allendale	24	12.2	4	8.2	20	13.5
Anderson	121	6.8	80	5.9	41	9.9
Bamberg	27	9.5	7	6.5	20	11.4
Barnwell	28	9.2	9	5.3	19	14.1
Beaufort	100	7.2	37	4.4	63	11.4
Berkeley	146	6.8	76	5.0	70	10.8
Calhoun	15	8.4	1	1.3	14	13.7
Charleston	477	8.7	178	5.9	299	12.2
Cherokee	52	9.5	29	7.7	23	13.4
Chester	49	9.5	16	6.3	33	12.6
Chesterfield	51	9.6	20	6.7	31	13.5
Clarendon	58	13.0	7	5.6	51	15.9
Colleton	49	9.0	13	5.2	36	12.2
Darlington	87	12.0	32	7.2	55	13.6
Dillon	58	10.7	10	4.7	48	14.6
Dorchester	84	6.7	44	4.9	40	3.2
Edgefield	31	10.8	12	9.5	19	11.7
Fairfield	34	10.5	10	10.3	24	10.6
Florence	204	11.3	69	7.7	135	14.9
Georgetown	73	10.0	24	7.6	49	11.9
Greenville	379	9.0	234	7.2	145	15.0
Greenwood	60	7.4	27	5.6	33	10.0
Hampton	25	8.2	7	7.2	18	8.7
Horry	154	8.1	83	6.1	71	13.2
Jasper	21	7.9	8	8.5	13	7.5
Kershaw	49	7.7	23	5.7	26	11.2
Lancaster	69	9.5	35	7.5	34	13.2
Laurens	80	10.5	34	7.3	46	15.8
Lee	38	12.0	5	6.5	33	13.8
Lexington	142	6.6	107	5.9	35	10.7
McCormick	12	10.2	2	4.9	10	13.0
Marion	69	12.5	7	3.8	62	16.7
Marlboro	48	10.0	17	8.9	31	10.8
Newberry	43	9.6	16	6.8	27	12.8
Oconee	52	7.7	43	7.3	9	10.0
Orangeburg	132	9.9	21	5.0	111	12.1
Pickens	68	6.9	59	6.7	9	9.6
Richland	379	9.3	122	6.2	257	12.2
Saluda	27	10.7	9	7.0	18	14.6
Spartanburg	243	8.3	146	6.9	97	11.7
Sumter	160	9.0	56	5.9	104	12.5
Union	43	12.1	20	9.5	23	15.9
Williamsburg	65	10.6	5	3.1	60	13.2
York	143	8.4	70	5.9	73	14.2

* Live birth weighing less than 2500 grams

Table 30.
Low Weight* Live Births by Age of Mother
South Carolina and Each County, 1984
(Residence Data)

County of Residence	Total All Ages	Total							
		Under 15	15-19	20-24	25-29	30-34	35-44	45 & Over	Not Stated
SOUTH CAROLINA	4,431	43	1,047	1,466	1,115	544	215	-	1
Abbeville	24	-	10	4	4	2	4	-	-
Aiken	138	-	30	48	30	19	11	-	-
Allendale	24	-	6	8	5	3	2	-	-
Anderson	121	-	31	36	34	9	11	-	-
Bamberg	27	-	9	6	4	5	3	-	-
Barnwell	28	-	10	6	9	1	2	-	-
Beaufort	100	-	20	44	22	12	2	-	-
Berkeley	146	-	26	60	40	11	9	-	-
Calhoun	15	-	5	6	3	1	-	-	-
Charleston	477	3	106	168	112	70	18	-	-
Cherokee	52	-	24	18	4	4	2	-	-
Chester	49	1	14	14	12	6	2	-	-
Chesterfield	51	2	12	23	10	3	1	-	-
Clarendon	58	1	17	20	11	8	1	-	-
Colleton	49	1	12	15	15	3	3	-	-
Darlington	87	1	19	34	22	9	2	-	-
Dillon	58	-	12	26	14	3	3	-	-
Dorchester	84	1	16	32	16	12	7	-	-
Edgefield	31	-	3	11	13	3	1	-	-
Fairfield	34	-	5	12	8	8	1	-	-
Florence	204	5	46	61	55	23	14	-	-
Georgetown	73	1	15	28	22	4	3	-	-
Greenville	379	4	84	117	97	57	20	-	-
Greenwood	60	1	14	28	16	1	-	-	-
Hampton	25	-	5	3	9	7	1	-	-
Horry	154	2	39	64	24	18	7	-	-
Jasper	21	-	11	2	6	2	-	-	-
Kershaw	49	1	9	5	21	11	2	-	-
Lancaster	69	1	20	17	16	8	7	-	-
Laurens	80	1	23	28	16	8	4	-	-
Lee	38	-	15	8	10	5	-	-	-
Lexington	142	1	22	35	52	27	5	-	-
McCormick	12	-	6	2	2	1	1	-	-
Marion	69	2	19	28	10	7	3	-	-
Marlboro	48	1	21	11	11	3	1	-	-
Newberry	43	-	8	18	9	6	2	-	-
Oconee	52	1	15	15	13	7	1	-	-
Orangeburg	132	3	31	35	42	14	6	-	1
Pickens	68	-	15	21	17	11	4	-	-
Richland	379	2	82	121	100	54	20	-	-
Saluda	27	-	8	9	6	3	1	-	-
Spartanburg	243	5	54	80	59	33	12	-	-
Sumter	160	-	37	51	47	19	6	-	-
Union	43	-	7	18	11	5	2	-	-
Williamsburg	65	-	19	17	25	3	1	-	-
York	143	2	35	53	31	15	7	-	-

* Live birth weighing less than 2500 grams

Table 30-A.
Low Weight* Live Births by Age of Mother and Race
South Carolina and Each County, 1984
(Residence Data)

County of Residence	Total All Ages	White							
		Under 15	15-19	20-24	25-29	30-34	35-44	45 & Over	Not Stated
SOUTH CAROLINA	1,916	7	333	620	553	285	117	-	1
Abbeville	10	-	4	1	2	1	2	-	-
Aiken	72	-	9	25	18	12	8	-	-
Allendale	4	-	1	3	-	-	-	-	-
Anderson	80	-	16	26	23	9	6	-	-
Bamberg	7	-	2	1	2	2	-	-	-
Barnwell	9	-	1	2	5	-	1	-	-
Beaufort	37	-	5	13	11	7	1	-	-
Berkeley	76	-	5	39	20	5	7	-	-
Calhoun	1	-	-	1	-	-	-	-	-
Charleston	178	-	27	65	49	27	10	-	-
Cherokee	29	-	14	12	-	1	2	-	-
Chester	16	-	5	1	6	3	1	-	-
Chesterfield	20	-	2	10	5	3	-	-	-
Clarendon	7	-	1	2	1	3	-	-	-
Colleton	13	-	1	3	6	2	1	-	-
Darlington	32	-	5	12	10	5	-	-	-
Dillon	10	-	2	3	3	1	1	-	-
Dorchester	44	-	7	15	9	7	6	-	-
Edgefield	12	-	-	6	6	-	-	-	-
Fairfield	10	-	1	1	5	3	-	-	-
Florence	69	-	15	16	17	10	11	-	-
Georgetown	24	-	5	7	10	-	2	-	-
Greenville	234	-	38	76	67	35	18	-	-
Greenwood	27	1	6	10	9	1	-	-	-
Hampton	7	-	-	1	4	2	-	-	-
Horry	83	1	17	27	17	15	6	-	-
Jasper	8	-	3	-	4	1	-	-	-
Kershaw	23	-	2	1	13	5	2	-	-
Lancaster	35	-	8	11	10	3	3	-	-
Laurens	34	-	9	11	10	3	1	-	-
Lee	5	-	1	1	2	1	-	-	-
Lexington	107	1	15	25	42	20	4	-	-
McCormick	2	-	1	-	1	-	-	-	-
Marion	7	-	1	3	1	2	-	-	-
Marlboro	17	-	9	4	3	1	-	-	-
Newberry	16	-	-	8	4	2	2	-	-
Oconee	43	1	13	13	8	7	1	-	-
Orangeburg	21	-	2	5	11	2	-	-	1
Pickens	59	-	13	17	15	11	3	-	-
Richland	122	-	11	37	34	31	9	-	-
Saluda	9	-	1	4	3	1	-	-	-
Spartanburg	146	1	27	45	45	23	5	-	-
Sumter	56	-	8	23	16	8	1	-	-
Union	20	-	3	9	6	2	-	-	-
Williamsburg	5	-	1	2	2	-	-	-	-
York	70	2	16	23	18	8	3	-	-

*Live birth weighing less than 2500 grams

Table 30-A
Low Weight* Live Births by Age of Mother and Race
South Carolina and Each County, 1984
(Residence Data)

County of Residence	Total All Ages	Nonwhite							
		Under 15	15-19	20-24	25-29	30-34	35-44	45 & Over	Not Stated
SOUTH CAROLINA	2,515	36	714	846	562	259	98	-	-
Abbeville	14	-	6	3	2	1	2	-	-
Aiken	66	-	21	23	12	7	3	-	-
Allendale	20	-	5	5	5	3	2	-	-
Anderson	41	-	15	10	11	-	5	-	-
Bamberg	20	-	7	5	2	3	3	-	-
Barnwell	19	-	9	4	4	1	1	-	-
Beaufort	63	-	15	31	11	5	1	-	-
Berkeley	70	-	21	21	20	6	2	-	-
Calhoun	14	-	5	5	3	1	-	-	-
Charleston	299	3	79	103	63	43	8	-	-
Cherokee	23	-	10	6	4	3	-	-	-
Chester	33	1	9	13	6	3	1	-	-
Chesterfield	31	2	10	13	5	-	1	-	-
Clarendon	51	1	16	18	10	5	1	-	-
Colleton	36	1	11	12	9	1	2	-	-
Darlington	55	1	14	22	12	4	2	-	-
Dillon	48	-	10	23	11	2	2	-	-
Dorchester	40	1	9	17	7	5	1	-	-
Edgefield	19	-	3	5	7	3	1	-	-
Fairfield	24	-	4	11	3	5	1	-	-
Florence	135	5	31	45	38	13	3	-	-
Georgetown	49	1	10	21	12	4	1	-	-
Greenville	145	4	46	41	30	22	2	-	-
Greenwood	33	-	8	18	7	-	-	-	-
Hampton	18	-	5	2	5	5	1	-	-
Horry	71	1	22	37	7	3	1	-	-
Jasper	13	-	8	2	2	1	-	-	-
Kershaw	26	1	7	4	8	6	-	-	-
Lancaster	34	1	12	6	6	5	4	-	-
Laurens	46	1	14	17	6	5	3	-	-
Lee	33	-	14	7	8	4	-	-	-
Lexington	35	-	7	10	10	7	1	-	-
McCormick	10	-	5	2	1	1	1	-	-
Marion	62	2	18	25	9	5	3	-	-
Marlboro	31	1	12	7	8	2	1	-	-
Newberry	27	-	8	10	5	4	-	-	-
Oconee	9	-	2	2	5	-	-	-	-
Orangeburg	111	3	29	30	31	12	6	-	-
Pickens	9	-	2	4	2	-	1	-	-
Richland	257	2	71	84	66	23	11	-	-
Saluda	18	-	7	5	3	2	1	-	-
Spartanburg	97	4	27	35	14	10	7	-	-
Sumter	104	-	29	28	31	11	5	-	-
Union	23	-	4	9	5	3	2	-	-
Williamsburg	60	-	18	15	23	3	1	-	-
York	73	-	19	30	13	7	4	-	-

* Live birth weighing less than 2500 grams

Table 31.
Live Births by Birth Weight and Race, South Carolina and Each County, 1984
(Residence Data)

County and Race	Total	Birth Weight											
		499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000+ grams	Not Stated
South Carolina	50,561	97	357	426	838	2,713	8,899	18,825	13,593	3,992	741	78	2
White	30,607	34	131	173	374	1,204	4,134	10,931	9,802	3,171	591	61	1
Nonwhite	19,954	63	226	253	464	1,509	4,765	7,894	3,791	821	150	17	1
Abbeville	311	-	2	2	3	17	63	109	85	24	6	-	-
White	183	-	1	-	2	7	26	65	58	18	6	-	-
Nonwhite	128	-	1	2	1	10	37	44	27	6	-	-	-
Aiken	1,741	1	12	11	27	87	267	653	496	157	26	4	-
White	1,197	-	4	5	17	46	146	419	398	138	20	4	-
Nonwhite	544	1	8	6	10	41	121	234	98	19	6	-	-
Allendale	197	-	1	2	4	17	33	81	47	11	1	-	-
White	49	-	-	-	-	4	5	21	14	5	-	-	-
Nonwhite	148	-	1	2	4	13	28	60	33	6	1	-	-
Anderson	1,779	3	10	12	19	77	283	656	541	153	24	1	-
White	1,363	-	4	9	12	55	182	489	449	141	21	1	-
Nonwhite	416	3	6	3	7	22	101	167	92	12	3	-	-
Bamberg	283	-	6	3	3	15	52	114	65	22	3	-	-
White	108	-	3	-	1	3	15	39	32	13	2	-	-
Nonwhite	175	-	3	3	2	12	37	75	33	9	1	-	-
Barnwell	305	1	-	3	4	20	47	110	83	31	6	-	-
White	170	-	-	-	1	8	18	57	64	18	4	-	-
Nonwhite	135	1	-	3	3	12	29	53	19	13	2	-	-
Beaufort	1,394	3	12	9	15	61	238	535	388	117	15	1	-
White	843	3	5	4	3	22	105	317	280	93	11	-	-
Nonwhite	551	-	7	5	12	39	133	218	108	24	4	1	-

Table 31. (Cont.)

County and Race	Total	Birth Weight											
		499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000+ grams	Not Stated
Berkeley	2,159	1	10	13	23	99	334	792	626	210	48	3	-
White	1,512	-	4	6	10	56	186	538	498	171	41	2	-
Nonwhite	647	1	6	7	13	43	148	254	128	39	7	1	-
Calhoun	179	-	2	-	3	10	32	73	43	13	3	-	-
White	77	-	1	-	-	-	7	32	24	10	3	-	-
Nonwhite	102	-	1	-	3	10	25	41	19	3	-	-	-
Charleston	5,476	19	37	40	86	295	1,021	2,056	1,427	417	71	7	-
White	3,034	4	10	16	40	108	421	1,062	981	330	57	5	-
Nonwhite	2,442	15	27	24	46	187	600	994	446	87	14	2	-
Cherokee	546	-	2	9	7	34	96	205	152	29	10	1	1
White	375	-	2	5	3	19	56	130	126	25	8	1	-
Nonwhite	171	-	-	4	4	15	40	75	26	4	2	-	1
Chester	517	-	3	7	10	29	93	191	137	39	8	-	-
White	255	-	-	1	4	11	34	88	81	30	6	-	-
Nonwhite	262	-	3	6	6	18	59	103	56	9	2	-	-
Chesterfield	529	1	4	7	9	30	108	182	129	45	13	1	-
White	300	-	2	5	3	10	51	98	86	36	8	1	-
Nonwhite	229	1	2	2	6	20	57	84	43	9	5	-	-
Clarendon	446	1	9	5	8	35	83	170	102	27	3	3	-
White	125	-	1	2	-	4	14	48	39	14	2	1	-
Nonwhite	321	1	8	3	8	31	69	122	63	13	1	2	-
Colleton	544	-	3	4	8	34	102	192	142	47	11	1	-
White	248	-	-	1	1	11	32	87	76	31	8	1	-
Nonwhite	296	-	3	3	7	23	70	105	66	16	3	-	-

Table 31. (Cont.)

County and Race	Total	Birth Weight											
		499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000+ grams	Not Stated
Darlington	851	-	4	11	18	54	178	311	210	57	7	1	-
White	447	-	3	3	8	18	74	155	137	43	6	-	-
Nonwhite	404	-	1	8	10	36	104	156	73	14	1	1	-
Dillon	542	-	1	9	10	38	121	201	120	30	10	2	-
White	214	-	-	1	2	7	37	72	67	22	6	-	-
Nonwhite	328	-	1	8	8	31	84	129	53	8	4	2	-
Dorchester	1,254	1	3	12	10	58	193	457	385	110	23	2	-
White	907	1	2	6	6	29	121	312	311	97	20	2	-
Nonwhite	347	-	1	6	4	29	72	145	74	13	3	-	-
Edgefield	288	1	3	4	5	18	57	115	54	24	5	2	-
White	126	1	1	2	-	8	12	46	35	15	4	2	-
Nonwhite	162	-	2	2	5	10	45	69	19	9	1	-	-
Fairfield	323	2	3	2	10	17	66	130	70	16	6	1	-
White	97	-	2	-	1	7	18	32	27	5	4	1	-
Nonwhite	226	2	1	2	9	10	48	98	43	11	2	-	-
Florence	1,801	5	20	20	37	122	351	656	444	116	29	1	-
White	894	2	6	7	15	39	121	318	278	88	19	1	-
Nonwhite	907	3	14	13	22	83	230	338	166	28	10	-	-
Georgetown	728	5	4	6	13	45	141	268	185	49	9	3	-
White	316	-	1	2	3	18	37	112	101	35	6	1	-
Nonwhite	412	5	3	4	10	27	104	156	84	14	3	2	-
Greenville	4,218	16	30	26	80	227	647	1,562	1,208	365	53	4	-
White	3,249	8	18	15	55	138	416	1,192	1,034	322	47	4	-
Nonwhite	969	8	12	11	25	89	231	370	174	43	6	-	-

Table 31. (Cont.)

County and Race	Total	Birth Weight											
		499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000+ grams	Not Stated
Greenwood	812	1	7	3	10	39	166	298	208	63	15	2	-
White	482	-	2	1	5	19	78	164	150	47	14	2	-
Nonwhite	330	1	5	2	5	20	88	134	58	16	1	-	-
Hampton	303	-	2	6	1	16	57	120	80	20	1	-	-
White	97	-	-	4	-	3	10	31	40	8	1	-	-
Nonwhite	206	-	2	2	1	13	47	89	40	12	-	-	-
Horry	1,896	1	8	15	28	102	301	726	542	145	27	1	-
White	1,360	1	5	7	11	59	167	520	442	125	22	1	-
Nonwhite	536	-	3	8	17	43	134	206	100	20	5	-	-
Jasper	267	1	-	5	3	12	65	110	50	15	6	-	-
White	94	-	-	4	1	3	15	38	20	8	5	-	-
Nonwhite	173	1	-	1	2	9	50	72	30	7	1	-	-
Kershaw	633	-	6	4	9	30	96	232	188	53	14	1	-
White	401	-	5	1	4	13	38	143	138	44	14	1	-
Nonwhite	232	-	1	3	5	17	58	89	50	9	-	-	-
Lancaster	725	3	7	8	10	41	143	270	184	44	14	1	-
White	468	3	2	6	4	20	79	165	139	36	13	1	-
Nonwhite	257	-	5	2	6	21	64	105	45	8	1	-	-
Laurens	759	3	2	9	12	54	146	279	175	69	9	1	-
White	468	2	-	4	5	23	72	165	130	59	7	1	-
Nonwhite	291	1	2	5	7	31	74	114	45	10	2	-	-
Lee	317	-	8	5	8	17	73	97	85	21	3	-	-
White	77	-	1	1	1	2	11	23	28	9	1	-	-
Nonwhite	240	-	7	4	7	15	62	74	57	12	2	-	-

Table 31. (Cont.)

County and Race	Total	Birth Weight										
		499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000+ grams	Not Stated
Lexington	2,137	5	10	14	30	83	347	817	640	156	31	4	-
White	1,811	3	9	10	22	63	264	693	567	146	31	3	-
Nonwhite	326	2	1	4	8	20	83	124	73	10	-	1	-
McCormick	118	-	-	-	3	9	20	44	28	10	2	2	-
White	41	-	-	-	1	1	7	12	17	2	-	1	-
Nonwhite	77	-	-	-	2	8	13	32	11	8	2	1	-
Marion	553	3	7	8	13	38	120	184	138	40	2	-	-
White	182	1	-	1	-	5	25	61	63	26	-	-	-
Nonwhite	371	2	7	7	13	33	95	123	75	14	2	-	-
Marlboro	478	1	4	4	13	26	106	178	112	30	4	-	-
White	190	1	-	2	4	10	37	59	55	20	2	-	-
Nonwhite	288	-	4	2	9	16	69	119	57	10	2	-	-
Newberry	447	-	1	3	8	31	93	162	107	35	6	1	-
White	236	-	-	2	4	10	31	85	71	27	5	1	-
Nonwhite	211	-	1	1	4	21	62	77	36	8	1	-	-
Oconee	676	-	3	6	11	32	98	227	212	72	14	1	-
White	586	-	3	4	10	26	86	186	189	68	13	1	-
Nonwhite	90	-	-	2	1	6	12	41	23	4	1	-	-
Orangeburg	1,333	-	10	13	30	79	301	500	284	95	20	1	-
White	419	-	2	1	7	11	55	158	122	56	6	1	-
Nonwhite	914	-	8	12	23	68	246	342	162	39	14	-	-
Pickens	979	1	5	1	16	45	145	356	293	99	17	1	-
White	855	-	4	1	14	40	126	311	277	95	16	1	-
Nonwhite	94	1	1	-	2	5	19	45	16	4	1	-	-

Table 31. (Cont.)

County and Race	Total	Birth Weight											
		499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000+ grams	Not Stated
Richland	4,072	7	42	36	85	209	697	1,570	1,060	309	49	8	-
White	1,975	-	9	6	28	79	250	712	642	215	30	4	-
Nonwhite	2,097	7	33	30	57	130	447	858	418	94	19	4	-
Saluda	252	-	3	1	5	18	47	90	70	15	3	-	-
White	129	-	1	-	3	5	22	44	39	14	1	-	-
Nonwhite	123	-	2	1	2	13	25	46	31	1	2	-	-
Spartanburg	2,939	4	21	23	46	149	512	1,099	808	215	55	7	-
White	2,110	2	10	14	29	91	306	740	667	192	52	7	-
Nonwhite	829	2	11	9	17	58	206	359	141	23	3	-	-
Sumter	1,774	4	17	17	35	87	301	665	472	151	24	1	-
White	943	-	3	7	11	35	118	338	307	107	16	1	-
Nonwhite	831	4	14	10	24	52	183	327	165	44	8	-	-
Union	355	1	1	6	6	29	62	144	83	21	2	-	-
White	210	1	-	3	4	12	35	86	56	12	1	-	-
Nonwhite	145	-	1	3	2	17	27	58	27	9	1	-	-
Williamsburg	616	-	4	8	11	42	117	237	139	52	5	1	-
White	160	-	-	-	1	4	21	54	49	25	5	1	-
Nonwhite	456	-	4	8	10	38	96	183	90	27	-	-	-
York	1,709	2	8	14	33	86	280	601	496	153	28	7	1
White	1,194	1	5	4	18	42	147	414	398	130	27	7	1
Nonwhite	515	1	3	10	15	44	133	187	98	23	1	-	-

Table 32.
Out-of-Wedlock Live Births and Percent of Live Births Out-of-Wedlock
South Carolina and Each County, 1984
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
SOUTH CAROLINA	11,916	23.6	2,129	7.0	9,787	49.0
Abbeville	85	27.3	11	6.0	74	57.8
Aiken	327	18.8	93	7.8	234	43.0
Allendale	71	36.0	3	6.1	68	45.9
Anderson	323	18.2	99	7.3	224	53.8
Bamberg	95	33.6	10	9.3	85	48.6
Barnwell	78	25.6	11	6.5	67	49.6
Beaufort	222	15.9	28	3.3	194	35.2
Berkeley	283	13.1	80	5.3	203	31.4
Calhoun	57	31.8	2	2.6	55	53.9
Charleston	1,493	27.3	243	8.0	1,250	51.2
Cherokee	147	26.9	36	9.6	111	64.9
Chester	156	30.2	17	6.7	139	53.1
Chesterfield	151	28.5	21	7.0	130	56.8
Clarendon	168	37.7	10	8.0	158	49.2
Colleton	152	27.9	11	4.4	141	47.6
Darlington	241	28.3	31	6.9	210	52.0
Dillon	221	40.8	23	10.7	198	60.4
Dorchester	166	13.2	45	5.0	121	34.9
Edgefield	88	30.6	3	2.4	85	52.5
Fairfield	112	34.7	8	8.2	104	46.0
Florence	505	28.0	62	6.9	443	48.8
Georgetown	196	26.9	14	4.4	182	44.2
Greenville	769	18.2	219	6.7	550	56.8
Greenwood	207	25.5	42	8.7	165	50.0
Hampton	94	31.0	5	5.2	89	43.2
Horry	367	19.4	110	8.1	257	47.9
Jasper	97	36.3	9	9.6	88	50.9
Kershaw	126	19.9	21	5.2	105	45.3
Lancaster	150	20.7	28	6.0	122	47.5
Laurens	215	28.3	40	8.5	175	60.1
Lee	139	43.8	5	6.5	134	55.8
Lexington	270	12.6	128	7.1	142	43.6
McCormick	51	43.2	2	4.9	49	63.6
Marion	205	37.1	14	7.7	191	51.5
Marlboro	221	46.2	39	20.5	182	63.2
Newberry	117	26.2	10	4.2	107	50.7
Oconee	78	11.5	38	6.5	40	44.4
Orangeburg	477	35.8	19	4.5	458	50.1
Pickens	111	11.3	74	8.4	37	39.4
Richland	1,009	24.8	125	6.3	884	42.2
Saluda	71	28.2	4	3.1	67	54.5
Spartanburg	674	22.9	171	8.1	503	60.7
Sumter	400	22.5	45	4.8	355	42.7
Union	107	30.1	18	8.6	89	61.4
Williamsburg	211	34.3	5	3.1	206	45.2
York	413	24.2	97	8.1	316	61.4

Table 33.
Out-of-Wedlock Live Births by Age of Mother
South Carclina and Each County, 1984
(Residence Data)

County of Residence	Total All Ages	Age of Mother Under 15	15-19	20-24	25-29	30-34	35-44	45 & Over	Not Stated
SOUTH CAROLINA	11,916	220	4,807	4,273	1,719	672	221	1	3
Abbeville	85	-	42	29	11	2	1	-	-
Aiken	327	4	132	113	53	15	10	-	-
Allendale	71	2	33	18	15	2	1	-	-
Anderson	323	7	131	116	49	12	8	-	-
Bamberg	95	-	35	33	14	8	5	-	-
Barnwell	78	-	35	27	8	6	2	-	-
Beaufort	222	4	81	77	39	16	5	-	-
Berkeley	283	-	119	113	37	8	6	-	-
Calhoun	57	-	29	19	4	5	-	-	-
Charleston	1,493	28	573	553	218	95	26	-	-
Cherokee	147	2	75	50	14	5	1	-	-
Chester	156	4	63	54	24	10	1	-	-
Chesterfield	151	4	72	39	20	13	3	-	-
Clarendon	168	7	64	60	26	9	2	-	-
Colleton	152	1	57	60	18	12	4	-	-
Darlington	241	2	105	83	33	13	5	-	-
Dillon	221	2	72	94	33	15	5	-	-
Dorchester	166	4	73	60	16	10	3	-	-
Edgefield	88	-	29	45	9	5	-	-	-
Fairfield	112	-	38	43	18	11	2	-	-
Florence	505	14	206	164	83	29	8	-	1
Georgetown	196	3	63	82	36	9	3	-	-
Greenville	769	15	328	270	97	43	16	-	-
Greenwood	207	8	95	63	22	16	3	-	-
Hampton	94	5	36	22	24	4	3	-	-
Horry	367	5	157	148	37	18	2	-	-
Jasper	97	2	38	35	16	4	2	-	-
Kershaw	126	2	41	53	16	12	2	-	-
Lancaster	150	4	67	49	13	9	8	-	-
Laurens	215	7	96	71	28	11	2	-	-
Lee	139	1	52	50	22	11	3	-	-
Lexington	270	5	113	102	35	10	5	-	-
McCormick	51	-	18	22	8	1	1	1	-
Marion	205	5	89	71	25	10	5	-	-
Marlboro	221	1	96	83	33	5	3	-	-
Newberry	117	3	47	39	19	8	1	-	-
Oconee	78	2	36	22	8	10	-	-	-
Orangeburg	477	11	186	166	83	25	5	-	1
Pickens	111	3	46	37	17	5	3	-	-
Richland	1,009	16	368	377	168	67	13	-	-
Saluda	71	1	26	29	11	4	-	-	-
Spartanburg	674	19	281	238	84	33	18	-	1
Sumter	400	6	149	159	63	17	6	-	-
Union	107	1	51	31	21	2	1	-	-
Williamsburg	211	1	98	65	27	12	8	-	-
York	413	9	166	139	64	25	10	-	-

Table 34.
Live Births With Reported Congenital Malformations[1/]
South Carolina and Each County, 1982-1984
(Residence Data)

County of Residence	1982		1983		1984	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	402	7.8	466	9.2	346	6.8
Abbeville	-	0	3	8.8	2	6.4
Aiken	12	6.9	21	12.2	13	7.5
Allendale	-	0	4	19.2	2	10.2
Anderson	16	8.8	16	9.0	8	4.5
Bamberg	5	16.0	8	26.3	5	17.7
Barnwell	1	3.2	4	12.5	-	0
Beaufort	12	8.3	18	12.6	11	7.9
Berkeley	16	7.9	17	7.9	14	6.5
Calhoun	3	13.0	2	11.7	2	11.2
Charleston	45	8.4	59	10.6	46	8.4
Cherokee	3	4.9	3	5.2	2	3.7
Chester	13	23.9	9	18.0	5	9.7
Chesterfield	9	16.2	8	15.2	6	11.3
Clarendon	2	4.0	6	13.5	3	6.7
Colleton	5	9.2	4	7.7	9	16.5
Darlington	12	13.1	6	7.0	9	10.6
Dillon	27	49.4	19	34.7	4	7.4
Dorchester	12	10.7	13	11.4	7	5.6
Edgefield	3	10.3	8	27.3	2	6.9
Fairfield	-	0	2	6.2	7	21.7
Florence	2	1.1	1	0.6	6	3.3
Georgetown	3	4.0	6	7.9	7	9.6
Greenville	16	3.6	29	6.8	12	2.8
Greenwood	2	2.3	2	2.4	-	0
Hampton	2	5.7	5	13.3	2	6.6
Horry	16	8.6	14	7.6	16	8.4
Jasper	-	0	6	19.4	-	0
Kershaw	6	10.3	5	8.5	6	9.5
Lancaster	5	6.2	8	11.0	5	6.9
Laurens	13	17.2	3	4.0	2	2.6
Lee	-	0	2	6.5	3	9.5
Lexington	4	1.9	13	6.0	6	2.8
McCormick	-	0	1	8.3	-	0
Marion	4	6.5	6	10.8	2	3.6
Marlboro	4	7.7	2	4.0	8	16.7
Newberry	4	8.8	11	24.2	4	8.9
Oconee	7	9.8	3	4.5	12	17.8
Orangeburg	10	6.7	20	14.2	8	6.0
Pickens	10	10.2	12	13.4	17	17.4
Richland	36	8.5	42	10.1	26	6.4
Saluda	5	17.9	1	3.8	1	4.0
Spartanburg	15	4.9	12	4.2	10	3.4
Sumter	13	7.4	18	10.3	21	11.9
Union	2	4.8	2	5.0	2	5.6
Williamsburg	4	5.5	7	11.0	5	8.1
York	23	14.1	5	3.0	8	4.7

[1/] Classified and coded according to the International Classification of Diseases, (ICD) Ninth Revision 740-759

Rates per 1,000 live births

Table 35.
Live Births With Reported Congenital Malformations[1], by Type: South Carolina, 1982-1984
(Residence Data)

CONGENITAL MALFORMATIONS	1982	1983	1984
Anencephalus (740)	12	1	7
Spina Bifida (741)	11	15	16
Other of Nervous System (742)	26	21	14
Of Eye (743)	6	8	2
Of Ear, Face, and Neck (744)	5	13	4
Bulbus Cordis and Cardiac Septal Closure (745)	4	2	1
Other of Heart (746)	22	15	16
Circulatory System (747)	-	2	4
Respiratory System (748)	6	10	2
Cleft Palate and Cleft Lip (749)	31	34	27
Other of Upper Alimentary Tract (750)	12	11	2
Other Digestive System (751)	11	13	7
Of Genital Organs (752)	39	40	43
Of Urinary System (753)	8	3	6
Certain Musculoskeletal Deformities (754)	29	69	28
Other of Limbs (755)	87	95	85
Other Musculoskeletal Anomalies (756)	24	22	19
Of the Integument (757)	33	37	22
Chromosomal Anomalies (758)	10	20	8
Other, Unspecified or Multiple Anomalies (759)	26	35	33
TOTAL	402	466	346
Rate Per 1,000 live births	7.8	9.2	6.8

---

[1] Classified and coded according to the International Classification of Diseases (ICD) Ninth Revision

DEATHS

DEATH SUMMARY

In 1984, there were 26,363 deaths to residents of South Carolina. This is an increase of 233 from the number of deaths reported in 1983. The 1984 death rate of 8.0 per 1,000 estimated population increased slightly from the 1983 rate of 7.9.

Figure 7.

RESIDENT DEATH RATES
SOUTH CAROLINA, 1984



The pattern of mortality for the last twenty-three years is shown by race in Figure 8. The total death rate fluctuated between the lowest rate of 7.7 and highest rate of 9.1 for this period. The nonwhite death rate has been consistently higher than the white or total rate for this same time period, as Figure 8 shows.

Table 36.
Total Deaths and Death Rate by Race
1962 - 1984
South Carolina Residents

YEAR	TOTAL		WHITE		NONWHITE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
1962	20,390	8.4	12,143	7.6	8,247	9.9
1963	21,675	8.8	12,714	7.8	8,961	10.7
1964	21,309	8.6	12,789	7.7	8,520	10.2
1965	21,668	8.6	13,101	7.8	8,567	10.3
1966	22,081	8.7	13,427	7.9	8,654	10.4
1967	21,762	8.2	13,611	7.4	8,151	10.0
1968	23,411	8.8	14,778	8.0	8,633	10.4
1969	22,820	8.5	14,612	7.9	8,208	9.8
1970	22,762	8.8	14,752	8.2	8,010	10.1
1971	23,140	8.8	15,035	8.2	8,105	10.2
1972	23,920	9.0	15,475	8.3	8,445	10.7
1973	24,871	9.1	16,188	8.4	8,683	10.9
1974	24,169	8.7	15,941	8.1	8,228	10.0
1975	23,343	8.3	15,464	8.0	7,879	9.0
1976	23,639	8.3	15,652	8.0	7,987	9.0
1977	24,254	8.4	16,088	8.2	8,166	9.0
1978	24,055	8.2	15,993	7.9	8,062	8.9
1979	24,343	8.3	16,207	8.0	8,136	8.9
1980	25,138	8.1	16,781	7.8	8,357	8.6
1981	25,410	7.9	17,199	7.8	8,211	8.2
1982	26,066	7.7	16,823	7.5	8,243	8.1
1983	26,130	7.9	17,717	7.8	8,413	8.1
1984	26,363	8.0	17,815	7.9	8,548	8.2

Rate per 1,000 population

Figure 8.

Death Rates by Race
South Carolina, 1962-1984
(Residence Data)



AGE AT DEATH

A comparison of mortality by age between 1984 and twenty years ago shows how the age at death structure is changing. The age group showing the greatest percentage change from 1965 to 1984 is infants under one year of age. In 1965, 7.6 percent of all deaths occurred to infants under one year of age; in 1984, however, this group accounted for only 2.8 percent of all deaths. The age groups of 55 years old and over accounted for a greater percentage of total deaths in 1984 (79.1 percent) than in 1965, when deaths in these age groups represented 64.7 percent of all deaths.

The percentage distribution of resident deaths by age and race, for South Carolina, 1965 and 1984, is shown in Table 37. This table shows that the changes in age at death between 1965 and 1984, as noted for total deaths, are paralleled by changes in the race distributions.

Table 37.
Percentage Distribution of Deaths by Race by Age:
South Carolina, 1965 and 1984
(Residence Data)

	Total		White		Nonwhite	
Age at Death	1965	1984	1965	1984	1965	1984
All Ages	100.0	100.0	100.0	100.0	100.0	100.0
Under 1	7.6	2.8	5.3	1.9	11.3	4.7
01 - 04	1.6	0.5	1.0	0.4	2.4	0.6
05 - 09	0.8	0.3	0.7	0.3	0.9	0.4
10 - 14	0.7	0.3	0.6	0.3	0.9	0.5
15 - 19	1.3	0.9	1.2	0.9	1.5	0.8
20 - 24	1.4	1.4	1.2	1.3	1.6	1.6
25 - 34	3.0	3.1	2.4	2.6	3.9	4.3
35 - 44	6.4	4.1	5.3	3.1	8.1	5.9
45 - 54	12.3	7.5	11.0	6.7	14.3	9.3
55 - 64	19.0	16.9	17.9	16.4	20.8	18.0
65 - 74	22.2	26.1	22.4	25.4	22.0	27.6
75 and Over	23.5	36.1	30.9	40.8	12.1	26.4
Unknown	0.1	0.0	0.1	0.0	0.2	0

INFANT DEATH

Resident deaths in South Carolina to infants under one year of age numbered 743 in 1984 and occurred at a rate of 14.7 per 1,000 live births. The infant mortality rate decreased 2.0 percent from the previous year's rate of 15.0. As seen in Table 38, over 40 percent of all infant deaths occurred within the first 24 hours of life and 57.6 percent occurred within the first week after birth. Over one-half (54.4 percent) of the total infant deaths were nonwhite. There were 404 nonwhite and 339 white infant deaths. The white and nonwhite infant mortality rates decreased from the previous year's rates by 1.8 and 1.9 percent, respectively. Of the total resident infant deaths, 407 or (54.8 percent) were males and 336 or (45.2 percent) were females.

The leading causes of infant death in South Carolina in 1984 are shown, by age at death, in Table 38. The first leading cause of infant death was Certain Conditions Originating in the Perinatal Period, followed by Congenital Anomalies as the second leading cause.

Table 38.
Leading Causes of Infant Death, by Age at Death
South Carolina, 1984
(Residence Data)

Cause of Death	Total	Under 1 Day	1-6 Days	7-27 Days	28-364 Days
Total Infant Deaths	743	307	121	67	248
Certain Conditions Originating in the Perinatal Period (760-779)	403	261	80	36	26
Congenital Anomalies (740-759)	124	45	36	12	31
Symptoms and Ill-defined Conditions (780-799)	83	-	-	3	80
Infectious and Parasitic Disease (001-139)	28	-	1	3	24
Disease of Heart (390-398,402,404-429)	16	-	1	-	15
Pneumonia & Influenza (480-486,487)	15	-	1	1	13
Accidents (E800-E949)	13	-	1	1	11
Meningitis (320-322)	9	-	1	4	4
Other Disease of the Respiratory System (510-519)	6	-	-	-	6
Malignant Neoplasms (140-208)	3	-	-	-	3
Cerebrovascular Disease (430-438)	3	-	-	-	3
Homicide & Legal Intervention (E960-E978)	3	1	-	-	2
All Other Causes	37	-	-	7	30

NEONATAL DEATH

Deaths in the first 27 days of life (neonatal deaths) numbered 495, representing 66.6 percent of all infant deaths. The total neonatal mortality rate (9.8 per 1,000 live births) remained unchanged from the rate in 1983. The white neonatal mortality rate increased 9.9 percent to a rate of 7.8 while the nonwhite rate decreased 7.9 percent to a rate of 12.8.

POSTNEONATAL DEATHS

Deaths to infants 28 through 364 days of age (postneonatal deaths) numbered 248 in 1984. The postneonatal mortality rate of 4.9 per 1,000 live births represents a decrease of 5.8 percent from the 1983 rate of 5.2. As shown in Table 38, the leading causes of death for infants 28-364 days differ from the leading causes of death for infants under 28 days. The first leading cause of postneonatal mortality in 1984 was Symptoms and Ill-defined Conditions and the second leading cause was Congenital Anomalies.

MATERNAL DEATH

A total of 5 maternal deaths occurred to South Carolina residents during 1984 at a rate of 1.0 per 10,000 live births. The 1984 maternal mortality rate represents an increase of 25.0 percent from the previous year's rate of 0.8. Of the 5 maternal deaths reported in 1984, 3 were white and 2 were nonwhite.

Table 39.
Maternal Deaths by Cause, Race, and Age:
South Carolina, 1984
(Residence Data)

Cause of Maternal Death	Race	All Ages	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Over
All Maternal Deaths (630-676)	Total	5	-	1	1	2	1	-	-	-
	White	3	-	1	-	1	1	-	-	-
	Nonwhite	2	-	-	1	1	-	-	-	-
1. Pregnancy with Abortive outcomes (630-639)	Total	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-
2. Complications mainly related to pregnancy (640-648)	Total	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-
3. Normal delivery, & other indications for care in pregnancy, labor & delivery (650-659)	Total	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-
4. Complications occurring mainly in the course of labor & delivery (660-669)	Total	3	-	-	1	1	1	-	-	-
	White	1	-	-	-	-	1	-	-	-
	Nonwhite	2	-	-	1	1	-	-	-	-
5. Complications of the puerperium (670-678)	Total	2	-	1	-	1	-	-	-	-
	White	2	-	1	-	1	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-

Cause of death classified and coded according to the International Classification of Diseases, (ICD) 9th revision.

FETAL DEATH

In 1984, there were 640 fetal deaths, representing a rate of 12.7 per 1,000 live births. The total number of white fetal deaths (292) increased 7.4 percent, and the nonwhite number (348) decreased 6.7 percent from the previous year.

PERINATAL DEATH

In 1984, there were 1,135 deaths in the perinatal period, corresponding to a rate of 22.2 per 1,000 deliveries (live births plus fetal deaths). The total number of perinatal deaths decreased only slightly from 1983, although, the number of white perinatal deaths (531) increased 9.0 percent while the nonwhites (604) decreased 7.8 percent.

VIOLENT DEATHS

There were 2,442 South Carolina residents who died from violent causes in 1984. Violent causes are defined as accidents, suicides, homicides, and "injury undetermined whether accidentally or purposely inflicted".

Table 40 shows the number of deaths with death rates for each type of violent death for the past five years.

Table 40.
Violent Deaths With Rates by Type:
South Carolina, 1980-1984
(Residence Data)

Type of Violence	1980		1981		1982		1983		1984	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total	2,413	77.3	2,415	75.6	2,315	71.1	2,398	72.3	2,442	74.0
Accidents	1,700	54.5	1,692	53.4	1,548	47.5	1,728	52.1	1,721	52.1
Homicide	392	12.6	357	11.3	379	11.6	323	9.7	304	9.2
Suicide	301	9.6	348	11.0	366	11.2	334	10.1	390	11.8
Unable to Determine	20	0.6	18	0.7	22	0.7	13	0.4	27	0.8

Rate per 100,000 population

ACCIDENTAL DEATH

Accidental deaths to residents of South Carolina numbered 1,721 in 1984. There were 7 fewer deaths, but the rate remained unchanged from the previous year. The death rate for motor vehicle accidents increased from 25.9 per 100,000 population in 1983 to 28.8 per 100,000 population in 1984, an increase of 11.2 percent.

Table 41.
Types of Accidental Deaths by Sex:
South Carolina, 1984
(Residence Data)

Sex	Total	Transport	Poison	Falls	Fire and Flames	Drowning	Firearms	Residual of
	E800-E949	E800-E848	E850-E869	E880-E888	E890 E899	E910	E922	E800-E949
Total	1,721	1,022	59	137	149	73	42	239
Male	1,240	767	43	79	99	59	37	156
Female	481	255	16	58	50	14	5	83

SUICIDE

The methods used most frequently for resident suicide deaths were firearms (72.3 percent) and poisoning (12.3 percent). Table 42 summarizes the methods most frequently used for each of the sex groups in 1984. Firearms were most frequently used to commit suicide in 1984 by both males (74.1 percent) and females (65.9 percent).

Table 42.
Methods of Suicidal Deaths by Sex:
South Carolina, 1984
(Residence Data)

	All Suicides (E950-E959)	Poisoning (E950-E952)	Hanging Strangulation & Suffocation (E953)	Drowning (E954)	Firearms (E955)	Cutting and Piercing (E956)	Jumping From High Places (E957)	All Other
Total	390	48	42	5	282	3	6	4
Male	305	28	36	3	226	3	5	4
Female	85	20	6	2	56	-	1	-

HOMICIDE

Deaths from homicide accounted for 12.6 percent of all violent deaths in 1984. The most frequently used method for committing homicide in 1984 was firearms. Sex distribution of methods for committing homicide is shown in Table 43 .

Table 43.
Methods of Homicidal Deaths by Sex:
South Carolina, 1984
(Residence Data)

	All Homicides (E960-E978)	Fight Brawl Rape (E960)	Assault by Poisoning (E962)	Assault by Hanging & Strangulation (E963)	Assault by Submersion (E964)	Assault by Firearms (E965)	Assault by Cutting & Piercing (E966)	All Other
Total	304	1	-	12	1	189	56	45
Male	218	1	-	3	-	143	43	28
Female	86	-	-	9	1	46	13	17

TEN LEADING CAUSES OF DEATH

The ten leading causes of death in South Carolina during 1984 are shown by rank, with the number of deaths from each cause and the corresponding percentage of total deaths, in Table 46. These ten causes accounted for 83.4 percent of all deaths in 1984; 71.9 percent of all deaths were attributed to the first four causes.

The first leading cause of death was diseases of the heart, which accounted for 9,343 deaths in 1984. The death rate for diseases of the heart was 283.1 per 100,000 population. Deaths attributed to this cause represented 35.4 percent of total deaths. Of all deaths from disease of the heart, 66.0 percent were attributed to ischemic heart disease. The majority of deaths from diseases of the heart occurred to persons over the age of 44. However, deaths from diseases of the heart accounted for 33.1 percent of all deaths occurring to white males 35-54 years of age.

The second leading cause of death was malignant neoplasms, which was the cause of 5,524 resident deaths in 1984. The majority of deaths from malignant neoplasms occurred to persons in the age group 55-74. Table 44 shows the distribution of malignant neoplasms by site. Of all deaths attributed to malignant neoplasms, 27.6 percent were attributed to malignant neoplasms of the respiratory system; 24.6 percent to malignant neoplasms of the digestive system and peritoneum.

Table 44.
Distribution of Malignant Neoplasms by Site:
South Carolina, 1984
(Residence Data)

	ICD CODES	NUMBER	PERCENT
Malignant Neoplasms	140-208	5,524	100.0
Lip, Oral Cavity and Pharynx	140-149	127	2.3
Digestive Organs and Peritoneum	150-159	1,359	24.6
Respiratory System	160-165	1,526	27.6
Breast	174-175	474	8.6
Genital Organs	179-187	683	12.4
Cervix Uteri	(179-180)	(119)	(2.2)
Other Female Genital Organs	(181-184)	(186)	(3.4)
Prostate	(185)	(365)	(6.6)
Other Male Genital Organs	(186-187)	(13)	(0.2)
Urinary Organs	188-189	201	3.6
Leukemia	204-208	202	3.7
Other and Unspecified Sites	170-173, 190-199	649	11.7
Lymphatic & Hematopoietic Tissues	200-203	303	5.5

Cerebrovascular diseases, the third leading cause of death in 1984, accounted for 2,377 deaths, or 9.0 percent of total deaths. Of the deaths attributed to cerebrovascular diseases, 78.6 percent occurred to persons 65 years of age and older. Fifty-six percent of deaths from cerebrovascular diseases occurred to females, with 36.9 percent of all cerebrovascular disease deaths occurring to white females.

Table 45.
Death From Major Cardiovascular Diseases: South Carolina, 1984 (Residence Data)

	Number of Deaths	Percent of Total Deaths
Major Cardiovascular Disease (390-448)	12,336	46.8
Disease of Heart (390-398, 402, 404-429)	9,343	35.4
Hypertension (401, 403)	128	0.5
Cerebrovascular Disease (430-438)	2,377	9.0
Atherosclerosis (440)	250	0.9
Other Diseases of Arteries, Arterioles, and Capillaries (441-448)	238	0.9

Figure 9 depicts the sex percentages of the ten leading causes of death in South Carolina for 1984. Table 47 presents the five leading causes of death within each age group for 1984. While diseases of the heart is the leading cause of death for all ages combined, accidental death is the leading cause for all five-year age groups between the ages of one and 45 years.

Table 46.
Mortality From Ten Leading Causes of Death by Race: South Carolina, 1984
(Residence Data)

Cause of Death	TOTAL		WHITE		NONWHITE	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages....................	26,363	100.0	17,815	100.0	8,548	100.0
Ten Leading Causes, All Ages............	21,992	83.4	15,114	84.8	6,878	80.5
Diseases of Heart (390-398,402,404-429).	9,343	35.4	6,669	37.4	2,674	31.3
Malignant Neoplasms (140-208)...........	5,524	21.0	3,809	21.4	1,715	20.1
Cerebrovascular Diseases (430-438)......	2,377	9.0	1,492	8.4	885	10.4
Accidents (E800-E949)...................	1,721	6.5	1,113	6.2	608	7.1
Chronic Obstructive Pulmonary Disease & Allied Conditions (490-496).........	706	2.7	611	3.4	95	1.1
Pneumonia & Influenza (480-486,487).....	672	2.5	477	2.7	195	2.3
Diabetes Mellitus (250).................	480	1.8	248	1.4	232	2.7
Certain Conditions Originating In The Perinatal Period (760-779)........	404	1.5	169	0.9	235	2.7
Suicide (E950-E959).....................	390	1.5	340	1.9	50	0.6
Infectious & Parasitic Disease (001-139)............................	375	1.4	186	1.0	189	2.2
All Other Causes........................	4,371	16.6	2,701	15.2	1,670	19.5

Figure 9.
Percentage Distribution of the Ten Leading Causes of Death and Deaths From All Causes by Sex, South Carolina, 1984
(Residence Data)



Table 47.
Mortality From Five Leading Causes of Death in Specified Age Groups by Race: South Carolina, 1984 (Residence Data)

	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	743	100.0	339	100.0	404	100.0
Certain Conditions Originating in the Perinatal Period (760-779)	403	54.2	169	49.9	234	57.9
Congenital Anomalies (740-759)	124	16.7	82	24.2	42	10.4
Symptoms and Ill-defined Conditions (780-799)	83	11.2	37	10.9	46	11.4
Infectious & Parasitic Disease (001-139)	28	3.8	10	2.9	18	4.5
Diseases of Heart (390-398,402,404-429)	16	2.2	7	2.1	9	2.2
All Other Causes	89	12.0	34	10.0	55	13.6
1 - 4 Years						
All Causes	119	100.0	65	100.0	51	100.0
Accidents (E800-E949)	56	47.1	34	52.3	22	40.7
Congenital Anomalies (740-759)	12	10.1	7	10.8	5	9.3
Malignant Neoplasms (140-208)	7	5.9	6	9.2	1	1.9
Diseases of Heart (390-398,402,404-429)	7	5.9	3	4.6	4	7.4
Homicide & Legal Intervention (E960-E978)	5	4.2	2	3.1	3	5.6
All Other Causes	32	26.9	13	20.0	19	35.2
5 - 14 Years						
All Causes	169	100.0	96	100.0	73	100.0
Accidents (E800-E949)	97	57.4	51	53.1	46	63.0
Malignant Neoplasms (140-208)	28	16.6	18	18.8	10	13.7
Congenital Anomalies (740-759)	9	5.3	7	7.3	2	2.7
Infectious & Parasitic Disease (001-139)	3	1.8	2	2.1	1	1.4
Diseases of Heart (390-398,402,404-429)	3	1.8	1	1.0	2	2.7
Homicide & Legal Intervention (E960-E978)	3	1.8	2	2.1	1	1.4
All Other Causes	26	15.4	15	15.6	11	15.1
15 - 24 Years						
All Causes	599	100.0	399	100.0	200	100.0
Accidents (E800-E949)	374	62.4	271	67.9	103	51.5
Suicide (E950-E959)	54	9.0	44	11.0	10	5.0
Homicide & Legal Intervention (E960-E978)	47	7.8	17	4.3	30	15.0
Malignant Neoplasms (140-208)	27	4.5	14	3.5	13	6.5
Diseases of Heart (390-398,402,404-429)	13	2.2	5	1.3	8	4.0
All Other Causes	84	14.0	48	12.0	36	18.0
25 - 44 Years						
All Causes	1,891	100.0	1,016	100.0	875	100.0
Accidents (E800-E949)	525	27.8	332	32.7	193	22.1
Malignant Neoplasms (140-208)	293	15.5	178	17.5	115	13.1
Diseases of Heart (390-398,402,404-429)	278	14.7	136	13.4	142	16.2
Suicide (E950-E959)	152	8.0	128	12.6	24	2.7
Homicide & Legal Intervention (E960-E978)	152	8.0	59	5.8	93	10.6
All Other Causes	491	26.0	183	18.0	308	35.2
45 - 64 Years						
All Causes	6,433	100.0	4,104	100.0	2,329	100.0
Diseases of Heart (390-398,402,404-429)	2,164	33.6	1,415	34.5	749	32.1
Malignant Neoplasms (140-208)	1,975	30.7	1,356	33.0	619	26.6
Cerebrovascular Diseases (430-438)	431	6.7	204	5.0	227	9.7
Accidents (E800-E949)	319	4.9	193	4.7	126	5.4
Chronic Obstructive Pulmonary Disease & Allied Conditions (490-496)	158	2.4	132	3.2	26	1.1
All Other Causes	1,386	21.3	804	19.6	582	25.0
65 - 74 Years						
All Causes	6,889	100.0	4,531	100.0	2,358	100.0
Diseases of Heart (390-398,402,404-429)	2,729	39.6	1,877	41.4	852	36.1
Malignant Neoplasms (140-208)	1,722	25.0	1,150	25.4	572	24.2
Cerebrovascular Disease (430-438)	622	9.0	325	7.2	297	12.6
Chronic Obstructive Pulmonary Disease & Allied Conditions (490-496)	274	4.0	225	5.0	49	2.1
Diabetes Mellitus (250)	167	2.4	80	1.8	87	3.7
All Other Causes	1,375	20.0	874	19.3	501	21.2
75 Years & Over						
All Causes	9,518	100.0	7,263	100.0	2,255	100.0
Diseases of Heart (390-398,402,404-429)	4,133	43.4	3,225	44.4	908	40.3
Malignant Neoplasms (140-208)	1,469	15.4	1,085	14.9	384	17.0
Cerebrovascular Disease (430-438)	1,246	13.1	938	12.9	308	13.6
Influenza & Pneumonia (487,480-486)	415	4.4	324	4.5	91	4.0
Chronic Obstructive Pulmonary Disease & Allied Conditions (490-496)	260	2.7	247	3.4	13	0.6
All Other Causes	1,995	21.0	1,444	19.9	551	24.4

*This table does not include 2 resident deaths with unknown ages

Table 48.
Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1984
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	26,363	8.0	17,815	7.9	8,548	8.2
Abbeville................	204	8.9	140	9.2	64	8.3
Abbeville..............	65	---	50	---	15	---
Honea Path (Part)......	2	---	2	---	-	---
Balance of County......	137	---	88	---	49	---
Aiken....................	950	8.5	676	8.1	274	9.5
New Ellenton...........	17	---	12	---	5	---
Aiken..................	252	---	159	---	93	---
N. Augusta.............	156	---	122	---	34	---
Balance of County......	525	---	383	---	142	---
Allendale................	115	10.6	51	12.9	64	9.2
Allendale..............	41	---	16	---	25	---
Balance of County......	74	---	35	---	39	---
Anderson.................	1,133	8.2	919	8.1	214	8.6
Belton.................	56	---	43	---	13	---
Honea Path (Part)......	33	---	31	---	2	---
Williamston............	43	---	35	---	8	---
Clemson Village (Part).	-	---	-	---	-	---
Pendleton..............	27	---	14	---	13	---
Anderson...............	384	---	280	---	104	---
Balance of County......	590	---	516	---	74	---
Bamberg..................	195	10.8	93	12.3	102	9.7
Bamberg................	54	---	27	---	27	---
Denmark................	44	---	10	---	34	---
Balance of County......	97	---	56	---	41	---
Barnwell.................	191	9.5	104	9.0	87	10.1
Barnwell...............	44	---	25	---	19	---
Williston..............	23	---	10	---	13	---
Blackville............	23	---	11	---	12	---
Balance of County......	101	---	58	---	43	---
Beaufort.................	427	5.4	268	5.3	159	5.7
Beaufort...............	98	---	72	---	26	---
Port Royal.............	6	---	4	---	2	---
Hilton Head	125	---	111	---	14	---
Balance of County......	198	---	81	---	117	---
Berkeley.................	563	5.0	346	4.3	217	6.9
Goose Creek............	72	---	64	---	8	---
Hanahan................	33	---	32	---	1	---
Moncks Corner..........	77	---	54	---	23	---
Balance of County......	381	---	196	---	185	---
Calhoun..................	120	10.3	49	9.5	71	11.0
Balance of County......	120	---	49	---	71	---
Charleston...............	2,049	7.1	1,217	6.6	832	8.0
Mt. Pleasant...........	156	---	126	---	30	---
Summerville............	-	---	-	---	-	---
Isle of Palms..........	21	---	21	---	-	---
Charleston.............	907	---	490	---	417	---
N. Charleston..........	206	---	143	---	63	---
Balance of County......	759	---	437	---	322	---

Table 48. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Cherokee.................	334	8.1	276	8.4	58	6.9
Gaffney................	170	---	137	---	33	---
Balance of County......	164	---	139	---	25	---
Chester..................	284	9.2	184	9.9	100	8.2
Chester................	59	---	24	---	35	---
Great Falls............	38	---	33	---	5	---
Balance of County......	187	---	127	---	60	---
Chesterfield.............	375	9.8	257	10.0	118	9.2
Cheraw.................	96	---	61	---	35	---
Pageland...............	23	---	18	---	5	---
Balance of County......	256	---	178	---	78	---
Clarendon................	243	8.7	107	9.1	136	8.4
Manning................	37	---	18	---	19	---
Balance of County......	206	---	89	---	117	---
Colleton.................	407	12.1	224	12.6	183	11.7
Walterboro.............	149	---	90	---	59	---
Balance of County......	258	---	134	---	124	---
Darlington...............	521	8.1	338	8.9	183	7.0
Darlington.............	105	---	50	---	55	---
Hartsville.............	77	---	44	---	33	---
Balance of County......	339	---	244	---	95	---
Dillon...................	319	9.9	202	11.2	117	8.3
Dillon.................	88	---	62	---	26	---
Balance of County......	231	---	140	---	91	---
Dorchester...............	399	5.6	264	5.1	135	7.0
Summerville............	79	---	62	---	17	---
Balance of County......	320	---	202	---	118	---
Edgefield................	162	9.1	81	9.2	81	9.0
Edgefield..............	34	---	16	---	18	---
Johnston...............	21	---	9	---	12	---
Balance of County......	107	---	56	---	51	---
Fairfield................	226	10.9	113	13.3	113	9.2
Winnsboro..............	39	---	21	---	18	---
Balance of County......	187	---	92	---	95	---
Florence.................	1,012	8.9	578	8.2	434	9.9
Lake City..............	75	---	37	---	38	---
Florence...............	350	---	131	---	219	---
Balance of County......	587	---	410	---	177	---
Georgetown...............	355	7.6	194	7.7	161	7.6
Andrews (Part).........	39	---	17	---	22	---
Georgetown.............	135	---	76	---	59	---
Balance of County......	181	---	101	---	80	---
Greenville...............	2,345	7.8	1,899	7.8	446	7.9
Travelers Rest.........	29	---	23	---	6	---
Simpsonville...........	81	---	71	---	10	---
Fountain Inn (Part)....	32	---	26	---	6	---
Mauldin................	26	---	24	---	2	---
Greenville.............	669	---	426	---	243	---
Greer (Part)...........	173	---	153	---	20	---
Balance of County......	1,335	---	1,176	---	159	---

Table 48. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Greenwood	531	8.9	358	8.5	173	9.7
Greenwood	268	---	176	---	92	---
Balance of County	263	---	182	---	81	---
Hampton	175	9.3	78	8.9	97	9.6
Hampton	30	---	17	---	13	---
Balance of County	145	---	61	---	84	---
Horry	908	7.5	737	7.9	171	6.0
Conway	115	---	77	---	38	---
Myrtle Beach	150	---	132	---	18	---
N. Myrtle Beach	49	---	49	---	-	---
Surfside Beach	20	---	20	---	-	---
Balance of County	574	---	459	---	115	---
Jasper	151	10.5	60	9.9	91	10.9
Balance of County	151	---	60	---	91	---
Kershaw	313	7.5	213	7.6	100	7.5
Camden	102	---	57	---	45	---
Balance of County	211	---	156	---	55	---
Lancaster	435	7.9	324	7.8	111	8.0
Lancaster	144	---	97	---	47	---
Balance of County	291	---	227	---	64	---
Laurens	519	9.7	376	10.0	143	9.0
Clinton	102	---	77	---	25	---
Fountain Inn (Part)	4	---	1	---	3	---
Laurens	167	---	112	---	55	---
Balance of County	246	---	186	---	60	---
Lee	155	8.3	62	8.8	93	8.1
Bishopville	31	---	13	---	18	---
Balance of County	124	---	49	---	75	---
Lexington	915	6.0	815	6.0	100	5.9
Batesburg (Part)	43	---	27	---	16	---
Cayce	80	---	72	---	8	---
Springdale	-	---	-	---	-	---
W. Columbia	152	---	141	---	11	---
Irmo	4	---	4	---	-	---
Balance of County	636	---	571	---	65	---
McCormick	81	11.1	39	14.0	42	9.3
Balance of County	81	---	39	---	42	---
Marion	328	9.4	150	9.2	178	9.7
Marion	78	---	27	---	51	---
Mullins	71	---	41	---	30	---
Balance of County	179	---	82	---	97	---
Marlboro	311	9.6	176	10.6	135	8.6
Bennettsville	99	---	48	---	51	---
McColl	35	---	32	---	3	---
Balance of County	177	---	96	---	81	---
Newberry	343	10.8	227	10.5	116	11.2
Newberry	152	---	97	---	55	---
Balance of County	191	---	130	---	61	---

Table 48. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Oconee..................	414	8.1	365	7.9	49	9.3
Seneca..................	68	—	46	—	22	—
Walhalla................	38	—	36	—	2	—
Westminster............	25	—	23	—	2	—
Balance of County......	283	—	260	—	23	—
Orangeburg..............	750	8.7	376	10.2	374	7.6
Orangeburg.............	164	—	105	—	59	—
Balance of County......	586	—	271	—	315	—
Pickens.................	559	6.6	508	6.6	51	7.4
Liberty................	23	—	19	—	4	—
Pickens................	61	—	48	—	13	—
Clemson Village (Part).	73	—	61	—	12	—
Easley.................	124	—	117	—	7	—
Balance of County......	278	—	263	—	15	—
Richland................	2,261	8.1	1,389	8.4	872	7.6
Forest Acres...........	-	—	-	—	-	—
Irmo...................	1	—	1	—	-	—
Columbia...............	1,296	—	818	—	478	—
Balance of County......	964	—	570	—	394	—
Saluda..................	170	10.1	112	10.3	58	9.6
Batesburg (Part).......	4	—	-	—	4	—
Saluda.................	23	—	12	—	11	—
Balance of County......	143	—	100	—	43	—
Spartanburg.............	1,905	9.2	1,501	9.2	404	9.1
Woodruff...............	44	—	30	—	14	—
Spartanburg............	522	—	344	—	178	—
Greer (Part)...........	35	—	23	—	12	—
Balance of County......	1,304	—	1,104	—	200	—
Sumter..................	642	6.9	317	6.3	325	7.6
Sumter.................	290	—	169	—	121	—
Balance of County......	352	—	148	—	204	—
Union...................	316	10.3	236	11.0	80	8.6
Union..................	130	—	91	—	39	—
Balance of County......	186	—	145	—	41	—
Williamsburg............	370	9.5	152	10.4	218	8.9
Andrews (Part).........	-	—	-	—	-	—
Kingstree..............	93	—	46	—	47	—
Balance of County......	277	—	106	—	171	—
York....................	882	7.7	664	7.7	218	7.8
Clover.................	30	—	21	—	9	—
Fort Mill..............	52	—	46	—	6	—
York...................	81	—	61	—	20	—
Rock Hill..............	360	—	237	—	123	—
Balance of County......	359	—	299	—	60	—

Rate per 1,000 estimated population

Table 49.
Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1984
(Occurrence Data)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	25,390	7.7	17,133	7.6	8,257	7.9
Abbeville................	154	6.7	102	6.7	52	6.7
Abbeville..............	83	---	61	---	22	---
Honea Path (Part)......	-	---	-	---	-	---
Balance of County......	71	---	41	---	30	---
Aiken....................	587	5.2	401	4.8	186	6.5
New Ellenton...........	2	---	1	---	1	---
Aiken..................	360	---	235	---	125	---
N. Augusta.............	54	---	48	---	6	---
Balance of County......	171	---	117	---	54	---
Allendale................	95	8.7	44	11.2	51	7.3
Allendale..............	13	---	5	---	8	---
Balance of County......	82	---	39	---	43	---
Anderson.................	1,105	8.0	904	8.0	201	8.1
Belton.................	15	---	10	---	5	---
Honea Path (Part)......	11	---	11	---	-	---
Williamston............	18	---	15	---	3	---
Clemson Village (Part).	-	---	-	---	-	---
Pendleton..............	11	---	5	---	6	---
Anderson...............	852	---	689	---	163	---
Balance of County......	198	---	174	---	24	---
Bamberg..................	190	10.5	86	11.4	104	9.9
Bamberg................	145	---	65	---	80	---
Denmark................	8	---	1	---	7	---
Balance of County......	37	---	20	---	17	---
Barnwell.................	130	6.4	69	6.0	61	7.1
Barnwell...............	84	---	46	---	38	---
Williston..............	3	---	2	---	1	---
Blackville............	3	---	1	---	2	---
Balance of County......	40	---	20	---	20	---
Beaufort.................	392	5.0	247	4.9	145	5.2
Beaufort...............	162	---	73	---	89	---
Port Royal.............	2	---	1	---	1	---
Hilton Head............	137	---	123	---	14	---
Balance of County......	91	---	50	---	41	---
Berkeley.................	221	2.0	129	1.6	92	2.9
Goose Creek............	13	---	12	---	1	---
Hanahan................	7	---	7	---	-	---
Moncks Corner..........	50	---	34	---	16	---
Balance of County......	151	---	76	---	75	---
Calhoun..................	55	4.7	24	4.7	31	4.8
Balance of County......	55	---	24	---	31	---
Charleston...............	2,996	10.4	1,817	9.9	1,179	11.3
Mt. Pleasant...........	74	---	64	---	10	---
Summerville............	-	---	-	---	-	---
Isle of Palms..........	3	---	3	---	-	---
Charleston.............	1,957	---	1,106	---	851	---
N. Charleston..........	227	---	171	---	56	---
Balance of County......	735	---	473	---	262	---

Table 49. (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Cherokee................	259	6.3	214	6.5	45	5.4
Gaffney................	25	---	21	---	4	---
Balance of County......	234	---	193	---	41	---
Chester.................	188	6.1	116	6.2	72	5.9
Chester................	11	---	5	---	6	---
Great Falls............	17	---	17	---	-	---
Balance of County......	160	---	94	---	66	---
Chesterfield............	252	6.6	150	5.9	102	8.0
Cheraw.................	162	---	91	---	71	---
Pageland...............	4	---	3	---	1	---
Balance of County......	86	---	56	---	30	---
Clarendon...............	162	5.8	70	6.0	92	5.7
Manning................	89	---	43	---	46	---
Balance of County......	73	---	27	---	46	---
Colleton................	359	10.7	198	11.1	161	10.3
Walterboro.............	277	---	151	---	126	---
Balance of County......	82	---	47	---	35	---
Darlington..............	436	6.8	290	7.6	146	5.5
Darlington.............	160	---	92	---	68	---
Hartsville.............	155	---	119	---	36	---
Balance of County......	121	---	79	---	42	---
Dillon..................	219	6.8	133	7.4	86	6.1
Dillon.................	150	---	94	---	56	---
Balance of County......	69	---	39	---	30	---
Dorchester..............	168	2.4	102	2.0	66	3.4
Summerville............	20	---	13	---	7	---
Balance of County......	148	---	89	---	59	---
Edgefield...............	99	5.6	49	5.6	50	5.5
Edgefield..............	59	---	27	---	32	---
Johnston...............	7	---	2	---	5	---
Balance of County......	33	---	20	---	13	---
Fairfield...............	150	7.2	75	8.8	75	6.1
Winnsboro..............	6	---	4	---	2	---
Balance of County......	144	---	71	---	73	---
Florence................	1,286	11.3	735	10.5	551	12.6
Lake City..............	80	---	42	---	38	---
Florence...............	948	---	522	---	426	---
Balance of County......	258	---	171	---	87	---
Georgetown..............	336	7.2	185	7.3	151	7.1
Andrews (Part).........	11	---	5	---	6	---
Georgetown.............	259	---	144	---	115	---
Balance of County......	66	---	36	---	30	---
Greenville..............	2,572	8.6	2,093	8.6	479	8.5
Travelers Rest.........	15	---	13	---	2	---
Simpsonville...........	96	---	85	---	11	---
Fountain Inn (Part)....	12	---	11	---	1	---
Mauldin................	9	---	8	---	1	---
Greenville.............	1,466	---	1,122	---	344	---
Greer (Part)...........	235	---	207	---	28	---
Balance of County......	739	---	647	---	92	---

Table 49. (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Greenwood................	638	10.7	425	10.1	213	11.9
Greenwood..............	550	---	365	---	185	---
Balance of County......	88	---	60	---	28	---
Hampton..................	130	6.9	50	5.7	80	8.0
Hampton................	6	---	1	---	5	---
Balance of County......	124	---	49	---	75	---
Horry....................	903	7.4	739	7.9	164	5.8
Conway.................	57	---	43	---	14	---
Myrtle Beach...........	300	---	272	---	28	---
N. Myrtle Beach........	14	---	14	---	-	---
Surfside Beach.........	7	---	7	---	-	---
Balance of County......	525	---	403	---	122	---
Jasper...................	115	8.0	46	7.6	69	8.3
Balance of County......	115	---	46	---	69	---
Kershaw..................	242	5.8	160	5.7	82	6.2
Camden.................	197	---	132	---	65	---
Balance of County......	45	---	28	---	17	---
Lancaster................	375	6.8	281	6.8	94	6.8
Lancaster..............	309	---	231	---	78	---
Balance of County......	66	---	50	---	16	---
Laurens..................	389	7.3	280	7.5	109	6.9
Clinton................	123	---	88	---	35	---
Fountain Inn (Part)....	-	---	-	---	-	---
Laurens................	171	---	116	---	55	---
Balance of County......	95	---	76	---	19	---
Lee......................	86	4.6	28	4.0	58	5.0
Bishopville............	32	---	11	---	21	---
Balance of County......	54	---	17	---	37	---
Lexington................	735	4.8	642	4.7	93	5.5
Batesburg (Part).......	7	---	5	---	2	---
Cayce..................	19	---	17	---	2	---
Springdale.............	-	---	-	---	-	---
W. Columbia............	37	---	36	---	1	---
Irmo...................	-	---	-	---	-	---
Balance of County......	672	---	584	---	88	---
McCormick................	30	4.1	14	5.0	16	3.6
Balance of County......	30	---	14	---	16	---
Marion...................	345	9.9	185	11.3	160	8.7
Marion.................	167	---	82	---	85	---
Mullins................	124	---	77	---	47	---
Balance of County......	54	---	26	---	28	---
Marlboro.................	251	7.8	143	8.6	108	6.9
Bennettsville..........	167	---	92	---	75	---
McColl.................	10	---	9	---	1	---
Balance of County......	74	---	42	---	32	---
Newberry.................	265	8.3	167	7.7	98	9.5
Newberry...............	202	---	134	---	68	---
Balance of County......	63	---	33	---	30	---

Table 49. (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Oconee..................	374	7.3	323	7.0	51	9.7
Seneca.................	20	---	14	---	6	---
Walhalla...............	5	---	5	---	-	---
Westminster............	5	---	5	---	-	---
Balance of County......	344	---	299	---	45	---
Orangeburg..............	714	8.3	359	9.7	355	7.2
Orangeburg.............	68	---	40	---	28	---
Balance of County......	646	---	319	---	327	---
Pickens.................	428	5.1	389	5.0	39	5.7
Liberty................	3	---	3	---	-	---
Pickens................	98	---	87	---	11	---
Clemson Village (Part).	30	---	26	---	4	---
Easley.................	199	---	183	---	16	---
Balance of County......	98	---	90	---	8	---
Richland................	3,220	11.5	2,039	12.3	1,181	10.3
Forest Acres...........	-	---	-	---	-	---
Irmo...................	-	---	-	---	-	---
Columbia...............	2,894	---	1,837	---	1,057	---
Balance of County......	326	---	202	---	124	---
Saluda..................	103	6.1	68	6.3	35	5.8
Batesburg (Part).......	-	---	-	---	-	---
Saluda.................	9	---	5	---	4	---
Balance of County......	94	---	63	---	31	---
Spartanburg.............	1,868	9.0	1,471	9.0	397	9.0
Woodruff...............	42	---	35	---	7	---
Spartanburg............	1,252	---	938	---	314	---
Greer (Part)...........	9	---	7	---	2	---
Balance of County......	565	---	491	---	74	---
Sumter..................	575	6.1	287	5.7	288	6.7
Sumter.................	420	---	212	---	208	---
Balance of County......	155	---	75	---	80	---
Union...................	246	8.0	184	8.6	62	6.7
Union..................	214	---	159	---	55	---
Balance of County......	32	---	25	---	7	---
Williamsburg............	237	6.1	88	6.0	149	6.1
Andrews (Part).........	-	---	-	---	-	---
Kingstree..............	163	---	60	---	103	---
Balance of County......	74	---	28	---	46	---
York....................	710	6.2	532	6.1	178	6.4
Clover.................	7	---	3	---	4	---
Fort Mill..............	12	---	11	---	1	---
York...................	102	---	73	---	29	---
Rock Hill..............	483	---	361	---	122	---
Balance of County......	106	---	84	---	22	---

Rate per 1,000 estimated population

Table 50.
Deaths by Race and Sex: South Carolina and Each County, 1984
(Residence Data)

County of Residence	TOTAL			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	26,363	14,257	12,106	17,815	9,637	8,178	8,548	4,620	3,928
Abbeville	204	100	104	140	63	77	64	37	27
Aiken	950	491	459	676	360	316	274	131	143
Allendale	115	51	64	51	22	29	64	29	35
Anderson	1,133	646	487	919	523	396	214	123	91
Bamberg	195	94	101	93	48	45	102	46	56
Barnwell	191	95	96	104	54	50	87	41	46
Beaufort	427	234	193	268	157	111	159	77	82
Berkeley	563	304	259	346	181	165	217	123	94
Calhoun	120	78	42	49	31	18	71	47	24
Charleston	2,049	1,114	935	1,217	637	580	832	477	355
Cherokee	334	186	148	276	153	123	58	33	25
Chester	284	167	117	184	106	78	100	61	39
Chesterfield	375	218	157	257	151	106	118	67	51
Clarendon	243	143	100	107	58	49	136	85	51
Colleton	407	218	189	224	110	114	183	108	75
Darlington	521	271	250	338	169	169	183	102	81
Dillon	319	178	141	202	111	91	117	67	50
Dorchester	399	224	175	264	145	119	135	79	56
Edgefield	162	95	67	81	49	32	81	46	35
Fairfield	226	130	96	113	60	53	113	70	43
Florence	1,012	538	474	578	303	275	434	235	199
Georgetown	355	207	148	194	123	71	161	84	77
Greenville	2,345	1,257	1,088	1,899	1,021	878	446	236	210
Greenwood	531	263	268	358	182	176	173	81	92
Hampton	175	93	82	78	43	35	97	50	47
Horry	908	508	400	737	418	319	171	90	81
Jasper	151	87	64	60	32	28	91	55	36
Kershaw	313	164	149	213	115	98	100	49	51
Lancaster	435	240	195	324	176	148	111	64	47
Laurens	519	291	228	376	205	171	143	86	57
Lee	155	90	65	62	38	24	93	52	41
Lexington	915	488	427	815	440	375	100	48	52
McCormick	81	42	39	39	17	22	42	25	17
Marion	328	182	146	150	93	57	178	89	89
Marlboro	311	172	139	176	108	68	135	64	71
Newberry	343	192	151	227	135	92	116	57	59
Oconee	414	204	210	365	185	180	49	19	30
Orangeburg	750	407	343	376	207	169	374	200	174
Pickens	559	309	250	508	277	231	51	32	19
Richland	2,261	1,157	1,104	1,389	708	681	872	449	423
Saluda	170	82	88	112	57	55	58	25	33
Spartanburg	1,905	1,040	865	1,501	805	696	404	235	169
Sumter	642	356	286	317	171	146	325	185	140
Union	316	171	145	236	124	112	80	47	33
Williamsburg	370	190	180	152	78	74	218	112	106
York	882	490	392	664	388	276	218	102	116

Table 51.
Deaths by Race and Sex: South Carolina and Each County, 1984
(Occurrence Data)

County of Occurrence	TOTAL			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	25,390	13,692	11,698	17,133	9,236	7,897	8,257	4,456	3,801
Abbeville	154	72	82	102	43	59	52	29	23
Aiken	587	304	283	401	219	182	186	85	101
Allendale	95	46	49	44	21	23	51	25	26
Anderson	1,105	594	511	904	488	416	201	106	95
Bamberg	190	86	104	86	40	46	104	46	58
Barnwell	130	62	68	69	33	36	61	29	32
Beaufort	392	218	174	247	142	105	145	76	69
Berkeley	221	124	97	129	71	58	92	53	39
Calhoun	55	35	20	24	15	9	31	20	11
Charleston	2,996	1,690	1,306	1,817	1,014	803	1,179	676	503
Cherokee	259	143	116	214	118	96	45	25	20
Chester	188	108	80	116	62	54	72	46	26
Chesterfield	252	144	108	150	85	65	102	59	43
Clarendon	162	84	78	70	30	40	92	54	38
Colleton	359	186	173	198	94	104	161	92	69
Darlington	436	227	209	290	145	145	146	82	64
Dillon	219	117	102	133	67	66	86	50	36
Dorchester	168	92	76	102	50	52	66	42	24
Edgefield	99	57	42	49	28	21	50	29	21
Fairfield	150	86	64	75	42	33	75	44	31
Florence	1,286	671	615	735	393	342	551	278	273
Georgetown	336	188	148	185	111	74	151	77	74
Greenville	2,572	1,365	1,207	2,093	1,113	980	479	252	227
Greenwood	638	310	328	425	216	209	213	94	119
Hampton	130	58	72	50	24	26	80	34	46
Horry	903	515	388	739	424	315	164	91	73
Jasper	115	76	39	46	31	15	69	45	24
Kershaw	242	125	117	160	81	79	82	44	38
Lancaster	375	199	176	281	150	131	94	49	45
Laurens	389	202	187	280	139	141	109	63	46
Lee	86	56	30	28	19	9	58	37	21
Lexington	735	362	373	642	319	323	93	43	50
McCormick	30	17	13	14	7	7	16	10	6
Marion	345	178	167	185	104	81	160	74	86
Marlboro	251	139	112	143	85	58	108	54	54
Newberry	265	143	122	167	93	74	98	50	48
Oconee	374	179	195	323	159	164	51	20	31
Orangeburg	714	386	328	359	192	167	355	194	161
Pickens	428	229	199	389	205	184	39	24	15
Richland	3,220	1,850	1,370	2,039	1,183	856	1,181	667	514
Saluda	103	48	55	68	33	35	35	15	20
Spartanburg	1,868	991	877	1,471	770	701	397	221	176
Sumter	575	306	269	287	147	140	288	159	129
Union	246	132	114	184	95	89	62	37	25
Williamsburg	237	118	119	88	45	43	149	73	76
York	710	374	336	532	291	241	178	83	95

Table 52

DEATHS AND DEATH RATES FROM SELECTED CAUSES BY RACE AND SEX: SOUTH CAROLINA 1984

(Residence Data)

CAUSE OF DEATH	SOUTH CAROLINA					Rates		
		White		Non-White				
	Total	Male	Female	Male	Female	Total	White	Non-White
All Causes	26,363	9637	8178	4620	3928	8.0	7.9	8.2
Infectious and Parasitic Dis. (001-139)	375	103	83	97	92	11.4	8.2	18.2
Enteritis and Other Intestinal Dis. (008-009)	5	2	1	2	-	0.2	0.1	0.2
Tuberculosis, All Forms (010-018)	32	5	4	12	11	1.0	0.4	2.2
Tetanus (037)	-	-	-	-	-	0	0	0
Septicemia (038)	227	55	60	52	60	6.9	5.1	10.8
Measles (055)	-	-	-	-	-	0	0	0
Syphilis and its Sequelae (090-097)	3	-	-	2	1	0.1	0	0.3
Remainder of (001-139)	108	41	18	29	20	3.3	2.6	4.7
Malignant Neoplasms (140-208)	5524	2098	1711	1001	714	167.4	168.6	164.8
Of Lip, Oral Cavity and Pharynx (140-149)	127	53	20	46	8	3.9	3.2	5.2
Of Digestive Organs and Peritoneum (150-159)	1359	452	387	289	231	41.2	37.1	50.0
Of Respiratory System (160-165)	1526	846	316	293	71	46.2	51.4	35.0
Of Breast (174-175)	474	2	344	2	126	14.4	15.3	12.3
Of Genital Organs (179-187)	683	211	192	167	113	20.7	19.0	26.9
Of Urinary Organs (188-189)	201	90	52	31	28	6.1	6.3	5.7
Leukemia (204-208)	202	80	72	25	25	6.1	6.7	4.8
Of Other and Unspecified Sites (170-173, 190-199)	649	243	228	95	83	19.7	20.9	17.1
Of Lymphatic and Hematopoietic Tissues (200-203)	303	121	100	53	29	9.2	9.8	7.9
Benign and Unspecified Neoplasms (210-239)	66	17	26	14	9	2.0	1.9	2.2
Diabetes Mellitus (250)	480	90	158	78	154	14.5	11.0	22.3
Meningitis (320-322)	23	3	3	11	6	0.7	0.3	1.6
Diseases of Heart (390-398,402,404-429)	9343	3555	3114	1304	1370	283.1	295.2	256.9
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	60	17	32	5	6	1.8	2.2	1.1
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	400	79	110	81	130	12.1	8.4	20.3
Ischemic Heart Disease (410-414)	6163	2628	2065	748	722	186.7	207.7	141.2
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	610	176	213	87	134	18.5	17.2	21.2
All Other Forms of Heart Disease (415-423, 425-427, 429)	2110	655	694	383	378	63.9	59.7	73.1
Hypertension (401, 403)	128	29	23	33	43	3.9	2.3	7.3
Cerebrovascular Disease (430-438)	2377	614	878	428	457	72.0	66.0	85.0
Arteriosclerosis (440)	250	73	128	21	28	7.6	8.9	4.7
Other Diseases of the Circulatory System (441-459)	320	142	88	46	44	9.7	10.2	8.7
Acute Bronchitis and Bronchiolitis (466)	8	2	1	3	2	0.2	0.1	0.5
Pneumonia (480-486)	667	246	228	120	73	20.2	21.0	18.5
Influenza (487)	5	-	3	2	-	0.2	0.1	0.2
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	706	408	203	73	22	21.4	27.0	9.1
Chronic and Unqualified Bronchitis (490-491)	37	18	15	2	2	1.1	1.5	0.4
Emphysema (492)	109	77	22	9	1	3.3	4.4	1.0
Asthma (493)	43	11	19	7	6	1.3	1.3	1.3
Other Chr. Obstructive Pulm. Diseases (494-496)	517	302	147	55	13	15.7	19.9	6.5
Ulcer of Stomach and Duodenum (531-533)	91	37	30	15	9	2.8	3.0	2.3
Hernia and Intestinal Obstruction (550-553, 560)	62	19	25	7	11	1.9	2.0	1.7
Chronic Liver Disease and Cirrhosis (571)	318	145	78	57	38	9.6	9.9	9.1
Other Disease of the Respiratory System (510-519)	192	72	62	33	25	5.8	5.9	5.6
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	280	61	70	60	89	8.5	5.8	14.3
Infections of Kidney (590)	26	5	12	4	5	0.8	0.8	0.9
Congenital Anomalies (740-759)	186	67	61	36	22	5.6	5.7	5.6
Certain Conditions Originating in the Perinatal Period (760-779)	404	95	74	121	114	12.2	7.5	22.6
Symptoms and Ill-Defined Conditions (780-799)	274	66	73	85	50	8.3	6.2	13.0
All Other Diseases (001-799)	1816	540	662	338	336	55.2	50.5	64.8
Accidents (E800-E949)	1721	784	329	456	152	52.1	49.3	58.3
Motor Vehicle Traffic (E810-E819)	935	459	179	228	69	28.3	28.2	28.5
Motor Vehicle Non-Traffic (E820-E825)	14	10	-	3	1	0.4	0.4	0.4
Railway (E800-E807)	16	8	-	8	-	0.5	0.4	0.8
Poisoning by Drugs & Medicaments (E850-E858)	30	16	8	5	1	0.9	1.1	0.6
Falls (E880-E888)	137	61	51	18	7	4.2	5.0	2.4
Fire and Flames (E890-E899)	149	40	23	59	27	4.5	2.8	8.3
Drowning (E910)	73	20	8	39	6	2.2	1.2	4.3
Firearms (E922)	42	27	4	10	1	1.3	1.4	1.1
Residual (E800-E949)	325	143	56	86	40	9.9	8.8	12.1
Suicide (E950-E959)	390	265	75	40	10	11.8	15.1	4.8
Firearms (E955)	282	205	49	21	7	8.5	11.2	2.7
Hanging, Strangulation and Suffocation (E953)	42	28	5	8	1	1.3	1.5	0.9
Poisoning (E950-E952)	48	25	20	3	-	1.5	2.0	0.3
Residual (E950-E959)	18	7	1	8	2	0.6	0.4	1.0
Homicide and Legal Intervention (E960-E978)	304	89	36	129	50	9.2	5.5	17.2
Assault by Firearms (E965)	189	64	22	79	24	5.7	3.8	9.9
Assault by Cutting and Piercing (E966)	56	14	4	29	9	1.7	0.8	3.7
Residual (E960-E978)	59	11	10	21	17	1.8	0.9	3.7
Other External Causes (E980-E999)	27	12	4	8	3	0.8	0.7	1.1

Rate per 1,000 estimated population for all causes; rate per 100,000 estimated population for individual cause categories.

Table 52-A
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	ABBEVILLE					AIKEN				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	204	63	77	37	27	950	360	316	131	143
Infectious and Parasitic Dis. (001-139)	1	-	1	-	-	11	3	2	4	2
Enteritis and Other Intestinal Dis. (008-009)	-	-	-	-	-	-	-	-	-	-
Tuberculosis, All Forms (010-018)	-	-	-	-	-	-	-	-	-	-
Tetanus (037)	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	1	-	1	-	-	7	1	-	4	2
Measles (055)	-	-	-	-	-	-	-	-	-	-
Syphilis and its Sequelae (090-097)	-	-	-	-	-	-	-	-	-	-
Remainder of (001-139)	-	-	-	-	-	4	2	2	-	-
Malignant Neoplasms (140-208)	47	19	20	5	3	205	81	67	35	22
Of Lip, Oral Cavity and Pharynx (140-149)	-	-	-	-	-	6	1	1	3	1
Of Digestive Organs and Peritoneum (150-159)	13	2	8	1	2	48	17	19	5	7
Of Respiratory System (160-165)	17	10	5	2	-	66	33	13	17	3
Of Breast (174-175)	3	-	2	-	1	16	-	14	-	2
Of Genital Organs (179-187)	3	2	-	1	-	24	11	4	3	6
Of Urinary Organs (188-189)	3	2	-	1	-	5	3	1	1	-
Leukemia (204-208)	-	-	-	-	-	10	4	4	1	1
Of Other and Unspecified Sites (170-173, 190-199)	6	1	5	-	-	20	6	10	3	1
Of Lymphatic and Hematopoietic Tissues (200-203)	2	2	-	-	-	10	6	1	2	1
Benign and Unspecified Neoplasms (210-239)	-	-	-	-	-	4	2	1	1	-
Diabetes Mellitus (250)	3	1	1	-	1	13	4	3	3	3
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-
Diseases of Heart (390-398,402,404-429)	86	22	34	18	12	339	122	134	32	51
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	-	-	-	-	-	4	1	2	-	1
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	4	2	-	-	2	13	3	8	-	2
Ischemic Heart Disease (410-414)	66	17	24	16	9	238	98	87	21	32
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	5	1	4	-	-	15	4	9	-	2
All Other Forms of Heart Disease (415-423, 425-427, 429)	11	2	6	2	1	69	16	28	11	14
Hypertension (401, 403)	-	-	-	-	-	10	3	1	1	5
Cerebrovascular Disease (430-438)	10	3	3	2	2	75	22	26	10	17
Arteriosclerosis (440)	1	-	1	-	-	11	4	4	2	1
Other Diseases of the Circulatory System (441-459)	4	2	1	1	-	15	9	5	-	1
Acute Bronchitis and Bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	5	2	3	-	-	30	10	13	4	3
Influenza (487)	-	-	-	-	-	-	-	-	-	-
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	5	1	2	2	-	27	17	8	2	-
Chronic and Unqualified Bronchitis (490-491)	-	-	-	-	-	1	-	1	-	-
Emphysema (492)	1	-	1	-	-	4	3	1	-	-
Asthma (493)	-	-	-	-	-	-	-	-	-	-
Other Chr. Obstructive Pulm. Diseases (494-496)	4	1	1	2	-	22	14	6	2	-
Ulcer of Stomach and Duodenum (531-533)	2	1	1	-	-	3	1	2	-	-
Hernia and Intestinal Obstruction (550-553, 560)	-	-	-	-	-	2	-	2	-	-
Chronic Liver Disease and Cirrhosis (571)	4	-	2	2	-	9	5	2	2	-
Other Disease of the Respiratory System (510-519)	-	-	-	-	-	6	2	2	2	-
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	1	-	-	-	13	3	2	-	8
Infections of Kidney (590)	1	-	-	-	1	-	-	-	-	-
Congenital Anomalies (740-759)	-	-	-	-	-	6	2	2	-	2
Certain Conditions Originating in the Perinatal Period (760-779)	3	1	1	1	-	13	4	2	4	3
Symptoms and Ill-Defined Conditions (780-799)	1	1	-	-	-	9	4	3	-	2
All Other Diseases (001-799)	12	3	6	2	1	72	24	25	9	14
Accidents (E800-E949)	15	4	1	3	7	55	26	6	17	6
Motor Vehicle Traffic (E810-E819)	4	2	-	1	1	23	12	1	5	5
Motor Vehicle Non-Traffic (E820-E825)	-	-	-	-	-	2	2	-	-	-
Railway (E800-E807)	-	-	-	-	-	-	-	-	-	-
Poisoning by Drugs & Medicaments (E850-E858)	-	-	-	-	-	3	1	1	1	-
Falls (E880-E888)	-	-	-	-	-	7	6	1	-	-
Fire and Flames (E890-E899)	6	1	-	-	5	2	-	1	1	-
Drowning (E910)	2	-	-	1	1	-	-	-	-	-
Firearms (E922)	-	-	-	-	-	2	2	-	-	-
Residual (E800-E949)	3	1	1	1	-	16	3	2	10	1
Suicide (E950-E959)	1	-	-	1	-	11	7	3	-	1
Firearms (E955)	1	-	-	1	-	10	6	3	-	1
Hanging, Strangulation and Suffocation (E953)	-	-	-	-	-	-	-	-	-	-
Poisoning (E950-E952)	-	-	-	-	-	1	1	-	-	-
Residual (E950-E959)	-	-	-	-	-	-	-	-	-	-
Homicide and Legal Intervention (E960-E978)	1	1	-	-	-	11	5	1	3	2
Assault by Firearms (E965)	-	-	-	-	-	7	4	-	2	1
Assault by Cutting and Piercing (E966)	1	1	-	-	-	3	1	1	-	1
Residual (E960-E978)	-	-	-	-	-	1	-	-	1	-
Other External Causes (E980-E999)	1	1	-	-	-	-	-	-	-	-

Table 52-A

DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984

(Residence Data)

CAUSE OF DEATH	ALLENDALE					ANDERSON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	115	22	29	29	35	1133	523	396	123	91
Infectious and Parasitic Dis. (001-139)	2			2		11	6	3		2
Enteritis and Other Intestinal Dis. (008-009)										
Tuberculosis, All Forms (010-018)										
Tetanus (037)										
Septicemia (038)	1			1		6	2	3		1
Measles (055)										
Syphilis and its Sequelae (090-097)										
Remainder of (001-139)	1			1		5	4			1
Malignant Neoplasms (140-208)	22	4	9	3	6	235	126	71	19	19
Of Lip, Oral Cavity and Pharynx (140-149)	1			1		5	3	1	1	
Of Digestive Organs and Peritoneum (150-159)	6	1	2		3	57	29	15	8	5
Of Respiratory System (160-165)	7	2	2	1	2	69	50	8	9	2
Of Breast (174-175)	3		2		1	27		24		3
Of Genital Organs (179-187)	2		1	1		29	12	10	1	6
Of Urinary Organs (188-189)						8	6	1		1
Leukemia (204-208)						10	8	2		
Of Other and Unspecified Sites (170-173, 190-199)	2		2			23	15	6		2
Of Lymphatic and Hematopoietic Tissues (200-203)	1	1				7	3	4		
Benign and Unspecified Neoplasms (210-239)						3	1	1	1	
Diabetes Mellitus (250)	6		1	1	4	15	4	8	2	1
Meningitis (320-322)	1				1	1				1
Diseases of Heart (390-398,402,404-429)	31	7	10	9	5	406	186	146	33	41
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)						4		2	2	
Hypertensive Heart, Hypertensive Heart Renal (402, 404)	4		2	1	1	11	2	2	3	4
Ischemic Heart Disease (410-414)	17	6	5	3	3	293	150	98	20	25
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	4		2	2		15	4	9	2	
All Other Forms of Heart Disease (415-423, 425-427, 429)	6	1	1	3	1	83	30	35	6	12
Hypertension (401, 403)	1			1		13	6	3	1	3
Cerebrovascular Disease (430-438)	16	2	4	2	8	106	33	43	19	11
Arteriosclerosis (440)	1		1			6		5	1	
Other Diseases of the Circulatory System (441-459)	2			1	1	10	7	2	1	
Acute Bronchitis and Bronchiolitis (466)										
Pneumonia (480-486)	1				1	28	10	14	3	1
Influenza (487)						1		1		
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	1	1				46	32	11	3	
Chronic and Unqualified Bronchitis (490-491)						1	1			
Emphysema (492)						9	7	1	1	
Asthma (493)						2	1	1		
Other Chr. Obstructive Pulm. Diseases (494-496)	1	1				34	23	9	2	
Ulcer of Stomach and Duodenum (531-533)	1			1		6	4	2		
Hernia and Intestinal Obstruction (550-553, 560)						3		1	2	
Chronic Liver Disease and Cirrhosis (571)	1				1	12	5	6	1	
Other Disease of the Respiratory System (510-519)						7	2	4	1	
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2			1	1	11	3	5	1	2
Infections of Kidney (590)						1	1			
Congenital Anomalies (740-759)						4	1	2		1
Certain Conditions Originating in the Perinatal Period (760-779)	1				1	9	1	1	5	2
Symptoms and Ill-Defined Conditions (780-799)	2	1		1		26	13	7	5	1
All Other Diseases (001-799)	10	2	2	2	4	65	26	28	8	3
Accidents (E800-E949)	11	4	1	5	1	67	30	25	10	2
Motor Vehicle Traffic (E810-E819)	8	4	1	3		43	20	16	7	
Motor Vehicle Non-Traffic (E820-E825)	2			1	1					
Railway (E800-E807)										
Poisoning by Drugs & Medicaments (E850-E858)						4	3	1		
Falls (E880-E888)						6	3	3		
Fire and Flames (E890-E899)						1	1			
Drowning (E910)						2			2	
Firearms (E922)										
Residual (E800-E949)	1			1		11	3	5	1	2
Suicide (E950-E959)	1	1				28	20	5	3	
Firearms (E955)	1	1				22	17	4	1	
Hanging, Strangulation and Suffocation (E953)						2	1	1		
Poisoning (E950-E952)						2	2			
Residual (E950-E959)						2			2	
Homicide and Legal Intervention (E960-E978)	2		1		1	13	6	2	4	1
Assault by Firearms (E965)	1		1			11	5	2	3	1
Assault by Cutting and Piercing (E966)						1			1	
Residual (E960-E978)	1				1	1	1			
Other External Causes (E980-E999)										

Table 52-A
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	BAMBERG					BARNWELL				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	195	48	45	46	56	191	54	50	41	46
Infectious and Parasitic Dis. (001-139)	3			1	2	3	2			1
Enteritis and Other Intestinal Dis. (008-009)										
Tuberculosis, All Forms (010-018)										
Tetanus (037)										
Septicemia (038)	1			1		1	1			
Measles (055)										
Syphilis and its Sequelae (090-097)										
Remainder of (001-139)	2				2	2	1			1
Malignant Neoplasms (140-208)	35	10	5	11	9	39	9	12	9	9
Of Lip, Oral Cavity and Pharynx (140-149)	2	1		1						
Of Digestive Organs and Peritoneum (150-159)	8	2		3	3	9	2	1	2	4
Of Respiratory System (160-165)	8	3		4	1	8	3	2	3	
Of Breast (174-175)	5		1		4	3		1		2
Of Genital Organs (179-187)	4	1	1	1	1	8	2	2	3	1
Of Urinary Organs (188-189)						1	1			
Leukemia (204-208)	1	1								
Of Other and Unspecified Sites (170-173, 190-199)	6	2	3	1		5		3		2
Of Lymphatic and Hematopoietic Tissues (200-203)	1			1		5	1	3	1	
Benign and Unspecified Neoplasms (210-239)						1				1
Diabetes Mellitus (250)	4			1	3	4			1	3
Meningitis (320-322)										
Diseases of Heart (390-398,402,404-429)	83	23	24	11	25	79	18	21	20	20
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)										
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	10		3	1	6	5		1	2	2
Ischemic Heart Disease (410-414)	53	16	16	10	11	47	15	14	11	7
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	1	1				12	1	1	2	8
All Other Forms of Heart Disease (415-423, 425-427, 429)	19	6	5		8	15	2	5	5	3
Hypertension (401, 403)	5			1	4	1			1	
Cerebrovascular Disease (430-438)	15	2	6	5	2	17	4	8	3	2
Arteriosclerosis (440)	1				1	2		1		1
Other Diseases of the Circulatory System (441-459)						1			1	
Acute Bronchitis and Bronchiolitis (466)										
Pneumonia (480-486)						5	3	1	1	
Influenza (487)										
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	7	4	1	1	1	4	4			
Chronic and Unqualified Bronchitis (490-491)										
Emphysema (492)	1	1				1	1			
Asthma (493)										
Other Chr. Obstructive Pulm. Diseases (494-496)	6	3	1	1	1	3	3			
Ulcer of Stomach and Duodenum (531-533)						2		1		1
Hernia and Intestinal Obstruction (550-553, 560)										
Chronic Liver Disease and Cirrhosis (571)	2		1		1	1	1			
Other Disease of the Respiratory System (510-519)						1	1			
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	3		1	1	1	3		1		2
Infections of Kidney (590)						2		2		
Congenital Anomalies (740-759)										
Certain Conditions Originating in the Perinatal Period (760-779)	4	1		1	2	3			1	2
Symptoms and Ill-Defined Conditions (780-799)	1			1						
All Other Diseases (001-799)	14	3	3	4	4	9	3	2	2	2
Accidents (E800-E949)	15	4	4	6	1	12	9	1	1	1
Motor Vehicle Traffic (E810-E819)	10	4	4	1	1	8	7	1		
Motor Vehicle Non-Traffic (E820-E825)										
Railway (E800-E807)										
Poisoning by Drugs & Medicaments (E850-E858)						1	1			
Falls (E880-E888)										
Fire and Flames (E890-E899)						1			1	
Drowning (E910)										
Firearms (E922)	1			1		1	1			
Residual (E800-E949)	4			4		1				1
Suicide (E950-E959)	2	1		1						
Firearms (E955)	2	1		1						
Hanging, Strangulation and Suffocation (E953)										
Poisoning (E950-E952)										
Residual (E950-E959)										
Homicide and Legal Intervention (E960-E978)	1			1		1				1
Assault by Firearms (E965)	1			1		1				1
Assault by Cutting and Piercing (E966)										
Residual (E960-E978)										
Other External Causes (E980-E999)						1			1	

Table 52-A

DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	BEAUFORT					BERKELEY				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	427	157	111	77	82	563	181	165	123	94
Infectious and Parasitic Dis. (001-139)	2	-	-	1	1	6	3	-	2	1
Enteritis and Other Intestinal Dis. (008-009)	-	-	-	-	-	-	-	-	-	-
Tuberculosis, All Forms (010-018)	1	-	-	1	-	-	-	-	-	-
Tetanus (037)	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	1	-	-	-	1	4	1	-	2	1
Measles (055)	-	-	-	-	-	-	-	-	-	-
Syphilis and its Sequelae (090-097)	-	-	-	-	-	-	-	-	-	-
Remainder of (001-139)	-	-	-	-	-	2	2	-	-	-
Malignant Neoplasms (140-208)	94	29	29	19	17	118	34	41	24	19
Of Lip, Oral Cavity and Pharynx (140-149)	2	1	-	1	-	5	2	1	2	-
Of Digestive Organs and Peritoneum (150-159)	30	10	5	10	5	24	9	5	6	4
Of Respiratory System (160-165)	22	12	6	1	3	27	12	11	2	2
Of Breast (174-175)	11	-	8	-	3	16	-	9	1	6
Of Genital Organs (179-187)	9	1	3	3	2	14	2	2	6	4
Of Urinary Organs (188-189)	-	-	-	-	-	3	1	1	-	1
Leukemia (204-208)	7	2	4	-	1	9	3	3	2	1
Of Other and Unspecified Sites (170-173, 190-199)	8	3	1	1	3	15	5	7	3	-
Of Lymphatic and Hematopoietic Tissues (200-203)	5	-	2	3	-	5	-	2	2	1
Benign and Unspecified Neoplasms (210-239)	1	-	1	-	-	1	-	-	-	1
Diabetes Mellitus (250)	10	-	3	3	4	8	1	2	1	4
Meningitis (320-322)	1	-	-	1	-	1	-	-	1	-
Diseases of Heart (390-398,402,404-429)	132	56	31	17	28	197	62	63	34	38
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1	-	-	1	-	-	-	-	-	-
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	5	2	-	1	2	6	1	-	3	2
Ischemic Heart Disease (410-414)	77	37	19	7	14	123	43	40	18	22
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	14	4	4	2	4	16	3	6	4	3
All Other Forms of Heart Disease (415-423, 425-427, 429)	35	13	8	6	8	52	15	17	9	11
Hypertension (401, 403)	2	-	-	1	1	1	-	1	-	-
Cerebrovascular Disease (430-438)	33	12	7	9	5	36	9	8	11	8
Arteriosclerosis (440)	1	1	-	-	-	6	-	4	1	1
Other Diseases of the Circulatory System (441-459)	2	1	1	-	-	5	2	-	3	
Acute Bronchitis and Bronchiolitis (466)	-	-	-	-	-	-	-	-	-	
Pneumonia (480-486)	13	3	7	2	1	14	4	3	6	1
Influenza (487)	-	-	-	-	-	-	-	-	-	
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	13	8	3	2	-	12	7	2	3	
Chronic and Unqualified Bronchitis (490-491)	-	-	-	-	-	-	-	-		
Emphysema (492)	2	1	-	1	-	-	-	-	-	
Asthma (493)	-	-	-	-	-	1	-	1	-	
Other Chr. Obstructive Pulm. Diseases (494-496)	11	7	3	1		11	7	1	3	
Ulcer of Stomach and Duodenum (531-533)	1	1	-		-	1	-	-	1	
Hernia and Intestinal Obstruction (550-553, 560)	3		1		2		-	-	-	
Chronic Liver Disease and Cirrhosis (571)	3	1	-	1	1	4	-	2	1	1
Other Disease of the Respiratory System (510-519)	3	1			2	10	4	3	2	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	3		1	2	-	4		2	-	2
Infections of Kidney (590)	1		-	1		3	1	1		1
Congenital Anomalies (740-759)	10	3	4		3	6	1	4		1
Certain Conditions Originating in the Perinatal Period (760-779)	12	4	3	2	3	10	2	2	3	3
Symptoms and Ill-Defined Conditions (780-799)	2			1	1	5	2	3		
All Other Diseases (001-799)	37	12	13	4	8	30	7	9	6	8
Accidents (E800-E949)	35	15	5	10	5	62	31	10	19	2
Motor Vehicle Traffic (E810-E819)	17	9	2	4	2	37	14	8	13	2
Motor Vehicle Non-Traffic (E820-E825)	-	-	-	-		1	1	-	-	-
Railway (E800-E807)	-	-	-	-		3	3			-
Poisoning by Drugs & Medicaments (E850-E858)	3	1	1	1						
Falls (E880-E888)	1	1	-	-	-	1	1			
Fire and Flames (E890-E899)	1	-	-	1	-	5	2	1	2	-
Drowning (E910)	4	2	-	2	-	2	1	-	1	
Firearms (E922)	-	-	-	-	-	4	2	-	2	
Residual (E800-E949)	9	2	2	2	3	9	7	1	1	
Suicide (E950-E959)	9	7	1	1		14	10	2	1	1
Firearms (E955)	4	3	-	1		8	6	1		1
Hanging, Strangulation and Suffocation (E953)	2	2	-			3	3	-		
Poisoning (E950-E952)	3	2	1	-	-	2	1	1		
Residual (E950-E959)	-	-	-		-	1	-	-	1	
Homicide and Legal Intervention (E960-E978)	4	3	1			8	1	2	4	1
Assault by Firearms (E965)	3	2	1	-	-	5	-	1	4	-
Assault by Cutting and Piercing (E966)	-	-	-	-	-	-	-	-	-	-
Residual (E960-E978)	1	1	-	-		3	1	1		1
Other External Causes (E980-E999)	-	-	-	-		1	-	1		-

Table 52-A
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	CALHOUN					CHARLESTON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	120	31	18	47	24	2049	637	580	477	355
Infectious and Parasitic Dis. (001-139)	3	1	-	1	1	30	3	4	12	11
Enteritis and Other Intestinal Dis. (008-009)	1	1	-	-	-	-	-	-	-	-
Tuberculosis, All Forms (010-018)	1	-	-	1	-	3	1	1	-	1
Tetanus (037)	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	1	-	-	-	1	18	2	1	6	9
Measles (055)	-	-	-	-	-	-	-	-	-	-
Syphilis and its Sequelae (090-097)	-	-	-	-	-	1	-	-	1	-
Remainder of (001-139)	-	-	-	-	-	8	-	2	5	1
Malignant Neoplasms (140-208)	22	6	1	11	4	446	147	127	109	63
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	-	-	-	11	3	1	5	2
Of Digestive Organs and Peritoneum (150-159)	3	1	-	2	-	129	32	32	42	23
Of Respiratory System (160-165)	6	1	-	4	1	117	56	31	24	6
Of Breast (174-175)	1	-	-	-	1	28	-	21	-	7
Of Genital Organs (179-187)	4	-	1	2	1	58	22	8	19	9
Of Urinary Organs (188-189)	1	-	-	-	1	13	4	4	4	1
Leukemia (204-208)	2	-	-	2	-	10	1	6	1	2
Of Other and Unspecified Sites (170-173, 190-199)	3	2	-	1	-	47	18	11	8	10
Of Lymphatic and Hematopoietic Tissues (200-203)	1	1	-	-	-	33	11	13	6	3
Benign and Unspecified Neoplasms (210-239)	-	-	-	-	-	8	3	2	1	2
Diabetes Mellitus (250)	2	1	-	1	-	31	4	5	8	14
Meningitis (320-322)	-	-	-	-	-	2	-	-	1	1
Diseases of Heart (390-398,402,404-429)	41	12	7	12	10	694	225	222	124	123
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	-	-	-	-	-	12	4	6	1	1
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	7	2	-	1	4	27	3	9	6	9
Ischemic Heart Disease (410-414)	22	8	4	8	2	463	165	147	80	71
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	1	-	1	-	-	38	7	10	7	14
All Other Forms of Heart Disease (415-423, 425-427, 429)	11	2	2	3	4	154	46	50	30	28
Hypertension (401, 403)	-	-	-	-	-	8	2	2	2	2
Cerebrovascular Disease (430-438)	8	2	1	4	1	157	45	41	42	29
Arteriosclerosis (440)	-	-	-	-	-	12	4	4	2	2
Other Diseases of the Circulatory System (441-459)	3	2	1	-	-	27	13	7	3	4
Acute Bronchitis and Bronchiolitis (466)	-	-	-	-	-	2	1	-	1	-
Pneumonia (480-486)	3	-	-	2	1	45	17	17	6	5
Influenza (487)	-	-	-	-	-	1	-	-	1	-
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	4	1	2	1	-	61	31	26	3	1
Chronic and Unqualified Bronchitis (490-491)	1	-	1	-	-	3	2	1	-	-
Emphysema (492)	-	-	-	-	-	17	10	7	-	-
Asthma (493)	1	-	-	1	-	3	1	1	1	-
Other Chr. Obstructive Pulm. Diseases (494-496)	2	1	1	-	-	38	18	17	2	1
Ulcer of Stomach and Duodenum (531-533)	-	-	-	-	-	10	2	3	3	2
Hernia and Intestinal Obstruction (550-553, 560)	1	-	-	1	-	5	2	1	1	1
Chronic Liver Disease and Cirrhosis (571)	2	-	-	2	-	25	8	4	10	3
Other Disease of the Respiratory System (510-519)	-	-	-	-	-	15	5	4	4	2
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	3	-	1	1	1	27	2	6	10	9
Infections of Kidney (590)	-	-	-	-	-	2	-	1	-	1
Congenital Anomalies (740-759)	1	-	1	-	-	16	3	4	6	3
Certain Conditions Originating in the Perinatal Period (760-779)	1	-	-	1	-	47	5	7	21	14
Symptoms and Ill-Defined Conditions (780-799)	2	-	-	1	1	20	5	5	4	6
All Other Diseases (001-799)	8	1	1	4	2	164	32	49	45	38
Accidents (E800-E949)	10	4	1	3	2	135	58	28	38	11
Motor Vehicle Traffic (E810-E819)	7	3	1	3	-	64	30	14	19	1
Motor Vehicle Non-Traffic (E820-E825)	-	-	-	-	-	-	-	-	-	-
Railway (E800-E807)	-	-	-	-	-	2	1	-	1	-
Poisoning by Drugs & Medicaments (E850-E858)	-	-	-	-	-	4	3	-	1	-
Falls (E880-E888)	1	1	-	-	-	16	6	4	4	2
Fire and Flames (E890-E899)	-		-	-	-	16	4	2	5	5
Drowning (E910)	-	-	-	-	-	3	2	-	-	1
Firearms (E922)	1	-	-	-	1	5	2	3	-	-
Residual (E800-E949)	1	-	-	-	1	25	10	5	8	2
Suicide (E950-E959)	3	1	2	-	-	29	14	6	7	2
Firearms (E955)	3	1	2	-	-	14	11	2	1	-
Hanging, Strangulation and Suffocation (E953)	-	-	-	-	-	6	2	-	3	1
Poisoning (E950-E952)	-	-	-	-	-	5	1	3	1	-
Residual (E950-E959)	-	-	-	-	-	4	-	1	2	1
Homicide and Legal Intervention (E960-E978)	3	-	-	2	1	28	4	5	13	6
Assault by Firearms (E965)	-	-	-	-	-	15	3	2	8	2
Assault by Cutting and Piercing (E966)	-	-	-	-	-	5	1	1	3	-
Residual (E960-E978)	3	-	-	2	1	8	-	2	2	4
Other External Causes (E980-E999)	-	-	-	-	-	2	2	-	-	-

Table 52-A
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	CHEROKEE					CHESTER				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	334	153	123	33	25	284	106	78	61	39
Infectious and Parasitic Dis. (001-139)	3	2	-	1	-	5	-	2	3	-
Enteritis and Other Intestinal Dis. (008-009)	1	1	-	-	-	-	-	-	-	-
Tuberculosis, All Forms (010-018)	-	-	-	-	-	-	-	-	-	-
Tetanus (037)	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	2	1	-	1	-	-	-	-	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-
Syphilis and its Sequelae (090-097)	-	-	-	-	-	-	-	-	-	-
Remainder of (001-139)	-	-	-	-	-	5	-	2	3	-
Malignant Neoplasms (140-208)	79	37	25	9	8	51	22	12	11	6
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	-	-	-	2	2	-	-	-
Of Digestive Organs and Peritoneum (150-159)	17	6	4	2	5	8	4	2	1	1
Of Respiratory System (160-165)	30	20	6	3	1	23	13	6	3	1
Of Breast (174-175)	5	-	4	-	1	-	-	-	-	-
Of Genital Organs (179-187)	10	5	4	-	1	7	1	-	3	3
Of Urinary Organs (188-189)	5	-	1	4	-	4	1	1	1	1
Leukemia (204-208)	4	1	3	-	-	-	-	-	-	-
Of Other and Unspecified Sites (170-173, 190-199)	4	2	2	-	-	6	1	3	2	-
Of Lymphatic and Hematopoietic Tissues (200-203)	3	2	1	-	-	1	-	-	1	-
Benign and Unspecified Neoplasms (210-239)	1	1	-	-	-	-	-	-	-	-
Diabetes Mellitus (250)	9	6	-	1	2	3	1	-	-	2
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-
Diseases of Heart (390-398,402,404-429)	103	50	38	8	7	107	45	24	18	20
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	3	-	2	-	1	2	-	1	-	1
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	-	-	-	-	-	4	2	-	1	1
Ischemic Heart Disease (410-414)	72	38	24	5	5	64	30	14	11	9
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	5	3	2	-	-	7	-	2	1	4
All Other Forms of Heart Disease (415-423, 425-427, 429)	23	9	10	3	1	30	13	7	5	5
Hypertension (401, 403)	5	1	4	-	-	2	1	-	-	1
Cerebrovascular Disease (430-438)	28	9	16	2	1	23	7	11	3	2
Arteriosclerosis (440)	6	2	3	-	1	4	1	2	-	1
Other Diseases of the Circulatory System (441-459)	2	1	1	-	-	3	-	1	2	-
Acute Bronchitis and Bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	8	2	5	1	-	3	2	-	1	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	18	11	5	2	-	7	4	1	2	-
Chronic and Unqualified Bronchitis (490-491)	1	1	-	-	-	-	-	-	-	-
Emphysema (492)	3	1	1	1	-	-	-	-	-	-
Asthma (493)	-	-	-	-	-	1	-	-	1	-
Other Chr. Obstructive Pulm. Diseases (494-496)	14	9	4	1	-	6	4	1	1	-
Ulcer of Stomach and Duodenum (531-533)	2	1	-	1	-	1	-	1	-	-
Hernia and Intestinal Obstruction (550-553, 560)	-	-	-	-	-	-	-	-	-	-
Chronic Liver Disease and Cirrhosis (571)	4	2	2	-	-	3	2	1	-	-
Other Disease of the Respiratory System (510-519)	2	-	2	-	-	6	2	2	1	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	-	1	-	1	5	1	1	1	2
Infections of Kidney (590)	-	-	-	-	-	-	-	-	-	-
Congenital Anomalies (740-759)	1	1	-	-	-	4	2	1	1	-
Certain Conditions Originating in the Perinatal Period (760-779)	1	-	1	-	-	4	1	-	3	-
Symptoms and Ill-Defined Conditions (780-799)	5	2	3	-	-	3	1	1	1	-
All Other Diseases (001-799)	26	10	10	4	2	19	3	10	4	2
Accidents (E800-E949)	20	12	5	3	-	26	8	7	9	2
Motor Vehicle Traffic (E810-E819)	14	8	5	1	-	15	5	3	5	2
Motor Vehicle Non-Traffic (E820-E825)	-	-	-	-	-	-	-	-	-	-
Railway (E800-E807)	-	-	-	-	-	-	-	-	-	-
Poisoning by Drugs & Medicaments (E850-E858)	1	1	-	-	-	-	-	-	-	-
Falls (E880-E888)	1	1	-	-	-	1	-	1	-	-
Fire and Flames (E890-E899)	-	-	-	-	-	3	-	2	1	-
Drowning (E910)	1	1	-	-	-	2	-	1	1	-
Firearms (E922)	2	1	-	1	-	-	-	-	-	-
Residual (E800-E949)	1	-	-	1	-	5	3	-	2	-
Suicide (E950-E959)	7	3	1	1	2	2	1	1	-	-
Firearms (E955)	4	2	-	1	1	2	1	1	-	-
Hanging, Strangulation and Suffocation (E953)	-	-	-	-	-	-	-	-	-	-
Poisoning (E950-E952)	2	1	1	-	-	-	-	-	-	-
Residual (E950-E959)	1	-	-	-	1	-	-	-	-	-
Homicide and Legal Intervention (E960-E978)	2	-	1	-	1	3	2	-	1	-
Assault by Firearms (E965)	2	-	1	-	1	3	2	-	1	-
Assault by Cutting and Piercing (E966)	-	-	-	-	-	-	-	-	-	-
Residual (E960-E978)	-	-	-	-	-	-	-	-	-	-
Other External Causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table 52-A
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	CHESTERFIELD					CLARENDON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	375	151	106	67	51	243	58	49	85	51
Infectious and Parasitic Dis. (001-139)	4	1	1	-	2	5	-	1	3	1
Enteritis and Other Intestinal Dis. (008-009)										
Tuberculosis, All Forms (010-018)						1			1	
Tetanus (037)										
Septicemia (038)	2		1		1	1	-		1	-
Measles (055)										
Syphilis and its Sequelae (090-097)										
Remainder of (001-139)	2	1			1	3	-	1	1	1
Malignant Neoplasms (140-208)	81	34	27	12	8	59	16	10	19	14
Of Lip, Oral Cavity and Pharynx (140-149)	4	2	1	1	-	2	1		1	-
Of Digestive Organs and Peritoneum (150-159)	19	8	6	3	2	13	3	2	2	6
Of Respiratory System (160-165)	20	11	4	4	1	15	7		7	1
Of Breast (174-175)	7	-	6	-	1	8	-	5	-	3
Of Genital Organs (179-187)	5	1	2	2		10	2	3	3	2
Of Urinary Organs (188-189)	2	2		-	-	1			-	1
Leukemia (204-208)	3	2	1			2	2			-
Of Other and Unspecified Sites (170-173, 190-199)	20	7	7	2	4	6	1		4	1
Of Lymphatic and Hematopoietic Tissues (200-203)	1	1	-			2			2	-
Benign and Unspecified Neoplasms (210-239)	1	1	-							-
Diabetes Mellitus (250)	5	1	3	-	1	4			1	3
Meningitis (320-322)	1	1				1	1			-
Diseases of Heart (390-398,402,404-429)	117	45	40	20	12	89	23	26	24	16
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	2		2							
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	1		1			1		1		
Ischemic Heart Disease (410-414)	82	36	25	12	9	46	15	15	10	6
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	15	5	7	1	2	10	1	4	1	4
All Other Forms of Heart Disease (415-423, 425-427, 429)	17	4	5	7	1	32	7	6	13	6
Hypertension (401, 403)	-	-		-		1	-	1		
Cerebrovascular Disease (430-438)	35	16	5	8	6	22	4	5	7	6
Arteriosclerosis (440)	2	-	1	1						-
Other Diseases of the Cir~~culatory System~~ (441-459)	5		3	-	2	4	2		1	1
Acute Bronchitis and Bronchiolitis (466)										
Pneumonia (480-486)	5	2	1	1	1	8	1	1	5	1
Influenza (487)	-	-								
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	2	2			-	4	2	1	1	
Chronic and Unqualified Bronchitis (490-491)		-			-	1	1			
Emphysema (492)	-	-				1	1			
Asthma (493)										
Other Chr. Obstructive Pulm. Diseases (494-496)	2	2				2		1	1	
Ulcer of Stomach and Duodenum (531-533)										
Hernia and Intestinal Obstruction (550-553, 560)										
Chronic Liver Disease and Cirrhosis (571)	3	2	1			1			1	
Other Disease of the Respiratory System (510-519)	3	1	1		1	1		1		
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	-	2		-	4			3	1
Infections of Kidney (590)	1	1								
Congenital Anomalies (740-759)	5	3	2		-	1		-	1	
Certain Conditions Originating in the Perinatal Period (760-779)	9	4	-	1	4	4			2	2
Symptoms and Ill-Defined Conditions (780-799)	28	4	9	9	6					
All Other Diseases (001-799)	23	9	5	5	4	14	2	1	6	5
Accidents (E800-E949)	34	18	5	7	4	13	5	1	6	1
Motor Vehicle Traffic (E810-E819)	24	13	4	3	4	6	4	1	1	
Motor Vehicle Non-Traffic (E820-E825)										
Railway (E800-E807)										
Poisoning by Drugs & Medicaments (E850-E858)										
Falls (E880-E888)						2		-	2	
Fire and Flames (E890-E899)	2	2				1			1	
Drowning (E910)	1		-	1		1			1	
Firearms (E922)										
Residual (E800-E949)	7	3	1	3	-	3	1		1	1
Suicide (E950-E959)	5	5				4	1	1	2	
Firearms (E955)	5	5			-	3	1	1	1	
Hanging, Strangulation and Suffocation (E953)										
Poisoning (E950-E952)										
Residual (E950-E959)				-	-	1	-	-	1	-
Homicide and Legal Intervention (E960-E978)	4	1	-	3	-	3	-	-	3	-
Assault by Firearms (E965)	2		-	2						
Assault by Cutting and Piercing (E966)						3	-	-	3	-
Residual (E960-E978)	2	1		1	-					
Other External Causes (E980-E999)	-	-	-	-	-	1	1	-	-	-

Table 52-A
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	COLLETON					DARLINGTON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	407	110	114	108	75	521	169	169	102	81
Infectious and Parasitic Dis. (001-139)	1	1	-	-	-	7	2	3	1	1
Enteritis and Other Intestinal Dis. (008-009)	-	-	-	-	-	1	-	1	-	-
Tuberculosis, All Forms (010-018)	-	-	-	-	-	1	-	-	-	1
Tetanus (037)	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	1	1	-	-	-	3	-	2	1	-
Measles (055)	-	-	-	-	-	-	-	-	-	-
Syphilis and its Sequelae (090-097)	-	-	-	-	-	-	-	-	-	-
Remainder of (001-139)	-	-	-	-	-	2	2	-	-	-
Malignant Neoplasms (140-208)	90	28	19	21	22	86	28	26	21	11
Of Lip, Oral Cavity and Pharynx (140-149)	1	-	-	1	-	5	1	2	1	1
Of Digestive Organs and Peritoneum (150-159)	18	6	3	4	5	18	6	4	5	3
Of Respiratory System (160-165)	26	17	3	4	2	24	11	6	7	-
Of Breast (174-175)	13	-	8	-	5	8	-	4	-	4
Of Genital Organs (179-187)	14	2	2	6	4	13	4	4	4	1
Of Urinary Organs (188-189)	2	-	-	2	-	-	-	-	-	-
Leukemia (204-208)	5	1	1	1	2	7	4	3	-	-
Of Other and Unspecified Sites (170-173, 190-199)	7	1	2	1	3	6	1	2	3	-
Of Lymphatic and Hematopoietic Tissues (200-203)	4	1	-	2	1	5	1	1	1	2
Benign and Unspecified Neoplasms (210-239)	-	-	-	-	-	2	-	-	1	1
Diabetes Mellitus (250)	18	3	4	1	10	14	3	5	4	2
Meningitis (320-322)	-	-	-	-	-	1	-	-	1	-
Diseases of Heart (390-398,402,404-429)	125	29	47	33	16	207	82	66	26	33
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	3	-	3	-	-	-	-	-	-	-
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	3	-	-	3	-	12	3	2	2	5
Ischemic Heart Disease (410-414)	96	24	36	22	14	143	62	51	14	16
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	6	2	1	3	-	13	6	4	1	2
All Other Forms of Heart Disease (415-423, 425-427, 429)	17	3	7	5	2	39	11	9	9	10
Hypertension (401, 403)	2	1	-	1	-	1	1	-	-	-
Cerebrovascular Disease (430-438)	50	8	17	14	11	45	6	17	12	10
Arteriosclerosis (440)	3	1	2	-	-	1	1	-	-	-
Other Diseases of the Circulatory System (441-459)	6	5	1	-	-	2	1	-	-	1
Acute Bronchitis and Bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	5	1	2	1	1	17	5	7	3	2
Influenza (487)	-	-	-	-	-	-	-	-	-	-
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	10	6	3	1	-	11	7	4	-	-
Chronic and Unqualified Bronchitis (490-491)	1	1	-	-	-	-	-	-	-	-
Emphysema (492)	1	1	-	-	-	-	-	-	-	-
Asthma (493)	1	-	-	1	-	1	-	1	-	-
Other Chr. Obstructive Pulm. Diseases (494-496)	7	4	3	-	-	10	7	3	-	-
Ulcer of Stomach and Duodenum (531-533)	1	-	1	-	-	1	1	-	-	-
Hernia and Intestinal Obstruction (550-553, 560)	2	1	1	-	-	-	-	-	-	-
Chronic Liver Disease and Cirrhosis (571)	5	2	-	2	1	7	1	1	4	1
Other Disease of the Respiratory System (510-519)	6	2	2	2	-	2	1	1	-	-
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	9	1	3	3	2	5	1	1	2	1
Infections of Kidney (590)	1	-	-	1	-	-	-	-	-	-
Congenital Anomalies (740-759)	5	3	1	1	-	2	-	2	-	-
Certain Conditions Originating in the Perinatal Period (760-779)	2	-	-	2	-	3	-	2	-	1
Symptoms and Ill-Defined Conditions (780-799)	1	-	1	-	-	3	-	1	2	-
All Other Diseases (001-799)	27	5	8	6	8	43	6	18	8	11
Accidents (E800-E949)	31	10	2	15	4	50	18	13	13	6
Motor Vehicle Traffic (E810-E819)	16	6	2	7	1	30	10	9	8	3
Motor Vehicle Non-Traffic (E820-E825)	1	1	-	-	-	-	-	-	-	-
Railway (E800-E807)	-	-	-	-	-	-	-	-	-	-
Poisoning by Drugs & Medicaments (E850-E858)	-	-	-	-	-	1	-	1	-	-
Falls (E880-E888)	1	-	-	-	1	-	-	-	-	-
Fire and Flames (E890-E899)	5	1	-	3	1	5	2	-	1	2
Drowning (E910)	5	-	-	4	1	1	-	-	1	-
Firearms (E922)	1	1	-	-	-	3	2	-	1	-
Residual (E800-E949)	2	1	-	1	-	10	4	3	2	1
Suicide (E950-E959)	4	3	-	1	-	4	2	1	1	-
Firearms (E955)	2	1	-	1	-	4	2	1	1	-
Hanging, Strangulation and Suffocatin (E953)	-	-	-	-	-	-	-	-	-	-
Poisoning (E950-E952)	1	1	-	-	-	-	-	-	-	-
Residual (E950-E959)	1	1	-	-	-	-	-	-	-	-
Homicide and Legal Intervention (E960-E978)	3	-	-	3	-	6	3	1	2	-
Assault by Firearms (E965)	2	-	-	2	-	4	1	1	2	-
Assault by Cutting and Piercing (E966)	1	-	-	1	-	2	2	-	-	-
Residual (E960-E978)	-	-	-	-	-	-	-	-	-	-
Other External Causes (E980-E999)	-	-	-	-	-	1	-	-	1	-

Table 52-A
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	DILLON					DORCHESTER				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	319	111	91	67	50	399	145	119	79	56
Infectious and Parasitic Dis. (001-139)	8	3	2	-	3	3	-	1	-	2
Enteritis and Other Intestinal Dis. (008-009)	-	-	-	-	-	-	-	-	-	-
Tuberculosis, All Forms (010-018)	3	1	1	-	1	-	-	-	-	-
Tetanus (037)	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	3	1	1	-	1	2	-	1	-	1
Measles (055)	-	-	-	-	-	-	-	-	-	-
Syphilis and its Sequelae (090-097)	-	-	-	-	-	-	-	-	-	-
Remainder of (001-139)	2	1	-	-	1	1	-	-	-	1
Malignant Neoplasms (140-208)	60	18	18	18	6	81	31	25	16	9
Of Lip, Oral Cavity and Pharynx (140-149)	2	1	1	-	-	3	-	1	2	-
Of Digestive Organs and Peritoneum (150-159)	16	2	7	5	2	20	11	4	3	2
Of Respiratory System (160-165)	20	8	3	8	1	20	11	4	5	-
Of Breast (174-175)	3	-	1	-	2	9	-	8	-	1
Of Genital Organs (179-187)	4	-	2	1	1	10	2	1	4	3
Of Urinary Organs (188-189)	3	1	1	1	-	-	-	-	-	-
Leukemia (204-208)	3	2	1	-	-	3	-	3	-	-
Of Other and Unspecified Sites (170-173, 190-199)	7	2	2	3	-	12	4	4	2	2
Of Lymphatic and Hematopoietic Tissues (200-203)	2	2	-	-	-	4	3	-	-	1
Benign and Unspecified Neoplasms (210-239)	-	-	-	-	-	1	-	-	1	-
Diabetes Mellitus (250)	4	1	1	-	2	2	-	1	1	-
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-
Diseases of Heart (390-398,402,404-429)	102	44	32	11	15	114	35	34	25	20
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1	1	-	-	-	1	-	1	-	-
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	3	1	1	-	1	7	-	1	4	2
Ischemic Heart Disease (410-414)	66	35	18	6	7	79	27	25	17	10
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	5	1	3	-	1	7	3	-	1	3
All Other Forms of Heart Disease (415-423, 425-427, 429)	27	6	10	5	6	20	5	7	3	5
Hypertension (401, 403)	2	-	2	-	-	3	1	-	2	-
Cerebrovascular Disease (430-438)	39	5	14	13	7	44	8	17	7	12
Arteriosclerosis (440)	1	-	-	1	-	6	2	2	1	1
Other Diseases of the Circulatory System (441-459)	1	-	-	-	1	7	3	3	1	-
Acute Bronchitis and Bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	7	-	3	2	2	12	6	3	3	-
Influenza (487)	-	-	-	-	-	1	-	1	-	-
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	8	6	1	1	-	8	6	-	1	1
Chronic and Unqualified Bronchitis (490-491)	-	-	-	-	-	-	-	-	-	-
Emphysema (492)	-	-	-	-	-	4	3	-	1	-
Asthma (493)	-	-	-	-	-	-	-	-	-	-
Other Chr. Obstructive Pulm. Diseases (494-496)	8	6	1	1	-	4	3	-	-	1
Ulcer of Stomach and Duodenum (531-533)	-	-	-	-	-	2	1	-	1	-
Hernia and Intestinal Obstruction (550-553, 560)	1	-	-	1	-	4	-	3	-	1
Chronic Liver Disease and Cirrhosis (571)	6	5	-	1	-	4	2	2	-	-
Other Disease of the Respiratory System (510-519)	3	2	-	1	-	2	1	1	-	-
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	5	-	2	-	3	4	1	1	2	-
Infections of Kidney (590)	-	-	-	-	-	-	-	-	-	-
Congenital Anomalies (740-759)	-	-	-	-	-	6	2	2	1	1
Certain Conditions Originating in the Perinatal Period (760-779)	2	-	-	1	1	8	5	2	-	1
Symptoms and Ill-Defined Conditions (780-799)	18	4	3	6	5	6	2	2	2	-
All Other Diseases (001-799)	26	9	9	5	3	22	8	8	3	3
Accidents (E800-E949)	19	9	3	5	2	40	23	7	7	3
Motor Vehicle Traffic (E810-E819)	11	6	2	2	1	23	16	3	2	2
Motor Vehicle Non-Traffic (E820-E825)	-	-	-	-	-	-	-	-	-	-
Railway (E800-E807)	-	-	-	-	-	-	-	-	-	-
Poisoning by Drugs & Medicaments (E850-E858)	1	1	-	-	-	-	-	-	-	-
Falls (E880-E888)	-	-	-	-	-	2	-	1	1	-
Fire and Flames (E890-E899)	3	-	1	2	-	3	2	1	-	-
Drowning (E910)	2	1	-	1	-	5	-	1	4	-
Firearms (E922)	1	1	-	-	-	-	-	-	-	-
Residual (E800-E949)	1	-	-	-	1	7	5	1	-	1
Suicide (E950-E959)	2	1	1	-	-	8	3	3	2	-
Firearms (E955)	2	1	1	-	-	7	3	2	2	-
Hanging, Strangulation and Suffocation (E953)	-	-	-	-	-	-	-	-	-	-
Poisoning (E950-E952)	-	-	-	-	-	1	-	1	-	-
Residual (E950-E959)	-	-	-	-	-	-	-	-	-	-
Homicide and Legal Intervention (E960-E978)	5	4	-	1	-	11	5	1	3	2
Assault by Firearms (E965)	4	4	-	-	-	7	4	1	2	-
Assault by Cutting and Piercing (E966)	1	-	-	1	-	2	-	-	1	1
Residual (E960-E978)	-	-	-	-	-	2	1	-	-	1
Other External Causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table 52-A
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	EDGEFIELD					FAIRFIELD				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	162	49	32	46	35	226	60	53	70	43
Infectious and Parasitic Dis. (001-139)	3	1		2		6	1	1	3	1
Enteritis and Other Intestinal Dis. (008-009)										
Tuberculosis, All Forms (010-018)	1	1				1			1	
Tetanus (037)										
Septicemia (038)						4	1	1	1	1
Measles (055)										
Syphilis and its Sequelae (090-097)										
Remainder of (001-139)	2			2		1			1	
Malignant Neoplasms (140-208)	37	11	3	12	11	41	12	13	10	6
Of Lip, Oral Cavity and Pharynx (140-149)	1			1						
Of Digestive Organs and Peritoneum (150-159)	10	1	1	3	5	9	5	2	1	1
Of Respiratory System (160-165)	10	6	1	2	1	10	3	2	5	
Of Breast (174-175)	5		1		4	6		5		1
Of Genital Organs (179-187)	4			3	1	3	1	1	1	
Of Urinary Organs (188-189)	2	2				4	1		1	2
Leukemia (204-208)	1			1		2		1	1	
Of Other and Unspecified Sites (170-173, 190-199)	4	2		2		4	1	2	1	
Of Lymphatic and Hematopoietic Tissues (200-203)						3	1			2
Benign and Unspecified Neoplasms (210-239)										
Diabetes Mellitus (250)	4	2	1		1	2			1	1
Meningitis (320-322)						1				1
Diseases of Heart (390-398,402,404-429)	58	22	18	11	7	89	25	21	24	19
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)										
Hypertensive Heart, Hypertensive Heart Renal (402, 404)	6	2	2		2	5	1	1	2	1
Ischemic Heart Disease (410-414)	37	15	11	8	3	33	14	7	6	6
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	1				1	3	2	1		
All Other Forms of Heart Disease (415-423, 425-427, 429)	14	5	5	3	1	48	8	12	16	12
Hypertension (401, 403)						1				1
Cerebrovascular Disease (430-438)	15	1	5	2	7	15	2	6	5	2
Arteriosclerosis (440)						2		1		1
Other Diseases of the Circulatory System (441-459)	3			2	1	4		2	1	1
Acute Bronchitis and Bronchiolitis (466)										
Pneumonia (480-486)	2		1		1	9	3	3	1	2
Influenza (487)										
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)						8	7	1		
Chronic and Unqualified Bronchitis (490-491)						1	1			
Emphysema (492)						3	2	1		
Asthma (493)										
Other Chr. Obstructive Pulm. Diseases (494-496)						4	4			
Ulcer of Stomach and Duodenum (531-533)	2	2				1				1
Hernia and Intestinal Obstruction (550-553, 560)										
Chronic Liver Disease and Cirrhosis (571)	5	4	1			1			1	
Other Disease of the Respiratory System (510-519)						1	1			
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	4		1	2	1					
Infections of Kidney (590)										
Congenital Anomalies (740-759)	2	1		1		2		1		1
Certain Conditions Originating in the Perinatal Period (760-779)	2	1		1		5	1	2		2
Symptoms and Ill-Defined Conditions (780-799)	1				1	1		1	3	
All Other Diseases (001-799)	10	2	2	2	4	13	3	1	6	3
Accidents (E800-E949)	12	2		9	1	16	4		11	1
Motor Vehicle Traffic (E810-E819)	4	1		2	1	8	4		4	
Motor Vehicle Non-Traffic (E820-E825)										
Railway (E800-E807)	2	1			1	1			1	
Poisoning by Drugs & Medicaments (E850-E858)										
Falls (E880-E888)	1			1						
Fire and Flames (E890-E899)	2			2		1			1	
Drowning (E910)										
Firearms (E922)										
Residual (E800-E949)	3			3		6			5	1
Suicide (E950-E959)						2			2	
Firearms (E955)						1			1	
Hanging, Strangulation and Suffocation (E953)										
Poisoning (E950-E952)						1			1	
Residual (E950-E959)										
Homicide and Legal Intervention (E960-E978)	1			1		3	1		2	
Assault by Firearms (E965)	1			1		1			1	
Assault by Cutting and Piercing (E966)						2	1		1	
Residual (E960-E978)										
Other External Causes (E980-E999)	1			1						

Table 52-A
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	FLORENCE					GEORGETOWN				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	1012	303	275	235	199	355	123	71	84	77
Infectious and Parasitic Dis. (001-139)	12	2	1	4	5	3	2	-	1	-
Enteritis and Other Intestinal Dis. (008-009)	-	-	-	-	-	-	-	-	-	-
Tuberculosis, All Forms (010-018)	2				2	-	-	-	-	-
Tetanus (037)	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	6	1	1	3	1	1			1	-
Measles (055)	-	-	-	-	-	-	-	-	-	-
Syphilis and its Sequelae (090-097)	-	-	-	-	-	-	-	-	-	-
Remainder of (001-139)	4	1	-	1	2	2	2			-
Malignant Neoplasms (140-208)	189	61	60	48	20	75	29	11	23	12
Of Lip, Oral Cavity and Pharynx (140-149)						1			1	
Of Digestive Organs and Peritoneum (150-159)	52	14	15	15	8	20	5	1	10	4
Of Respiratory System (160-165)	42	20	10	12		26	18	3	4	1
Of Breast (174-175)	15		9	-	6	6	-	3		3
Of Genital Organs (179-187)	31	8	10	10	3	9	2	1	4	2
Of Urinary Organs (188-189)	7	2	3	-	2	2	1			1
Leukemia (204-208)	3	-	2	1						
Of Other and Unspecified Sites (170-173, 190-199)	26	10	9	7	-	8	3	2	2	1
Of Lymphatic and Hematopoietic Tissues (200-203)	13	7	2	3	1	3		1	2	
Benign and Unspecified Neoplasms (210-239)	4			3	1	-				
Diabetes Mellitus (250)	29	1	11	4	13	9		1	3	5
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-
Diseases of Heart (390-398,402,404-429)	415	128	112	82	93	104	44	21	16	23
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	2	-	2							
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	32	3	7	10	12	11		1	2	8
Ischemic Heart Disease (410-414)	219	88	63	31	37	68	40	14	7	7
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	23	5	6	5	7	7		2	2	3
All Other Forms of Heart Disease (415-423, 425-427, 429)	139	32	34	36	37	18	4	4	5	5
Hypertension (401, 403)	3				3	3		1	1	1
Cerebrovascular Disease (430-438)	105	18	28	27	32	40	7	15	6	12
Arteriosclerosis (440)	6	3	1		2	7	3	3		1
Other Diseases of the Circulatory System (441-459)	13	6	2	3	2	2	2			
Acute Bronchitis and Bronchiolitis (466)						1			1	
Pneumonia (480-486)	14	2	4	5	3	10	3	1	5	1
Influenza (487)	-	-	-	-	-	-	-	-	-	-
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	19	14	2	3		10	4	4	2	
Chronic and Unqualified Bronchitis (490-491)	1	1				1		1		
Emphysema (492)	1			1						
Asthma (493)	3	1	2			2	1	1		
Other Chr. Obstructive Pulm. Diseases (494-496)	14	12		2		7	3	2	2	
Ulcer of Stomach and Duodenum (531-533)	2	2								
Hernia and Intestinal Obstruction (550-553, 560)	1		1							
Chronic Liver Disease and Cirrhosis (571)	9	3	3	2	1	7	2	1	3	1
Other Disease of the Respiratory System (510-519)	3	2	1							
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	9	3	2	3	1	2			2	
Infections of Kidney (590)	2		2							
Congenital Anomalies (740-759)	11	3	4	4		2			2	
Certain Conditions Originating in the Perinatal Period (760-779)	25	3	6	11	5	10	1	1	2	6
Symptoms and Ill-Defined Conditions (780-799)	7	3	1	1	2	2		1		1
All Other Diseases (001-799)	51	10	22	12	7	19	5	7	1	6
Accidents (E800-E949)	68	32	9	19	8	38	16	3	12	7
Motor Vehicle Traffic (E810-E819)	36	21	5	8	2	23	9	2	8	4
Motor Vehicle Non-Traffic (E820-E825)	-	-	-	-	-	-	-	-	-	-
Railway (E800-E807)	1	-		1	-		-			-
Poisoning by Drugs & Medicaments (E850-E858)	1	1		-		3	1		1	1
Falls (E880-E888)	3	1	1	1	-	1			-	1
Fire and Flames (E890-E899)	7	1	1	3	2	1			1	-
Drowning (E910)	3	2	-	1		2	-		2	-
Firearms (E922)	3	1	-	2	-	1	1			-
Residual (E800-E949)	14	5	2	3	4	7	5	1		1
Suicide (E950-E959)	6	4	1	-	1	5	4		1	-
Firearms (E955)	6	4	1	-	1	3	3			-
Hanging, Strangulation and Suffocation (E953)	-		-	-	-	2	1		1	-
Poisoning (E950-E952)	-	-	-	-	-	-	-	-	-	-
Residual (E950-E959)	-	-	-	-	-	-	-	-	-	-
Homicide and Legal Intervention (E960-E978)	8	3	1	4	-	6	1	1	3	1
Assault by Firearms (E965)	5	2	-	3		3	1	1	1	-
Assault by Cutting and Piercing (E966)	1	1	-	-	-	1	-		1	-
Residual (E960-E978)	2	-	1	1	-	2	-	-	1	1
Other External Causes (E980-E999)	1	-	1	-	-	-		-		-

Table 52-A
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	GREENVILLE					GREENWOOD				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	2345	1021	878	236	210	531	182	176	81	92
Infectious and Parasitic Dis. (001-139)	44	11	17	9	7	4	3	-	1	-
Enteritis and Other Intestinal Dis. (008-009)	-	-	-	-	-	-	-	-	-	-
Tuberculosis, All Forms (010-018)	4	-	1	2	1	1	1	-	-	-
Tetanus (037)	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	31	8	13	5	5	1	-	-	1	-
Measles (055)	-	-	-	-	-	-	-	-	-	-
Syphilis and its Sequelae (090-097)	1	-	-	-	1	-	-	-	-	-
Remainder of (001-139)	8	3	3	2	-	2	2	-	-	-
Malignant Neoplasms (140-208)	497	213	185	54	45	105	43	30	11	21
Of Lip, Oral Cavity and Pharynx (140-149)	7	4	2	1	-	-	-	-	-	-
Of Digestive Organs and Peritoneum (150-159)	117	45	46	14	12	30	14	5	4	7
Of Respiratory System (160-165)	142	77	36	21	8	32	19	7	4	2
Of Breast (174-175)	39	1	32	-	6	10	-	6	-	4
Of Genital Organs (179-187)	70	26	22	12	10	9	3	4	1	1
Of Urinary Organs (188-189)	17	11	4	1	1	4	2	1	-	1
Leukemia (204-208)	19	8	8	2	1	5	2	1	-	2
Of Other and Unspecified Sites (170-173, 190-199)	65	28	28	3	6	5	1	2	-	2
Of Lymphatic and Hematopoietic Tissues (200-203)	21	13	7	-	1	10	2	4	2	2
Benign and Unspecified Neoplasms (210-239)	5	1	4	-	-	1	1	-	-	-
Diabetes Mellitus (250)	42	9	16	9	8	8	2	3	-	3
Meningitis (320-322)	1	-	-	1	-	-	-	-	-	-
Diseases of Heart (390-398,402,404-429)	866	398	330	63	75	201	68	70	33	30
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	3	3		-	-	1	-	-	-	1
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	21	12	5	2	2	21	1	4	6	10
Ischemic Heart Disease (410-414)	555	262	222	33	38	128	54	42	19	13
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	39	15	17	3	4	11	4	5	1	1
All Other Forms of Heart Disease (415-423, 425-427, 429)	248	106	86	25	31	40	9	19	7	5
Hypertension (401, 403)	7	2	2	1	2	1	-	-	1	-
Cerebrovascular Disease (430-438)	211	66	112	12	21	67	14	31	7	15
Arteriosclerosis (440)	22	2	19	1	-	7	1	4	1	1
Other Diseases of the Circulatory System (441-459)	30	17	10	1	2	6	2	1	3	
Acute Bronchitis and Bronchiolitis (466)							-	-	-	-
Pneumonia (480-486)	62	27	25	7	3	12	5	4	1	2
Influenza (487)							-	-	-	-
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	75	51	16	7	1	9	3	6		-
Chronic and Unqualified Bronchitis (490-491)	4	4				-	-		-	-
Emphysema (492)	4	4				1	1	-	-	-
Asthma (493)	5	3	1	-	1	1	-	1	-	-
Other Chr. Obstructive Pulm. Diseases (494-496)	62	40	15	7	-	7	2	5	-	-
Ulcer of Stomach and Duodenum (531-533)	4	4				2	1	1	-	-
Hernia and Intestinal Obstruction (550-553, 560)	4	2	2			-	-	-	-	-
Chronic Liver Disease and Cirrhosis (571)	23	18	2	2	1	5	3	1	-	1
Other Disease of the Respiratory System (510-519)	15	8	5	2		2	-		1	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	23	11	5	2	5	7	-	2	3	2
Infections of Kidney (590)					-	-	-	-	-	-
Congenital Anomalies (740-759)	17	9	7	1				-		-
Certain Conditions Originating in the Perinatal Period (760-779)	39	17	7	8	7	7	1	1	3	2
Symptoms and Ill-Defined Conditions (780-799)	30	5	16	8	1	2	-	2		-
All Other Diseases (001-799)	152	55	62	17	18	46	18	11	8	9
Accidents (E800-E949)	112	64	22	17	9	29	14	6	5	4
Motor Vehicle Traffic (E810-E819)	64	43	12	7	2	18	9	4	3	2
Motor Vehicle Non-Traffic (E820-E825)	-	-	-	-		1	1	-	-	-
Railway (E800-E807)	2	2	-	-	-	-	-	-	-	-
Poisoning by Drugs & Medicaments (E850-E858)	2	1	1				-	-	-	-
Falls (E880-E888)	10	4	6	-		2	1	1	-	-
Fire and Flames (E890-E899)	11	4	-	2	5	2	-	1	-	1
Drowning (E910)	4	1	1	2	-	1	-	-	1	-
Firearms (E922)	-	-	-	-	-	-	-	-	-	-
Residual (E800-E949)	19	9	2	6	2	5	3	-	1	1
Suicide (E950-E959)	35	23	10	1	1	5	2	3	-	-
Firearms (E955)	25	16	8	-	1	3	1	2	-	-
Hanging, Strangulation and Suffocation (E953)	6	4	1	1	-	-	-	-	-	-
Poisoning (E950-E952)	3	2	1	-	-	2	1	1	-	-
Residual (E950-E959)	1	1	-	-	-	-	-	-	-	-
Homicide and Legal Intervention (E960-E978)	28	8	4	12	4	5	1	-	3	1
Assault by Firearms (E965)	19	7	2	8	2	2	-	-	2	-
Assault by Cutting and Piercing (E966)	6	1	-	3	2	1	-	-	-	1
Residual (E960-E978)	3	-	2	1	-	2	1	-	1	-
Other External Causes (E980-E999)	1	-	-	1	-	-	-	-	-	-

Table 52-A
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	HAMPTON					HORRY				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	175	43	35	50	47	908	418	319	90	81
Infectious and Parasitic Dis. (001-139)	6	3	1	1	1	9	4	3	2	-
Enteritis and Other Intestinal Dis. (008-009)	-	-	-	-	-	-	-	-	-	-
Tuberculosis, All Forms (010-018)	1	-	1	-	-	-	-	-	-	-
Tetanus (037)	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	4	2	-	1	1	4	2	2	-	-
Measles (055)	-	-	-	-	-	-	-	-	-	-
Syphilis and its Sequelae (090-097)	-	-	-	-	-	-	-	-	-	-
Remainder of (001-139)	1	1	-	-	-	5	2	1	2	-
Malignant Neoplasms (140-208)	43	11	10	12	10	202	96	79	13	14
Of Lip, Oral Cavity and Pharynx (140-149)	1	-	-	-	1	2	2	-	-	-
Of Digestive Organs and Peritoneum (150-159)	10	4	-	2	4	47	22	16	4	5
Of Respiratory System (160-165)	10	4	1	5	-	48	33	12	3	-
Of Breast (174-175)	3	-	3	-	-	16	1	14	-	1
Of Genital Organs (179-187)	6	-	3	1	2	13	3	7	-	3
Of Urinary Organs (188-189)	3	-	2	1	-	12	8	4	-	-
Leukemia (204-208)	3	1	-	2	-	10	2	5	2	1
Of Other and Unspecified Sites (170-173, 190-199)	5	1	1	-	3	41	20	14	3	4
Of Lymphatic and Hematopoietic Tissues (200-203)	2	1	-	1	-	13	5	7	1	-
Benign and Unspecified Neoplasms (210-239)	1	-	-	-	1	2	1	1	-	-
Diabetes Mellitus (250)	4	1	1	-	2	17	4	9	1	3
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-
Diseases of Heart (390-398,402,404-429)	52	14	10	14	14	348	170	118	24	36
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	-	-	-	-	-	4	2	2	-	-
Hypertensive Heart, Hypertensive Heart Renal (402, 404)	2	-	-	-	2	7	2	1	-	4
Ischemic Heart Disease (410-414)	38	11	9	9	9	268	135	85	22	26
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	6	1	1	2	2	10	6	3		1
All Other Forms of Heart Disease (415-423, 425-427, 429)	6	2	-	3	1	59	25	27	2	5
Hypertension (401, 403)	2	1	-	-	1	1	-	-	-	1
Cerebrovascular Disease (430-438)	17	2	3	8	4	69	18	34	9	8
Arteriosclerosis (440)	3	1	-	2	-	11	2	8	1	-
Other Diseases of the Circulatory System (441-459)	1	-	-	-	1	7	4	2	1	-
Acute Bronchitis and Bronchiolitis (466)	1	-	-	-	1	-	-	-	-	-
Pneumonia (480-486)	3	1	-	1	1	13	8	4	1	-
Influenza (487)	-	-	-	-	-	-	-	-	-	-
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	6	1	1	3	1	19	9	8	1	1
Chronic and Unqualified Bronchitis (490-491)	1	-	-	-	1	2	2			-
Emphysema (492)	-	-	-	-	-	1	1			-
Asthma (493)	-	-	-	-		1	-	-	-	1
Other Chr. Obstructive Pulm. Diseases (494-496)	5	1	1	3	-	15	6	8	1	-
Ulcer of Stomach and Duodenum (531-533)	-	-	-		-	5	2	3	-	-
Hernia and Intestinal Obstruction (550-553, 560)	1	1	-		-	2	2		-	-
Chronic Liver Disease and Cirrhosis (571)	4		1	3	-	11	6	3	2	-
Other Disease of the Respiratory System (510-519)	-		-	-		7	5	1	-	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	3	-	-	-	3	10	4	3	-	3
Infections of Kidney (590)	1	-	1	-	-	1	1	-	-	-
Congenital Anomalies (740-759)	1	1	-	-	-	5	-	4	-	1
Certain Conditions Originating in the Perinatal Period (760-779)	3	-	1	-	2	12	5	5	1	1
Symptoms and Ill-Defined Conditions (780-799)	1	-	-	-	1	10	1	2	4	3
All Other Diseases (001-799)	12	2	5	2	3	59	26	20	6	7
Accidents (E800-E949)	7	1	1	4	1	58	35	7	16	
Motor Vehicle Traffic (E810-E819)	2	-	1	1	-	36	22	7	7	-
Motor Vehicle Non-Traffic (E820-E825)	-	-	-	-	-	1	1	-	-	-
Railway (E800-E807)	1		-	1	-	-	-	-	-	-
Poisoning by Drugs & Medicaments (E850-E858)	-	-		-	-	1	-	-	1	-
Falls (E880-E888)	-	-		-	-	4	4		-	-
Fire and Flames (E890-E899)	-	-		-	-	6	1	-	5	-
Drowning (E910)	-	-		-	-	2	1	-	1	-
Firearms (E922)	1	1	-	-	-	2	1	-	1	-
Residual (E800-E949)	3	-	-	2	1	6	5	-	1	-
Suicide (E950-E959)	2	2	-	-	-	14	10	4	-	-
Firearms (E955)	2	2	-	-	-	7	6	1	-	-
Hanging, Strangulation and Suffocation (E953)	-	-	-	-	-	2	2	-	-	-
Poisoning (E950-E952)	-	-	-	-	-	5	2	3	-	-
Residual (E950-E959)	-	-	-	-	-	-	-	-	-	-
Homicide and Legal Intervention (E960-E978)	1	1	-	-	-	14	4	1	8	1
Assault by Firearms (E965)	1	1	-	-	-	10	4	1	5	-
Assault by Cutting and Piercing (E966)	-	-	-	-	-	1	-	-	1	-
Residual (E960-E978)	-	-	-	-	-	3	-	-	2	1
Other External Causes (E980-E999)	-	-	-	-	-	2	1	-	-	1

Table 52-A
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	JASPER					KERSHAW				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	151	32	28	55	36	313	115	98	49	51
Infectious and Parasitic Dis. (001-139)	3		1	2		3	1			2
Enteritis and Other Intestinal Dis. (008-009)										
Tuberculosis, All Forms (010-018)										
Tetanus (037)										
Septicemia (038)	2		1	1		3	1			2
Measles (055)										
Syphilis and its Sequelae (090-097)										
Remainder of (001-139)	1			1						
Malignant Neoplasms (140-208)	31	9	4	15	3	80	27	24	14	15
Of Lip, Oral Cavity and Pharynx (140-149)	1	1				3	2		1	
Of Digestive Organs and Peritoneum (150-159)	4		2	2		19	8	5	2	4
Of Respiratory System (160-165)	10	6		4		19	10	5	3	1
Of Breast (174-175)						6		4		2
Of Genital Organs (179-187)	7		1	4	2	7	1	2	3	1
Of Urinary Organs (188-189)	1			1		5	1	2	1	1
Leukemia (204-208)						2			1	1
Of Other and Unspecified Sites (170-173, 190-199)	7	2	1	3	1	14	4	5	2	3
Of Lymphatic and Hematopoietic Tissues (200-203)	1			1		5	1	1	1	2
Benign and Unspecified Neoplasms (210-239)						1			1	
Diabetes Mellitus (250)	2				2	6	1	3		2
Meningitis (320-322)										
Diseases of Heart (390-398,402,404-429)	52	10	11	13	18	122	52	41	15	14
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)										
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	1			1		4		2	2	
Ischemic Heart Disease (410-414)	37	8	7	8	14	81	34	32	6	9
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	9	1	3	1	4	7	2	2	3	
All Other Forms of Heart Disease (415-423, 425-427, 429)	5	1	1	3		30	16	5	4	5
Hypertension (401, 403)						2			2	
Cerebrovascular Disease (430-438)	16	4	5	3	4	18	2	6	4	6
Arteriosclerosis (440)	1			1		4	1	2		1
Other Diseases of the Circulatory System (441-459)	1			1		1		1		
Acute Bronchitis and Bronchiolitis (466)										
Pneumonia (480-486)	2		1		1	7	3	2	1	1
Influenza (487)										
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	1			1		8	3	3	1	1
Chronic and Unqualified Bronchitis (490-491)										
Emphysema (492)										
Asthma (493)						3		1	1	1
Other Chr. Obstructive Pulm. Diseases (494-496)	1			1		5	3	2		
Ulcer of Stomach and Duodenum (531-533)	1		1							
Hernia and Intestinal Obstruction (550-553, 560)						1		1		
Chronic Liver Disease and Cirrhosis (571)	1			1		6	2	2	1	1
Other Disease of the Respiratory System (510-519)	3			3		2	1	1		
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	5		1	1	3	1	1			
Infections of Kidney (590)										
Congenital Anomalies (740-759)						3	2			1
Certain Conditions Originating in the Perinatal Period (760-779)	2		1		1	5	2	1		2
Symptoms and Ill-Defined Conditions (780-799)										
All Other Diseases (001-799)	10	2		5	3	18	3	5	6	4
Accidents (E800-E949)	15	5	3	6	1	18	9	6	2	1
Motor Vehicle Traffic (E810-E819)	6	2	2	1	1	12	6	4	1	1
Motor Vehicle Non-Traffic (E820-E825)	1	1								
Railway (E800-E807)										
Poisoning by Drugs & Medicaments (E850-E858)	1		1							
Falls (E880-E888)						1		1		
Fire and Flames (E890-E899)	3	1		2						
Drowning (E910)						1			1	
Firearms (E922)										
Residual (E800-E949)	4	1		3		4	3	1		
Suicide (E950-E959)	1			1		4	4			
Firearms (E955)	1			1		3	3			
Hanging, Strangulation and Suffocation (E953)						1	1			
Poisoning (E950-E952)										
Residual (E950-E959)										
Homicide and Legal Intervention (E960-E978)	4	2		2		3	1		2	
Assault by Firearms (E965)	2	1		1		2	1		1	
Assault by Cutting and Piercing (E966)	2	1		1						
Residual (E960-E978)						1			1	
Other External Causes (E980-E999)										

Table 52-A
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	LANCASTER					LAURENS				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	435	176	148	64	47	519	205	171	86	57
Infectious and Parasitic Dis. (001-139)	8	2	2	-	4	8	3	4	1	-
Enteritis and Other Intestinal Dis. (008-009)	-	-	-	-	-	-	-	-	-	-
Tuberculosis, All Forms (010-018)	-	-	-	-	-	-	-	-	-	-
Tetanus (037)	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	7	2	2	-	3	6	2	3	1	-
Measles (055)	-	-	-	-	-	-	-	-	-	-
Syphilis and its Sequelae (090-097)	-	-	-	-	-	-	-	-	-	-
Remainder of (001-139)	1	-	-	-	1	2	1	1	-	-
Malignant Neoplasms (140-208)	84	33	29	13	9	120	46	41	22	11
Of Lip, Oral Cavity and Pharynx (140-149)	2	-	-	2	-	3	1	1	1	-
Of Digestive Organs and Peritoneum (150-159)	21	9	5	4	3	42	13	18	7	4
Of Respiratory System (160-165)	17	14	1	1	1	35	18	6	9	2
Of Breast (174-175)	7	-	6	-	1	7	-	5	-	2
Of Genital Organs (179-187)	9	-	6	2	1	14	3	5	3	3
Of Urinary Organs (188-189)	3	1	1	-	1	5	2	2	1	-
Leukemia (204-208)	3	3	-	-	-	3	2	1	-	-
Of Other and Unspecified Sites (170-173, 190-199)	14	5	7	1	1	7	5	2	-	-
Of Lymphatic and Hematopoietic Tissues (200-203)	8	1	3	3	1	4	2	1	1	-
Benign and Unspecified Neoplasms (210-239)	2	-	2	-	-	1	1	-	-	-
Diabetes Mellitus (250)	7	3	1	2	1	14	3	4	2	5
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-
Diseases of Heart (390-398,402,404-429)	165	68	64	20	13	181	76	61	26	18
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1	-	-	1	-	1	-	1	-	-
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	1	1	-	-	-	5	1	-	4	-
Ischemic Heart Disease (410-414)	123	53	49	12	9	126	53	47	13	13
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	4	2	1	-	1	14	6	3	3	2
All Other Forms of Heart Disease (415-423, 425-427, 429)	36	12	14	7	3	35	16	10	6	3
Hypertension (401, 403)	1	-	-	1	-	2	-	-	-	2
Cerebrovascular Disease (430-438)	28	7	13	5	3	48	18	15	10	5
Arteriosclerosis (440)	5	3	1	-	1	6	3	2	1	-
Other Diseases of the Circulatory System (441-459)	12	4	1	2	5	7	3	4	-	-
Acute Bronchitis and Bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	7	3	4	-	-	13	5	4	2	2
Influenza (487)	-	-	-	-	-	2	-	1	1	-
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	20	12	4	4	-	7	5	-	-	2
Chronic and Unqualified Bronchitis (490-491)	1	-	1	-	-	1	1	-	-	-
Emphysema (492)	3	3	-	-	-	-	-	-	-	-
Asthma (493)	1	-	-	1	-	-	-	-	-	-
Other Chr. Obstructive Pulm. Diseases (494-496)	15	9	3	3	-	6	4	-	-	2
Ulcer of Stomach and Duodenum (531-533)	-	-	-	-	-	1	1	-	-	-
Hernia and Intestinal Obstruction (550-553, 560)	-	-	-	-	-	-	-	-	-	-
Chronic Liver Disease and Cirrhosis (571)	6	4	1	1	-	2	-	1	1	-
Other Disease of the Respiratory System (510-519)	4	-	3	-	1	5	1	3	-	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	6	1	2	1	2	2	1	1	-	-
Infections of Kidney (590)	-	-	-	-	-	-	-	-	-	-
Congenital Anomalies (740-759)	3	1	-	1	1	4	3	-	1	-
Certain Conditions Originating in the Perinatal Period (760-779)	6	2	2	1	1	5	1	1	-	3
Symptoms and Ill-Defined Conditions (780-799)	1	-	-	-	1	2	1	-	1	-
All Other Diseases (001-799)	27	8	12	4	3	47	15	14	11	7
Accidents (E800-E949)	29	15	5	7	2	28	12	11	5	-
Motor Vehicle Traffic (E810-E819)	19	11	2	5	1	14	5	5	4	-
Motor Vehicle Non-Traffic (E820-E825)	-	-	-	-	-	-	-	-	-	-
Railway (E800-E807)	-	-	-	-	-	-	-	-	-	-
Poisoning by Drugs & Medicaments (E850-E858)	-	-	-	-	-	-	-	-	-	-
Falls (E880-E888)	2	-	2	-	-	3	-	3	-	-
Fire and Flames (E890-E899)	2	-	1	1	-	4	3	-	1	-
Drowning (E910)	-	-	-	-	-	-	-	-	-	-
Firearms (E922)	2	2	-	-	-	-	-	-	-	-
Residual (E800-E949)	4	2	-	1	1	7	4	3	-	-
Suicide (E950-E959)	10	8	2	-	-	8	5	2	1	-
Firearms (E955)	10	8	2	-	-	7	4	2	1	-
Hanging, Strangulation and Suffocation (E953)	-	-	-	-	-	1	1	-	-	-
Poisoning (E950-E952)	-	-	-	-	-	-	-	-	-	-
Residual (E950-E959)	-	-	-	-	-	-	-	-	-	-
Homicide and Legal Intervention (E960-E978)	3	2	-	1	-	6	2	2	1	1
Assault by Firearms (E965)	3	2	-	1	-	5	2	2	-	1
Assault by Cutting and Piercing (E966)	-	-	-	-	-	-	-	-	-	-
Residual (E960-E978)	-	-	-	-	-	1	-	-	1	-
Other External Causes (E980-E999)	1	-	-	1	-	-	-	-	-	-

Table 52-A
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	LEE					LEXINGTON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	155	38	24	52	41	915	440	375	48	52
Infectious and Parasitic Dis. (001-139)	3	1	-	1	1	15	7	7	-	1
Enteritis and Other Intestinal Dis. (008-009)	-	-	-	-	-	-	-	-	-	-
Tuberculosis, All Forms (010-018)	-	-	-	-	-	-	-	-	-	-
Tetanus (037)	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	2	1	-	1	-	9	3	5	-	1
Measles (055)	-	-	-	-	-	-	-	-	-	-
Syphilis and its Sequelae (090-097)	-	-	-	-	-	-	-	-	-	-
Remainder of (001-139)	1	-	-	-	1	6	4	2	-	-
Malignant Neoplasms (140-208)	34	11	5	8	10	216	105	90	11	10
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	-	-	-	5	1	4	-	-
Of Digestive Organs and Peritoneum (150-159)	9	1	3	3	2	49	23	18	5	3
Of Respiratory System (160-165)	7	4	1	2	-	67	40	24	1	2
Of Breast (174-175)	1	-	1	-	-	14	-	13	-	1
Of Genital Organs (179-187)	7	2	-	2	3	24	11	10	1	2
Of Urinary Organs (188-189)	2	-	-	1	1	8	5	3	-	-
Leukemia (204-208)	1	1	-	-	-	10	5	5	-	
Of Other and Unspecified Sites (170-173, 190-199)	3	1	-	-	2	28	17	7	3	1
Of Lymphatic and Hematopoietic Tissues (200-203)	3	1	-	-	2	11	3	6	1	1
Benign and Unspecified Neoplasms (210-239)	1		-	1	-	1	1	-	-	-
Diabetes Mellitus (250)	4		-	1	3	21	8	8	1	4
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-
Diseases of Heart (390-398,402,404-429)	54	13	13	13	15	327	162	137	12	16
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	2	-	1	-	1	3	2	1	-	-
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	3		-	1	2	12	5	6	-	1
Ischemic Heart Disease (410-414)	40	13	10	9	8	232	128	86	8	10
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	1	-	1	-	-	16	5	10	-	1
All Other Forms of Heart Disease (415-423, 425-427, 429)	8	-	1	3	4	64	22	34	4	4
Hypertension (401, 403)	-	-	-	-	-	3	-	2	-	1
Cerebrovascular Disease (430-438)	8	-	1	3	4	52	20	24	4	4
Arteriosclerosis (440)	1	1	-	-	-	10	3	7	-	-
Other Diseases of the Circulatory System (441-459)			-	-	-	16	7	5	1	3
Acute Bronchitis and Bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	1		1	-	-	26	13	11	1	1
Influenza (487)	-	-	-	-	-	-	-	-	-	-
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	3	3		-	-	35	15	17	2	1
Chronic and Unqualified Bronchitis (490-491)				-	-	2	1	1	-	-
Emphysema (492)	1	1			-	2	1	1	-	-
Asthma (493)	-	-			-	2	1	1	-	-
Other Chr. Obstructive Pulm. Diseases (494-496)	2	2			-	29	12	14	2	1
Ulcer of Stomach and Duodenum (531-533)	1		-	1		2	2	-	-	-
Hernia and Intestinal Obstruction (550-553, 560)	2	1	-	-	1	1	-	1	-	-
Chronic Liver Disease and Cirrhosis (571)	1	1	-	-		16	12	4	-	-
Other Disease of the Respiratory System (510-519)	1	-	-	-	1	4	2	1	-	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	4			2	2	5	1	3	-	1
Infections of Kidney (590)				-	-	1	-	-	-	1
Congenital Anomalies (740-759)			-	-	-	6	2	2	1	1
Certain Conditions Originating in the Perinatal Period (760-779)	7		-	5	2	12	4	6	-	2
Symptoms and Ill-Defined Conditions (780-799)	1			1		4	2	1	1	-
All Other Diseases (001-799)	7	1	2	3	1	53	17	27	5	4
Accidents (E800-E949)	18	3	1	13	1	54	33	13	7	1
Motor Vehicle Traffic (E810-E819)	12	1	1	9	1	31	20	4	6	1
Motor Vehicle Non-Traffic (E820-E825)	-	-	-	-	-	-	-	-	-	-
Railway (E800-E807)			-	-	-	-	-	-	-	-
Poisoning by Drugs & Medicaments (E850-E858)	-	-	-	-	-	-	-	-	-	-
Falls (E880-E888)	2	1	-	1	-	1	1	-	-	-
Fire and Flames (E890-E899)	1	1	-	-	-	3	1	2	-	-
Drowning (E910)	2	-	-	2	-	4	2	2	-	-
Firearms (E922)	-	-	-	-	-	2	2	-	-	-
Residual (E800-E949)	1	-	-	1	[illegible]	13	7	5	1	-
Suicide (E950-E959)	4	3	1	-	-	23	17	6	-	-
Firearms (E955)	4	3	1	-	-	20	15	5	-	-
Hanging, Strangulation and Suffocation (E953)	-	-	-	-	-	2	2	-	-	-
Poisoning (E950-E952)	-	-	-	-	-	1	-	1	-	-
Residual (E950-E959)	-	-	-	-	-	-	-	-	-	-
Homicide and Legal Intervention (E960-E978)	-	-	-	-	-	7	3	2	2	-
Assault by Firearms (E965)	-	-	-	-	-	4	2	1	1	-
Assault by Cutting and Piercing (E966)	-	-	-	-	-	-	-	-	-	-
Residual (E960-E978)	-	-	-	-	-	3	1	1	1	-
Other External Causes (E980-E999)		-	-	-	-	5	4	1	-	-

Table 52-A
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	McCORMICK					MARION				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	81	17	22	25	17	328	93	57	89	89
Infectious and Parasitic Dis. (001-139)	3	-	-	2	1	4	1	-	2	1
Enteritis and Other Intestinal Dis. (008-009)	1	-	-	1	-	-	-	-	-	-
Tuberculosis, All Forms (010-018)	1	-	-	1	-	1	-	-	1	-
Tetanus (037)	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	1	-	-	-	1	2	1	-	-	1
Measles (055)	-	-	-	-	-	-	-	-	-	-
Syphilis and its Sequelae (090-097)	-	-	-	-	-	-	-	-	-	-
Remainder of (001-139)	-	-	-	-	-	1	-	-	1	-
Malignant Neoplasms (140-208)	16	3	6	5	2	62	16	13	22	11
Of Lip, Oral Cavity and Pharynx (140-149)	-	-	-	-	-	2	-	-	2	-
Of Digestive Organs and Peritoneum (150-159)	4	-	2	-	2	17	2	4	7	4
Of Respiratory System (160-165)	3	1	-	2	-	17	8	2	6	1
Of Breast (174-175)	1	-	1	-	-	3	-	1	-	2
Of Genital Organs (179-187)	4	1	1	2	-	8	1	3	3	1
Of Urinary Organs (188-189)	-	-	-	-	-	-	-	-	-	-
Leukemia (204-208)	2	1	-	1	-	5	2	-	1	2
Of Other and Unspecified Sites (170-173, 190-199)	1	-	1	-	-	8	3	2	2	1
Of Lymphatic and Hematopoietic Tissues (200-203)	1	-	1	-	-	2	-	1	1	-
Benign and Unspecified Neoplasms (210-239)	2	-	2	-	-	-	-	-	-	-
Diabetes Mellitus (250)	-	-	-	-	-	6	-	2	1	3
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-
Diseases of Heart (390-398,402,404-429)	31	8	9	9	5	103	38	17	22	26
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	-	-	-	-	-	1	-	-	-	1
Ischemic Heart Disease (410-414)	18	5	5	5	3	75	33	14	13	15
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	7	1	2	3	1	11	3	1	2	5
All Other Forms of Heart Disease (415-423, 425-427, 429)	6	2	2	1	1	16	2	2	7	5
Hypertension (401, 403)	1	-	-	-	1	2	-	-	1	1
Cerebrovascular Disease (430-438)	6	-	1	3	2	36	7	9	9	11
Arteriosclerosis (440)	-	-	-	-	-	-	-	-	-	-
Other Diseases of the Circulatory System (441-459)	1	-	-	-	1	6	1	-	2	3
Acute Bronchitis and Bronchiolitis (466)	-	-	-	-	-	1	-	1	-	-
Pneumonia (480-486)	2	-	1	1	-	7	2	2	2	1
Influenza (487)	-	-	-	-	-	-	-	-	-	-
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	2	-	1	1	-	9	5	4	-	-
Chronic and Unqualified Bronchitis (490-491)	-	-	-	-	-	1	-	1	-	-
Emphysema (492)	-	-	-	-	-	2	1	1	-	-
Asthma (493)	-	-	-	-	-	-	-	-	-	-
Other Chr. Obstructive Pulm. Diseases (494-496)	2	-	1	1	-	6	4	2	-	-
Ulcer of Stomach and Duodenum (531-533)	-	-	-	-	-	-	-	-	-	-
Hernia and Intestinal Obstruction (550-553, 560)	-	-	-	-	-	1	-	-	-	1
Chronic Liver Disease and Cirrhosis (571)	1	-	1	-	-	11	5	-	1	5
Other Disease of the Respiratory System (510-519)	-	-	-	-	-	-	-	-	-	-
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	-	-	-	-	-	5	1	1	-	3
Infections of Kidney (590)	-	-	-	-	-	-	-	-	-	-
Congenital Anomalies (740-759)	1	1	-	-	-	2	-	1	1	-
Certain Conditions Originating in the Perinatal Period (760-779)	1	-	-	-	1	12	1	-	7	4
Symptoms and Ill-Defined Conditions (780-799)	1	-	-	1	-	9	-	-	6	3
All Other Diseases (001-799)	4	1	-	1	2	23	4	4	4	11
Accidents (E800-E949)	6	2	1	1	2	22	8	3	6	5
Motor Vehicle Traffic (E810-E819)	4	1	1	1	1	13	7	3	1	2
Motor Vehicle Non-Traffic (E820-E825)	-	-	-	-	-	-	-	-	-	-
Railway (E800-E807)	-	-	-	-	-	-	-	-	-	-
Poisoning by Drugs & Medicaments (E850-E858)	-	-	-	-	-	-	-	-	-	-
Falls (E880-E888)	1	1	-	-	-	2	1	-	1	-
Fire and Flames (E890-E899)	-	-	-	-	-	3	-	-	1	2
Drowning (E910)	1	-	-	-	1	2	-	-	2	-
Firearms (E922)	-	-	-	-	-	-	-	-	-	-
Residual (E800-E949)	-	-	-	-	-	2	-	-	1	1
Suicide (E950-E959)	3	2	-	1	-	3	3	-	-	-
Firearms (E955)	1	-	-	1	-	1	1	-	-	-
Hanging, Strangulation and Suffocation (E953)	2	2	-	-	-	-	-	-	-	-
Poisoning (E950-E952)	-	-	-	-	-	1	1	-	-	-
Residual (E950-E959)	-	-	-	-	-	1	1	-	-	-
Homicide and Legal Intervention (E960-E978)	-	-	-	-	-	4	1	-	3	-
Assault by Firearms (E965)	-	-	-	-	-	-	-	-	-	-
Assault by Cutting and Piercing (E966)	-	-	-	-	-	3	-	-	3	-
Residual (E960-E978)	-	-	-	-	-	1	1	-	-	-
Other External Causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table 52-A
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	MARLBORO					NEWBERRY				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	311	108	68	64	71	343	135	92	57	59
Infectious and Parasitic Dis. (001-139)	5		1	2	2	4			4	
Enteritis and Other Intestinal Dis. (008-009)										
Tuberculosis, All Forms (010-018)	2			1	1					
Tetanus (037)										
Septicemia (038)	3		1	1	1	2			2	
Measles (055)										
Syphilis and its Sequelae (090-097)										
Remainder of (001-139)						2			2	
Malignant Neoplasms (140-208)	56	19	15	10	12	62	25	11	18	8
Of Lip, Oral Cavity and Pharynx (140-149)						1			1	
Of Digestive Organs and Peritoneum (150-159)	18	5	5	3	5	17	8	4	2	3
Of Respiratory System (160-165)	14	7	2	4	1	18	11		6	1
Of Breast (174-175)	4		3		1	4		2		2
Of Genital Organs (179-187)	7	2	1	2	2	9	3	2	4	
Of Urinary Organs (188-189)	3		1	1	1	2	2			
Leukemia (204-208)	1	1				2	1	1		
Of Other and Unspecified Sites (170-173, 190-199)	4		2		2	8		2	4	2
Of Lymphatic and Hematopoietic Tissues (200-203)	5	4	1			1			1	
Benign and Unspecified Neoplasms (210-239)	1		1			1		1		
Diabetes Mellitus (250)	1			1		8	2	3	1	2
Meningitis (320-322)						1				1
Diseases of Heart (390-398,402,404-429)	89	33	22	10	24	137	54	40	16	27
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)										
Hypertensive Heart, Hypertensive Heart Renal (402, 404)						3	1	1	1	
Ischemic Heart Disease (410-414)	72	27	18	9	18	54	28	18	1	7
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	3	1	1	1		56	16	11	12	17
All Other Forms of Heart Disease (415-423, 425-427, 429)	14	5	3		6	24	9	10	2	3
Hypertension (401, 403)	2	1			1	1			1	
Cerebrovascular Disease (430-438)	53	11	15	15	12	37	11	14	3	9
Arteriosclerosis (440)	2	2				3	1	2		
Other Diseases of the Circulatory System (441-459)	1		1			11	5	3	1	2
Acute Bronchitis and Bronchiolitis (466)										
Pneumonia (480-486)	9	5	2	2		7	4	1	1	1
Influenza (487)										
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	10	6		3	1	6	5	1		
Chronic and Unqualified Bronchitis (490-491)	1			1						
Emphysema (492)	1	1				1	1			
Asthma (493)	1			1						
Other Chr. Obstructive Pulm. Diseases (494-496)	7	5		1	1	5	4	1		
Ulcer of Stomach and Duodenum (531-533)	2	1			1	1	1			
Hernia and Intestinal Obstruction (550-553, 560)	1	1								
Chronic Liver Disease and Cirrhosis (571)	3				3	5	3	1		1
Other Disease of the Respiratory System (510-519)	4		1	1	2	4	2	2		
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	6	2		4		3		1		2
Infections of Kidney (590)	1			1		2		2		
Congenital Anomalies (740-759)						1		1		
Certain Conditions Originating in the Perinatal Period (760-779)	4	2		1	1					
Symptoms and Ill-Defined Conditions (780-799)	2			1	1	2	2			
All Other Diseases (001-799)	19	6	3	4	6	23	8	7	4	4
Accidents (E800-E949)	29	11	6	8	4	16	9	2	4	1
Motor Vehicle Traffic (E810-E819)	7	1		4	2	7	4	1	1	1
Motor Vehicle Non-Traffic (E820-E825)										
Railway (E800-E807)										
Poisoning by Drugs & Medicaments (E850-E858)										
Falls (E880-E888)						1	1			
Fire and Flames (E890-E899)	4			3	1	1			1	
Drowning (E910)						1	1			
Firearms (E922)										
Residual (E800-E949)	18	10	6	1	1	6	3	1	2	
Suicide (E950-E959)	7	6	1			4	3		1	
Firearms (E955)	6	5	1			3	2		1	
Hanging, Strangulation and Suffocation (E953)										
Poisoning (E950-E952)	1	1				1	1			
Residual (E950-E959)										
Homicide and Legal Intervention (E960-E978)	4	2		1	1	4			3	1
Assault by Firearms (E965)	4	2		1	1	3			3	
Assault by Cutting and Piercing (E966)						1				1
Residual (E960-E978)										
Other External Causes (E980-E999)										

Table 52-A
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	OCONEE					ORANGEBURG				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	414	185	180	19	30	750	207	169	200	174
Infectious and Parasitic Dis. (001-139)	6	1	2	1	2	8	1	1	2	4
Enteritis and Other Intestinal Dis. (008-009)										
Tuberculosis, All Forms (010-018)	1				1	1				1
Tetanus (037)										
Septicemia (038)	5	1	2	1	1	4	1	1		2
Measles (055)										
Syphilis and its Sequelae (090-097)						1			1	
Remainder of (001-139)						2			1	1
Malignant Neoplasms (140-208)	74	35	27	7	5	161	51	27	45	38
Of Lip, Oral Cavity and Pharynx (140-149)						5	3		2	
Of Digestive Organs and Peritoneum (150-159)	9	3	1	2	3	41	10	6	12	13
Of Respiratory System (160-165)	21	13	5	3		43	22	7	13	1
Of Breast (174-175)	6		5		1	13		4		9
Of Genital Organs (179-187)	10	2	5	2	1	25	6	3	9	7
Of Urinary Organs (188-189)	3	2	1			7	2	2	2	1
Leukemia (204-208)	7	4	3			5		1	2	2
Of Other and Unspecified Sites (170-173, 190-199)	12	7	5			15	5	3	3	4
Of Lymphatic and Hematopoietic Tissues (200-203)	6	4	2			7	3	1	2	1
Benign and Unspecified Neoplasms (210-239)	1		1							
Diabetes Mellitus (250)	7	2	4		1	11	2	3	1	5
Meningitis (320-322)	1	1				3		1	2	
Diseases of Heart (390-398,402,404-429)	147	73	58	5	11	283	79	73	61	70
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1		1			2		2		
Hypertensive Heart, Hypertensive Heart Renal (402, 404)	16	6	9	1		10	1	1	4	4
Ischemic Heart Disease (410-414)	93	53	28	2	10	167	57	56	21	33
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	7	3	4			16	4	3	5	4
All Other Forms of Heart Disease (415-423, 425-427, 429)	30	11	16	2	1	88	17	11	31	29
Hypertension (401, 403)	1	1				5	2		1	2
Cerebrovascular Disease (430-438)	40	11	25	1	3	82	19	23	21	19
Arteriosclerosis (440)	16	6	10			4		2		2
Other Diseases of the Circulatory System (441-459)	17	7	10			9		4	3	2
Acute Bronchitis and Bronchiolitis (466)										
Pneumonia (480-486)	6	2	3		1	11	6	2	1	2
Influenza (487)										
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	10	5	5			12	8	2	2	
Chronic and Unqualified Bronchitis (490-491)										
Emphysema (492)	2	1	1			3	2		1	
Asthma (493)										
Other Chr. Obstructive Pulm. Diseases (494-496)	8	4	4			9	6	2	1	
Ulcer of Stomach and Duodenum (531-533)	2		1	1		3	1		1	1
Hernia and Intestinal Obstruction (550-553, 560)	2		2							
Chronic Liver Disease and Cirrhosis (571)	10	7	2		1	8	2	3	2	1
Other Disease of the Respiratory System (510-519)	5	4	1			5	2		3	
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1				1	6		1	3	2
Infections of Kidney (590)	2		1		1					
Congenital Anomalies (740-759)	3	2	1			4	1	2	1	
Certain Conditions Originating in the Perinatal Period (760-779)	5	2	2		1	8	2		4	2
Symptoms and Ill-Defined Conditions (780-799)						14	1	3	5	5
All Other Diseases (001-799)	26	7	15	3	1	54	14	13	15	12
Accidents (E800-E949)	25	14	9	1	1	48	14	8	20	6
Motor Vehicle Traffic (E810-E819)	13	7	6			23	8	3	9	3
Motor Vehicle Non-Traffic (E820-E825)										
Railway (E800-E807)						2			2	
Poisoning by Drugs & Medicaments (E850-E858)										
Falls (E880-E888)	7	4	3			7	1	5		1
Fire and Flames (E890-E899)	1	1				6	1		5	
Drowning (E910)						2			2	
Firearms (E922)						2	2			
Residual (E800-E949)	4	2		1	1	6	2		2	2
Suicide (E950-E959)	4	4				2	2			
Firearms (E955)	2	2				2	2			
Hanging, Strangulation and Suffocation (E953)	2	2								
Poisoning (E950-E952)										
Residual (E950-E959)										
Homicide and Legal Intervention (E960-E978)	3	1	1		1	8	2	1	4	1
Assault by Firearms (E965)	2	1	1			3	2		1	
Assault by Cutting and Piercing (E966)						2			2	
Residual (E960-E978)	1				1	3		1	1	1
Other External Causes (E980-E999)						1	1			

Table 52-A
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	PICKENS					RICHLAND				
	Total	White		Non-White		Total	White		Non-White	
		Male	Female	Male	Female		Male	Female	Male	Female
All Causes	559	277	231	32	19	2261	708	681	449	423
Infectious and Parasitic Dis. (001-139)	6	4	2			44	11	6	14	13
Enteritis and Other Intestinal Dis. (008-009)										
Tuberculosis, All Forms (010-018)						3			3	
Tetanus (037)										
Septicemia (038)	3	1	2			30	7	6	7	10
Measles (055)										
Syphilis and its Sequelae (090-097)										
Remainder of (001-139)	3	3				11	4		4	3
Malignant Neoplasms (140-208)	115	57	54	3	1	465	153	136	98	78
Of Lip, Oral Cavity and Pharynx (140-149)	1	1				12	5	1	4	2
Of Digestive Organs and Peritoneum (150-159)	20	9	10	1		125	35	36	35	19
Of Respiratory System (160-165)	37	25	10	2		133	65	32	26	10
Of Breast (174-175)	7		7			42		27	1	14
Of Genital Organs (179-187)	17	10	7			47	17	11	13	6
Of Urinary Organs (188-189)	6	2	4			24	12	2	2	8
Leukemia (204-208)	3	2	1			17	6	4	2	5
Of Other and Unspecified Sites (170-173, 190-199)	17	7	9		1	43	9	15	7	12
Of Lymphatic and Hematopoietic Tissues (200-203)	7	1	6			22	4	8	8	2
Benign and Unspecified Neoplasms (210-239)						10	1	4	3	2
Diabetes Mellitus (250)	8	2	4	2		45	6	13	13	13
Meningitis (320-322)						1			1	
Diseases of Heart (390-398,402,404-429)	206	100	83	15	8	725	248	257	108	112
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)						2		2		
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	6		4		2	36	8	11	2	15
Ischemic Heart Disease (410-414)	153	86	55	9	3	456	180	158	70	48
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	13	2	7	3	1	62	18	27	7	10
All Other Forms of Heart Disease (415-423, 425-427, 429)	34	12	17	3	2	169	42	59	29	39
Hypertension (401, 403)	2	1	1			10	1	1	6	2
Cerebrovascular Disease (430-438)	68	24	32	5	7	172	35	68	29	40
Arteriosclerosis (440)	9	5	3		1	18	4	8	3	3
Other Diseases of the Circulatory System (441-459)	2	2				34	15	8	6	5
Acute Bronchitis and Bronchiolitis (466)						1	1			
Pneumonia (480-486)	18	8	7	2	1	117	39	33	26	19
Influenza (487)										
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	11	5	6			67	32	24	6	5
Chronic and Unqualified Bronchitis (490-491)	2		2			4		4		
Emphysema (492)	2	2				14	7	5	1	1
Asthma (493)	1		1			2	1	1		
Other Chr. Obstructive Pulm. Diseases (494-496)	6	3	3			47	24	14	5	4
Ulcer of Stomach and Duodenum (531-533)	3	2	1			9	1	6	1	1
Hernia and Intestinal Obstruction (550-553, 560)	1	1				12	4	3	1	4
Chronic Liver Disease and Cirrhosis (571)	6	5	1			42	18	12	4	8
Other Disease of the Respiratory System (510-519)	7	4	3			19	6	5	3	5
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2		1		1	29	9	2	3	15
Infections of Kidney (590)	1		1			1			1	
Congenital Anomalies (740-759)	4	3	1			16	4	4	5	3
Certain Conditions Originating in the Perinatal Period (760-779)	8	5	2	1		33	4	2	14	3
Symptoms and Ill-Defined Conditions (780-799)	5	4	1			21	2	3	12	4
All Other Diseases (001-799)	29	13	16			189	44	55	40	50
Accidents (E800-E949)	35	20	11	4		110	43	21	29	17
Motor Vehicle Traffic (E810-E819)	24	14	7	3		50	23	7	13	7
Motor Vehicle Non-Traffic (E820-E825)						1			1	
Railway (E800-E807)										
Poisoning by Drugs & Medicaments (E850-E858)						1		1		
Falls (E880-E888)	2		2			13	5	4	3	1
Fire and Flames (E890-E899)	1			1		12	3	3	4	2
Drowning (E910)	1	1				5	1	2	1	1
Firearms (E922)	2	2				3	1		2	
Residual (E800-E949)	5	3	2			25	10	4	5	6
Suicide (E950-E959)	9	9				33	19	7	6	1
Firearms (E955)	5	5				23	16	3	3	1
Hanging, Strangulation and Suffocation (E953)						2		1	1	
Poisoning (E950-E952)	3	3				6	2	3	1	
Residual (E950-E959)	1	1				2	1		1	
Homicide and Legal Intervention (E960-E978)	3	2	1			33	7	2	15	9
Assault by Firearms (E965)	1	1				17	2	1	9	5
Assault by Cutting and Piercing (E966)						10	5	1	3	1
Residual (E960-E978)	2	1	1			6			3	3
Other External Causes (E980-E999)	1	1				5	1	1	2	1

Table 52-A

DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984

(Residence Data)

CAUSE OF DEATH	SALUDA					SPARTANBURG				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	170	57	55	25	33	1905	805	696	235	169
Infectious and Parasitic Dis. (001-139)	3	-	-	1	2	26	9	6	5	6
Enteritis and Other Intestinal Dis. (008-009)	-	-	-	-	-	1	-	-	1	-
Tuberculosis, All Forms (010-018)	-	-	-	-	-	2	1	-	-	1
Tetanus (037)	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	2	-	-	1	1	19	5	5	4	5
Measles (055)	-	-	-	-	-	-	-	-	-	-
Syphilis and its Sequelae (090-097)	-	-	-	-	-	-	-	-	-	-
Remainder of (001-139)	1	-	-	-	1	4	3	1	-	-
Malignant Neoplasms (140-208)	37	14	12	6	5	408	160	162	50	36
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	-	-	-	10	5	1	3	1
Of Digestive Organs and Peritoneum (150-159)	7	4	1	1	1	88	23	37	17	11
Of Respiratory System (160-165)	7	5	-	2	-	103	63	20	13	7
Of Breast (174-175)	10	-	8	-	2	45	-	39	-	6
Of Genital Organs (179-187)	5	1	2	1	1	57	19	22	9	7
Of Urinary Organs (188-189)	1	1	-	-	-	13	3	7	2	1
Leukemia (204-208)	-	-	-	-	-	7	2	5	-	-
Of Other and Unspecified Sites (170-173, 190-199)	4	2	-	2	-	47	22	20	4	1
Of Lymphatic and Hematopoietic Tissues (200-203)	2	-	1	-	1	38	23	11	2	2
Benign and Unspecified Neoplasms (210-239)	-	-	-	-	-	5	2	3	-	-
Diabetes Mellitus (250)	1	-	-	-	1	37	9	22	2	4
Meningitis (320-322)	-	-	-	-	-	2	-	1	1	-
Diseases of Heart (390-398,402,404-429)	54	22	20	7	5	687	298	262	71	56
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	-	-	-	-	-	5	4	1	-	-
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	3	-	2	-	1	29	8	11	5	5
Ischemic Heart Disease (410-414)	44	21	14	7	2	481	227	180	43	31
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	1	-	1	-	-	48	15	24	2	7
All Other Forms of Heart Disease (415-423, 425-427, 429)	6	1	3	-	2	124	44	46	21	13
Hypertension (401, 403)	-	-	-	-	-	16	4	2	5	5
Cerebrovascular Disease (430-438)	29	6	14	3	6	144	47	57	20	20
Arteriosclerosis (440)	7	3	2	-	2	20	7	12	-	1
Other Diseases of the Circulatory System (441-459)	2	-	1	-	1	17	11	3	3	-
Acute Bronchitis and Bronchiolitis (466)	-	-	-	-	-	-	-	-	-	-
Pneumonia (480-486)	2	-	1	-	1	53	25	16	8	4
Influenza (487)	-	-	-	-	-	-	-	-	-	-
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	4	2	-	1	1	59	37	15	4	3
Chronic and Unqualified Bronchitis (490-491)	-	-	-	-	-	2	1	1	-	-
Emphysema (492)	1	1	-	-	-	12	9	1	2	-
Asthma (493)	1	-	-	-	1	4	-	3	-	1
Other Chr. Obstructive Pulm. Diseases (494-496)	2	1	-	1	-	41	27	10	2	2
Ulcer of Stomach and Duodenum (531-533)	2	-	-	1	1	9	3	3	3	-
Hernia and Intestinal Obstruction (550-553, 560)	-	-	-	-	-	9	3	5	1	-
Chronic Liver Disease and Cirrhosis (571)	-	-	-	-	-	23	8	11	1	3
Other Disease of the Respiratory System (510-519)	1	-	-	-	1	13	4	7	2	-
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	-	-	-	-	-	16	4	9	2	1
Infections of Kidney (590)	-	-	-	-	-	-	-	-	-	-
Congenital Anomalies (740-759)	2	1	-	-	1	9	2	3	4	-
Certain Conditions Originating in the Perinatal Period (760-779)	1	1	-	-	-	22	6	8	4	4
Symptoms and Ill-Defined Conditions (780-799)	-	-	-	-	-	6	3	1	1	1
All Other Diseases (001-799)	15	7	4	1	3	139	63	48	17	11
Accidents (E800-E949)	7	1	1	4	1	129	70	27	23	9
Motor Vehicle Traffic (E810-E819)	5	1	-	3	1	59	36	9	10	4
Motor Vehicle Non-Traffic (E820-E825)	1	-	-	1	-	3	3	-	-	-
Railway (E800-E807)	-	-	-	-	-	1	1	-	-	-
Poisoning by Drugs & Medicaments (E850-E858)	-	-	-	-	-	2	1	1	-	-
Falls (E880-E888)	-	-	-	-	-	22	10	8	3	1
Fire and Flames (E890-E899)	1	-	1	-	-	14	5	5	4	-
Drowning (E910)	-	-	-	-	-	7	2	1	4	-
Firearms (E922)	-	-	-	-	-	1	1	-	-	-
Residual (E800-E949)	-	-	-	-	-	20	11	3	2	4
Suicide (E950-E959)	-	-	-	-	-	37	25	8	3	1
Firearms (E955)	-	-	-	-	-	25	20	3	1	1
Hanging, Strangulation and Suffocation (E953)	-	-	-	-	-	4	2	1	1	-
Poisoning (E950-E952)	-	-	-	-	-	6	2	4	-	-
Residual (E950-E959)	-	-	-	-	-	2	1	-	1	-
Homicide and Legal Intervention (E960-E978)	3	-	-	1	2	18	5	5	5	3
Assault by Firearms (E965)	2	-	-	1	1	12	4	3	3	2
Assault by Cutting and Piercing (E966)	-	-	-	-	-	3	-	1	1	1
Residual (E960-E978)	1	-	-	-	1	3	1	1	1	-
Other External Causes (E980-E999)	-	-	-	-	-	1	-	-	-	1

Table 52-A
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	SUMTER					UNION				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	642	171	146	185	140	316	124	112	47	33
Infectious and Parasitic Dis. (001-139)	6	3		1	2	2	1			1
Enteritis and Other Intestinal Dis. (008-009)										
Tuberculosis, All Forms (010-018)						1				1
Tetanus (037)										
Septicemia (038)	5	2		1	2	1	1			
Measles (055)										
Syphilis and its Sequelae (090-097)										
Remainder of (001-139)	1	1								
Malignant Neoplasms (140-208)	126	44	23	38	21	67	23	23	14	7
Of Lip, Oral Cavity and Pharynx (140-149)	6	3		3		3	1	1	1	
Of Digestive Organs and Peritoneum (150-159)	32	11	5	8	8	14	5	3	2	4
Of Respiratory System (160-165)	33	16	5	11	1	22	12	3	5	2
Of Breast (174-175)	10		6		4	5		5		
Of Genital Organs (179-187)	17	4	4	7	2	7	2	1	3	1
Of Urinary Organs (188-189)	4	1	1	2		1		1		
Leukemia (204-208)	4	2	1		1	1	1			
Of Other and Unspecified Sites (170-173, 190-199)	13	4		6	3	8		6	2	
Of Lymphatic and Hematopoietic Tissues (200-203)	7	3	1	1	2	6	2	3	1	
Benign and Unspecified Neoplasms (210-239)	2	1	1			1			1	
Diabetes Mellitus (250)	11	1	5		5	3		2		1
Meningitis (320-322)	4		1	2	1					
Diseases of Heart (390-398,402,404-429)	226	49	51	66	60	146	55	58	17	16
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)										
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	14	1	3	3	7	13	3	6	3	1
Ischemic Heart Disease (410-414)	143	31	38	43	31	106	44	41	11	10
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424-428)	19	4	3	4	8	5	3	1		1
All Other Forms of Heart Disease (415-423, 425-427, 429)	50	13	7	16	14	22	5	10	3	4
Hypertension (401, 403)	2				2					
Cerebrovascular Disease (430-438)	72	15	25	15	17	35	10	16	5	4
Arteriosclerosis (440)	3	1	1	1		1		1		
Other Diseases of the Circulatory System (441-459)	5	3	1		1	1			1	
Acute Bronchitis and Bronchiolitis (466)	1			1						
Pneumonia (480-486)	10	3	3	2	2	6	5	1		
Influenza (487)										
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	15	7	5	2	1	4	4			
Chronic and Unqualified Bronchitis (490-491)	1				1					
Emphysema (492)	3	2	1			2	2			
Asthma (493)	1	1								
Other Chr. Obstructive Pulm. Diseases (494-496)	10	4	4	2		2	2			
Ulcer of Stomach and Duodenum (531-533)	1				1	2	2			
Hernia and Intestinal Obstruction (550-553, 560)										
Chronic Liver Disease and Cirrhosis (571)	4		1	3		2	2			
Other Disease of the Respiratory System (510-519)	6		2	2	2	2	1	1		
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	5	3		1	1	4	2	2		
Infections of Kidney (590)	1	1								
Congenital Anomalies (740-759)	7	4	1	2		1		1		
Certain Conditions Originating in the Perinatal Period (760-779)	17		3	7	7	2	1		1	
Symptoms and Ill-Defined Conditions (780-799)	4		1	2	1	1			1	
All Other Diseases (001-799)	50	11	13	12	14	14	5	3	3	3
Accidents (E800-E949)	47	19	8	19	1	12	5	4	3	
Motor Vehicle Traffic (E810-E819)	30	11	5	13	1	8	2	3	3	
Motor Vehicle Non-Traffic (E820-E825)										
Railway (E800-E807)										
Poisoning by Drugs & Medicaments (E850-E858)										
Falls (E880-E888)	3	1	1	1		1	1			
Fire and Flames (E890-E899)	3		1	2		1	1			
Drowning (E910)	2	1		1						
Firearms (E922)						1		1		
Residual (E800-E949)	9	6	1	2		1	1			
Suicide (E950-E959)	7	5	1	1		9	8		1	
Firearms (E955)	5	3	1	1		8	8			
Hanging, Strangulation and Suffocation (E953)						1			1	
Poisoning (E950-E952)	1	1								
Residual (E950-E959)	1	1								
Homicide and Legal Intervention (E960-E978)	9	1		7	1	1				1
Assault by Firearms (E965)	5			4	1					
Assault by Cutting and Piercing (E966)	3			3		1				1
Residual (E960-E978)	1	1								
Other External Causes (E980-E999)	1			1						

Table 52-A
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1984
(Residence Data)

CAUSE OF DEATH	WILLIAMSBURG					YORK				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	370	78	74	112	106	882	388	276	102	116
Infectious and Parasitic Dis. (001-139)	15	2	6	3	4	8	2	2	2	2
Enteritis and Other Intestinal Dis. (008-009)	-	-	-	-	-	-	-	-	-	-
Tuberculosis, All Forms (010-018)	-	-	-	-	-	-	-	-	-	-
Tetanus (037)	-	-	-	-	-	-	-	-	-	-
Septicemia (038)	9	2	4	1	2	6	1	1	2	2
Measles (055)	-	-	-	-	-	-	-	-	-	-
Syphilis and its Sequelae (090-097)	-	-	-	-	-	-	-	-	-	-
Remainder of (001-139)	6	-	2	2	2	2	1	1	-	-
Malignant Neoplasms (140-208)	75	20	12	23	20	196	92	62	24	18
Of Lip, Oral Cavity and Pharynx (140-149)	4	1	1	2	-	2	1	-	1	-
Of Digestive Organs and Peritoneum (150-159)	18	5	1	8	4	54	17	16	11	10
Of Respiratory System (160-165)	23	8	4	9	2	52	38	7	7	-
Of Breast (174-175)	6	-	2	-	4	17	-	14	-	3
Of Genital Organs (179-187)	8	2	1	1	4	21	11	7	1	2
Of Urinary Organs (188-189)	3	1	1	1	-	8	7	-	-	1
Leukemia (204-208)	3	-	-	2	1	7	3	2	-	2
Of Other and Unspecified Sites (170-173, 190-199)	9	3	1	-	5	26	10	12	4	-
Of Lymphatic and Hematopoietic Tissues (200-203)	1	-	1	-	-	9	5	4	-	-
Benign and Unspecified Neoplasms (210-239)	-	-	-	-	-	1	-	1	-	-
Diabetes Mellitus (250)	4	1	1	1	1	14	1	4	3	6
Meningitis (320-322)	-	-	-	-	-	-	-	-	-	-
Diseases of Heart (390-398,402,404-429)	131	32	31	35	33	292	130	107	21	34
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	-	-	-	-	-	-	-	-	-	-
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	4	-	-	1	3	11	2	2	3	4
Ischemic Heart Disease (410-414)	81	24	20	20	17	188	82	74	12	20
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424,428)	8	1	2	1	4	14	10	2	-	2
All Other Forms of Heart Disease (415-423, 425-427, 429)	38	7	9	13	9	79	36	29	6	8
Hypertension (401, 403)	3	-	-	2	1	-	-	-	-	-
Cerebrovascular Disease (430-438)	45	8	7	8	22	90	34	25	13	18
Arteriosclerosis (440)	2	-	1	-	1	16	5	8	1	2
Other Diseases of the Circulatory System (441-459)	1	-	-	-	1	11	5	3	1	2
Acute Bronchitis and Bronchiolitis (466)	-	-	-	-	-	1	-	-	-	1
Pneumonia (480-486)	8	2	2	3	1	21	7	9	3	2
Influenza (487)	-	-	-	-	-	-	-	-	-	-
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	5	2	1	2	-	24	13	7	3	1
Chronic and Unqualified Bronchitis (490-491)	1	1	-	-	-	2	-	1	1	-
Emphysema (492)	1	1	-	-	-	5	5	-	-	-
Asthma (493)	1	-	1	-	-	4	1	2	-	1
Other Chr. Obstructive Pulm. Diseases (494-496)	2	-	-	2	-	13	7	4	2	-
Ulcer of Stomach and Duodenum (531-533)	2	-	2	-	-	1	-	1	-	-
Hernia and Intestinal Obstruction (550-553, 560)	2	-	1	-	1	1	1	-	-	-
Chronic Liver Disease and Cirrhosis (571)	1	1	-	-	-	9	3	2	2	2
Other Disease of the Respiratory System (510-519)	5	-	-	3	2	7	5	2	-	-
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	5	1	-	2	2	11	4	3	2	2
Infections of Kidney (590)	-	-	-	-	-	1	-	1	-	-
Congenital Anomalies (740-759)	1	-	-	1	-	12	6	3	1	2
Certain Conditions Originating in the Perinatal Period (760-779)	5	-	-	2	3	10	5	2	-	3
Symptoms and Ill-Defined Conditions (780-799)	4	1	1	1	1	8	2	1	3	2
All Other Diseases (001-799)	26	4	4	10	8	60	21	20	9	10
Accidents (E800-E949)	23	4	5	12	2	60	31	11	12	6
Motor Vehicle Traffic (E810-E819)	18	3	3	10	2	29	14	5	6	4
Motor Vehicle Non-Traffic (E820-E825)	-	-	-	-	-	-	-	-	-	-
Railway (E800-E807)	1	-	-	1	-	-	-	-	-	-
Poisoning by Drugs & Medicaments (E850-E858)	-	-	-	-	-	1	1	-	-	-
Falls (E880-E888)	-	-	-	-	-	9	5	4	-	-
Fire and Flames (E890-E899)	-	-	-	-	-	5	2	-	2	1
Drowning (E910)	1	1	-	-	-	1	-	-	-	1
Firearms (E922)	-	-	-	-	-	1	1	-	-	-
Residual (E800-E949)	3	-	2	1	-	14	8	2	4	-
Suicide (E950-E959)	-	-	-	-	-	19	17	2	-	-
Firearms (E955)	-	-	-	-	-	15	14	1	-	-
Hanging, Strangulation and Suffocation (E953)	-	-	-	-	-	4	3	1	-	-
Poisoning (E950-E952)	-	-	-	-	-	-	-	-	-	-
Residual (E950-E959)	-	-	-	-	-	-	-	-	-	-
Homicide and Legal Intervention (E960-E978)	7	-	-	4	3	9	4	-	2	3
Assault by Firearms (E965)	6	-	-	4	2	8	4	-	1	3
Assault by Cutting and Piercing (E966)	-	-	-	-	-	-	-	-	-	-
Residual (E960-E978)	1	-	-	-	1	1	-	-	1	-
Other External Causes (E980-E999)	-	-	-	-	-	-	-	-	-	-

Table 53.
South Carolina Deaths by Cause, Age, Race, Sex, 1984
(Residence Data)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
ALL CAUSES	Total	26,363	743	119	81	88	235	364	823	1,068	1,983	4,450	6,889	9,518	2
	MW	9,637	184	34	28	30	118	179	328	384	773	1,905	2,702	2,970	2
	FW	8,178	155	31	23	15	50	52	127	177	418	1,008	1,829	4,293	-
	M NW	4,620	223	26	17	31	48	101	258	335	495	905	1,215	966	-
	F NW	3,928	181	28	13	12	19	32	110	172	297	632	1,143	1,289	-
INFECTIOUS AND PARASITIC DISEASES (001-139)	Total	375	28	3	3	-	3	6	10	19	43	50	93	117	-
	MW	103	8	1	2	-	1	2	-	2	9	20	36	22	-
	FW	83	2	1	-	-	-	-	-	1	5	7	23	44	-
	M NW	97	10	1	-	-	1	3	8	7	16	14	17	20	-
	F NW	92	8	-	1	-	1	1	2	9	13	9	17	31	-
1. Enteritis and other Intestinal Diseases (008-009)	Total	5	4	-	-	-	-	-	-	-	-	-	1	-	-
	MW	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	FW	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	M NW	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	F NW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Tuberculosis, all forms (010-018)	Total	32	1	-	-	-	-	-	2	1	5	8	5	10	-
	MW	5	-	-	-	-	-	-	-	1	-	1	2	1	-
	FW	4	-	-	-	-	-	-	-	-	1	-	-	3	-
	M NW	12	-	-	-	-	-	-	2	-	3	5	1	1	-
	F NW	11	1	-	-	-	-	-	-	-	1	2	2	5	-
3. Tetanus (037)	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M NW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F NW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Septicemia (038)	Total	227	13	-	-	-	2	2	1	7	18	24	65	95	-
	MW	55	2	-	-	-	1	1	-	-	2	9	23	17	-
	FW	60	-	-	-	-	-	-	-	-	3	5	16	36	-
	M NW	52	6	-	-	-	1	1	-	3	7	4	13	17	-
	F NW	60	5	-	-	-	-	-	1	4	6	6	13	25	-
5. Measles (055)	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M NW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F NW	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 53. (Cont.)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
6. Syphilis and its Sequelae (090-097)	Total	3	-	-	-	-	-	-	-	-	-	1	1	1	-
	MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M NW	2	-	-	-	-	-	-	-	-	-	1	-	1	-
	F NW	1	-	-	-	-	-	-	-	-	-	-	1	-	-
7. Remainder of (001-139)	Total	108	10	3	3	-	1	4	7	11	20	17	21	11	-
	MW	41	4	1	2	-	-	1	-	1	7	10	11	4	-
	FW	18	2	1	-	-	-	-	-	1	1	2	6	5	-
	M NW	29	2	1	-	-	-	2	6	4	6	4	3	1	-
	F NW	20	2	-	1	-	1	1	1	5	6	1	1	1	-
MALIGNANT NEOPLASMS (140-208)	Total	5,524	3	7	13	15	13	14	96	197	584	1,391	1,722	1,469	-
	MW	2,098	1	2	3	6	5	3	28	49	199	564	679	559	-
	FW	1,711	1	4	7	2	2	4	27	74	194	399	471	526	-
	M NW	1,001	-	-	1	4	6	6	15	38	113	265	345	208	-
	F NW	714	1	1	2	3	-	1	26	36	78	163	227	176	-
1. Of lip, oral cavity and pharynx (140-149)	Total	127	-	-	-	-	-	-	1	8	25	42	27	24	-
	MW	53	-	-	-	-	-	-	-	-	8	18	14	13	-
	FW	20	-	-	-	-	-	-	-		3	7	4	6	-
	M NW	46	-	-	-	-	-	-	1	4	14	16	8	3	-
	F NW	8	-	-	-	-	-	-	-	4	-	1	1	2	-
2. Of digestive organs and peritoneum (150-159)	Total	1,359	-	1	-	-	1	3	13	32	118	335	436	420	-
	MW	452	-	1	-	-	1	-	4	11	39	119	149	128	-
	FW	387	-	-	-	-	-	-	1	6	21	89	104	166	-
	M NW	289	-	-	-	-	-	2	4	13	36	79	99	56	-
	F NW	231	-	-	-	-	-	1	4	2	22	48	84	70	-
3. Of respiratory system (160-165)	Total	1,526	-	-	-	1	-	-	5	36	181	478	526	299	-
	MW	846	-	-	-	1	-	-	2	14	88	276	289	176	-
	FW	316	-	-	-	-	-	-	1	10	41	85	110	69	-
	M NW	293	-	-	-	-	-	-	-	11	38	96	107	41	-
	F NW	71	-	-	-	-	-	-	2	1	14	21	20	13	-
4. Of breast (174-175)	Total	474	-	-	-	-	-	-	15	46	69	116	109	119	-
	MW	2	-	-	-	-	-	-	-	-	-	-	2	-	-
	FW	344	-	-	-	-	-	-	5	31	56	85	77	90	-
	M NW	2	-	-	-	-	-	-	-	-	-	-	1	1	-
	F NW	126	-	-	-	-	-	-	10	15	13	31	29	28	-

Table 53. (Cont.)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
5. Of genital organs (179-187)	Total	683	-	-	-	-	-	1	10	16	45	135	232	244	-
	MW	211	-	-	-	-	-	-	1	2	5	33	67	103	-
	FW	192	-	-	-	-	-	1	5	9	25	45	59	48	-
	M NW	167	-	-	-	-	-	-	-	-	4	27	68	68	-
	F NW	113	-	-	-	-	-	-	4	5	11	30	38	25	-
6. Of urinary organs (188-189)	Total	201	-	-	-	-	-	2	1	4	14	45	71	64	-
	MW	90	-	-	-	-	-	-	-	2	7	20	31	30	-
	FW	52	-	-	-	-	-	-	-	-	3	13	17	19	-
	M NW	31	-	-	-	-	-	2	-	1	1	7	11	9	-
	F NW	28	-	-	-	-	-	-	1	1	3	5	12	6	-
7. Leukemia (204-208)	Total	202	1	4	9	7	6	3	9	9	14	32	51	57	-
	MW	80	1	1	3	2	3	-	2	4	8	12	19	25	-
	FW	72	-	2	5	2	1	1	5	1	4	12	16	23	-
	M NW	25	-	-	1	2	2	2	2	2	2	2	7	3	-
	F NW	25	-	1	-	1	-	-	-	2	-	6	9	6	-
8. Of other and unspecified sites (170-173, 190-199	Total	649	2	2	4	5	3	2	24	28	78	159	178	164	-
	MW	243	-	-	-	1	1	-	13	11	29	65	72	51	-
	FW	228	1	2	2	-	1	2	6	9	27	52	51	75	-
	M NW	95	-	-	-	2	1	-	2	3	12	28	30	17	-
	F NW	83	1	-	2	2	-	-	3	5	10	14	25	21	-
9. Of lymphatic & hematopoietic tissue (200-203)	Total	303	-	-	-	2	3	3	18	18	40	49	92	78	-
	MW	121	-	-	-	2	-	3	6	5	15	21	36	33	-
	FW	100	-	-	-	-	-	-	4	8	14	11	33	30	-
	M NW	53	-	-	-	-	3	-	6	4	6	10	14	10	-
	F NW	29	-	-	-	-	-	-	2	1	5	7	9	5	-
BENIGN AND UNSPECIFIED NEOPLASMS (210-239)	Total	66	-	1	-	-	1	-	1	3	6	8	22	24	-
	MW	17	-	-	-	-	-	-	-	-	-	3	7	7	-
	FW	26	-	-	-	-	-	-	-	-	3	3	7	13	-
	M NW	14	-	1	-	-	1	-	1	1	3	2	4	1	-
	F NW	9	-	-	-	-	-	-	-	2	-	-	4	3	-
DIABETES MELLITUS (250)	Total	480	-	-	2	-	2	2	9	18	40	82	167	158	-
	MW	90	-	-	1	-	-	1	3	4	10	18	22	31	-
	FW	158	-	-	1	-	-	-	2	2	8	17	58	70	-
	M NW	78	-	-	-	-	1	-	4	9	13	12	23	16	-
	F NW	154	-	-	-	-	1	1	-	3	9	35	64	41	-

Table 53. (Cont.)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
MENINGITIS (320-322)	Total	23	9	2	-	-	-	1	-	1	1	3	2	4	-
	MW	3	-	-	-	-	-	-	-	-	-	2	-	1	-
	FW	3	2	1	-	-	-	-	-	-	-	-	-	-	-
	M NW	11	4	-	-	-	-	1	-	1	1	1	2	1	-
	F NW	6	3	1	-	-	-	-	-	-	-	-	-	2	-
DISEASES OF HEART (390-398, 402, 404-429)	Total	9,343	16	7	2	1	4	9	53	225	585	1,579	2,729	4,133	-
	MW	3,555	3	3	-	-	1	3	16	95	288	760	1,139	1,247	-
	FW	3,114	4	-	1	-	1	-	4	21	77	290	738	1,978	-
	M NW	1,304	6	2	1	-	1	3	23	64	140	295	405	364	-
	F NW	1,370	3	2	-	1	1	3	10	45	80	234	447	544	-
1. Rheumatic fever & chr. rheumatic heart disease (390-398)	Total	60	-	1	-	-	-	-	-	7	7	14	16	15	-
	MW	17	-	1	-	-	-	-	-	2	2	6	3	3	-
	FW	32	-	-	-	-	-	-	-	3	3	6	11	9	-
	M NW	5	-	-	-	-	-	-	-	1	-	1	1	2	-
	F NW	6	-	-	-	-	-	-	-	1	2	1	1	1	-
2. Hypertensive heart & hypertensive heart-renal (402-404)	Total	400	-	-	-	-	-	-	1	7	23	59	116	194	-
	MW	79	-	-	-	-	-	-	-	-	5	13	23	38	-
	FW	110	-	-	-	-	-	-	-	-	1	2	23	84	-
	M NW	81	-	-	-	-	-	-	1	3	11	23	26	17	-
	F NW	130	-	-	-	-	-	-	-	4	6	21	44	55	-
3. Ischemic heart disease (410-414)	Total	6,163	-	-	-	-	1	2	28	128	402	1,083	1,840	2,679	-
	MW	2,628	-	-	-	-	-	1	10	70	216	587	852	892	-
	FW	2,065	-	-	-	-	-	-	2	9	56	197	516	1,285	-
	M NW	748	-	-	-	-	1	1	12	35	85	169	234	211	-
	F NW	722	-	-	-	-	-	-	4	14	45	130	238	291	-
4. Chronic disease of endocardium & other myoca. insuff. (424-428)	Total	610	-	-	-	1	1	2	4	11	13	70	167	341	-
	MW	176	-	-	-	-	1	1	2	4	4	22	59	83	-
	FW	213	-	-	-	-	-	-	-	1	1	9	37	165	-
	M NW	87	-	-	-	-	-	1	1	4	5	12	32	32	-
	F NW	134	-	-	-	1	-	-	1	2	3	27	39	61	-
5. All other forms of heart disease (415-423, 425-427, 429)	Total	2,110	16	6	2	-	2	5	20	72	140	353	590	904	-
	MW	655	3	2	-	-	-	1	4	19	61	132	202	231	-
	FW	694	4	-	1	-	1	-	2	8	16	76	151	435	-
	M NW	383	6	2	1	-	-	1	9	21	39	90	112	102	-
	F NW	378	3	2	-	-	1	3	5	24	24	55	125	136	-

Table 53. (Cont.)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
HYPERTENSION (401,403)	Total	128	–	–	–	–	–	–	1	6	12	21	39	49	–
	MW	29	–	–	–	–	–	–	–	3	1	4	8	13	–
	FW	23	–	–	–	–	–	–	–	–	–	–	8	15	–
	M NW	33	–	–	–	–	–	–	1	1	5	7	9	10	–
	F NW	43	–	–	–	–	–	–	–	2	6	10	14	11	–
CEREBROVASCULAR DISEASES (430-438)	Total	2,377	3	–	1	1	2	3	13	55	130	301	622	1,246	–
	MW	614	1	–	–	–	1	1	2	12	32	91	178	296	–
	FW	878	–	–	–	–	–	1	3	4	22	59	147	642	–
	M NW	428	2	–	1	1	–	–	5	23	42	96	136	122	–
	F NW	457	–	–	–	–	1	1	3	16	34	55	161	186	–
ARTERIOSCLEROSIS (440)	Total	250	–	–	–	–	–	–	–	–	3	18	45	184	–
	MW	73	–	–	–	–	–	–	–	–	2	11	12	48	–
	FW	128	–	–	–	–	–	–	–	–	–	3	14	111	–
	M NW	21	–	–	–	–	–	–	–	–	–	2	10	9	–
	F NW	28	–	–	–	–	–	–	–	–	1	2	9	16	–
OTHER DISEASES OF CIRCULATORY SYSTEM (441-459)	Total	320	–	–	–	–	–	1	5	11	18	69	101	115	–
	MW	142	–	–	–	–	–	–	1	6	6	38	51	40	–
	FW	88	–	–	–	–	–	–	–	1	3	13	26	45	–
	M NW	46	–	–	1	–	–	1	3	3	8	10	13	8	–
	F NW	44	–	–	–	–	–	–	1	1	1	8	11	22	–
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)	Total	8	2	1	–	–	–	–	–	–	–	3	–	2	–
	MW	2	–	–	–	–	–	–	–	–	–	1	–	1	–
	FW	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	M NW	3	1	–	–	–	–	–	–	–	–	2	–	–	–
	F NW	2	1	–	–	–	–	–	–	–	–	–	–	1	–
PNEUMONIA (480-486)	Total	667	15	3	1	1	1	1	10	16	25	50	133	411	–
	MW	246	2	–	1	–	1	1	3	4	11	25	61	137	–
	FW	228	1	–	–	1	–	–	–	1	3	5	32	185	–
	M NW	120	9	2	–	–	–	–	4	9	10	16	25	45	–
	F NW	73	3	1	–	–	–	–	3	2	1	4	15	44	–
INFLUENZA (487)	Total	5	–	–	–	–	–	–	–	–	–	–	1	4	–
	MW	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	FW	3	–	–	–	–	–	–	–	–	–	–	1	2	–
	M NW	2	–	–	–	–	–	–	–	–	–	–	–	2	–
	F NW	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 53. (Cont.)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
CHR. OBSTRUCTIVE PULMONARY DISEASE & ALLIED CONDITIONS (490-496)	Total	706	2	–	–	–	–	2	3	7	27	131	274	260	–
	MW	408	–	–	–	–	–	1	–	2	10	71	166	158	–
	FW	203	–	–	–	–	–	1	1	2	11	40	59	89	–
	M NW	73	2	–	–	–	–	–	1	2	3	16	40	9	–
	F NW	22	–	–	–	–	–	–	1	1	3	4	9	4	–
1. Chronic and unqualified bronchitis (490-491)	Total	37	1	–	–	–	–	–	–	–	3	4	17	12	–
	MW	18	–	–	–	–	–	–	–	–	1	3	9	5	–
	FW	15	–	–	–	–	–	–	–	–	1	1	6	7	–
	M NW	2	1	–	–	–	–	–	–	–	–	–	1	–	–
	F NW	2	–	–	–	–	–	–	–	–	1	–	1	–	–
2. Emphysema (492)	Total	109	–	–	–	–	–	–	–	1	2	23	37	46	–
	MW	77	–	–	–	–	–	–	–	1	1	14	27	34	–
	FW	22	–	–	–	–	–	–	–	–	–	6	6	10	–
	M NW	9	–	–	–	–	–	–	–	–	–	3	4	2	–
	F NW	1	–	–	–	–	–	–	–	–	1	–	–	–	–
3. Asthma (493)	Total	43	–	–	–	–	–	2	2	2	5	11	13	8	–
	MW	11	–	–	–	–	–	1	–	–	–	5	4	1	–
	FW	19	–	–	–	–	–	1	1	1	3	2	5	6	–
	M NW	7	–	–	–	–	–	–	1	–	2	3	1	–	–
	F NW	6	–	–	–	–	–	–	–	1	–	1	3	1	–
4. Other chr. obstructive pulmonary diseases (494-496)	Total	517	1	–	–	–	–	–	1	4	17	93	207	194	–
	MW	302	–	–	–	–	–	–	–	1	8	49	126	118	–
	FW	147	–	–	–	–	–	–	–	1	7	31	42	66	–
	M NW	55	1	–	–	–	–	–	–	2	1	10	34	7	–
	F NW	13	–	–	–	–	–	–	1	–	1	3	5	3	–
ULCER OF STOMACH AND DUODENUM (531-533)	Total	91	–	–	–	–	–	–	1	–	8	22	21	39	–
	MW	37	–	–	–	–	–	–	–	–	3	11	8	15	–
	FW	30	–	–	–	–	–	–	–	–	1	4	7	18	–
	M NW	15	–	–	–	–	–	–	1	–	3	4	4	3	–
	F NW	9	–	–	–	–	–	–	–	–	1	3	2	3	–
HERNIA & INTESTINAL OBSTRUCTION (550-553, 560)	Total	62	2	–	–	–	1	1	–	1	1	2	19	35	–
	MW	19	–	–	–	–	–	1	–	1	–	1	8	8	–
	FW	25	–	–	–	–	–	–	–	–	–	–	4	21	–
	M NW	7	2	–	–	–	–	–	–	–	1	–	3	1	–
	F NW	11	–	–	–	–	1	–	–	–	–	1	4	5	–

Table 53. (Cont.)

Cause ot Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	Total	318	-	1	-	-	-	1	12	46	58	91	80	29	-
	MW	145	-	1	-	-	-	-	1	21	24	39	49	10	-
	FW	78	-	-	-	-	-	-	1	2	10	30	21	14	-
	M NW	57	-	-	-	-	-	-	7	3	12	16	7	2	-
	F NW	38	-	-	-	-	-	1	3	10	12	6	3	3	-
OTHER DISEASES OF THE RESPIRA-TORY SYSTEM (510-519)	Total	192	6	4	-	1	2	1	10	3	10	31	51	73	-
	MW	72	1	1	-	-	2	-	2	-	3	17	19	19	-
	FW	62	1	1	-	-	-	1	2	2	1	7	15	15	-
	M NW	33	1	2	-	-	-	-	4	1	5	4	9	9	-
	F NW	25	3	-	-	1	-	-	2	-	1	3	8	8	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (580-589)	Total	280	2	-	1	-	-	2	2	7	17	47	76	126	-
	MW	61	-	-	-	-	-	1	-	-	5	7	16	32	-
	FW	70	2	-	-	-	-	-	-	2	2	8	15	41	-
	M NW	60	-	-	-	-	-	-	2	4	4	13	17	20	-
	F NW	89	-	-	1	-	-	1	-	1	6	19	28	33	-
INFECTIONS OF KIDNEY (590)	Total	26	-	-	-	-	-	-	1	1	2	-	8	14	-
	MW	5	-	-	-	-	-	-	1	-	1	-	1	2	-
	FW	12	-	-	-	-	-	-	-	-	1	-	4	7	-
	M NW	4	-	-	-	-	-	-	-	1	-	-	2	1	-
	F NW	5	-	-	-	-	-	-	-	-	-	-	1	4	-
CONGENITAL ANOMALIES (740-759)	Total	186	124	12	6	3	6	3	10	7	4	7	2	2	-
	MW	67	44	4	2	1	1	2	4	3	2	2	1	1	-
	FW	61	38	3	3	1	3	1	4	3	1	3	-	1	-
	M NW	36	24	4	1	1	2	-	1	-	1	2	-	-	-
	F NW	22	18	1	-	-	-	-	1	1	-	-	1	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	Total	404	403	1	-	-	-	-	-	-	-	-	-	-	-
	MW	95	95	-	-	-	-	-	-	-	-	-	-	-	-
	FW	74	74	-	-	-	-	-	-	-	-	-	-	-	-
	M NW	121	121	-	-	-	-	-	-	-	-	-	-	-	-
	F NW	114	113	1	-	-	-	-	-	-	-	-	-	-	-
SYMPTOMS AND ILL-DEFINED CONDITIONS (780-799)	Total	274	83	2	1	-	2	3	10	14	21	29	41	68	-
	MW	66	19	-	-	-	1	2	4	6	5	6	10	13	-
	FW	73	18	-	-	-	-	-	1	-	5	7	11	31	-
	M NW	85	27	1	-	-	-	1	4	7	10	13	10	12	-
	F NW	50	19	1	1	-	1	-	1	1	1	3	10	12	-

Table 53. (Cont.)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
ALL OTHER DISEASES (001-799)	Total	1,816	28	14	4	12	11	19	63	106	150	258	411	740	-
	MW	540	5	2	1	4	4	3	9	32	47	97	127	209	-
	FW	602	8	4	3	2	3	5	12	9	32	59	123	342	-
	M NW	338	9	3	-	1	3	7	22	44	37	55	82	75	-
	F NW	336	6	5	-	5	1	4	20	21	34	47	79	114	-
ACCIDENTS (E800-E949)	Total	1,721	13	56	46	51	152	222	335	190	143	176	157	178	2
	MW	784	5	19	18	18	85	123	174	81	66	68	62	63	2
	FW	329	4	15	8	7	32	31	49	28	23	36	33	63	-
	M NW	456	4	9	12	24	28	56	90	73	43	51	39	27	-
	F NW	152	-	13	8	2	7	12	22	8	11	21	23	25	-
1. Motor vehicle traffic (E810-E819)	Total	935	4	17	27	28	119	157	230	107	76	73	55	41	1
	MW	459	2	6	10	14	71	87	116	48	36	30	16	22	1
	FW	179	2	5	8	5	28	25	34	17	15	15	16	9	-
	M NW	228	-	3	4	7	14	37	63	38	22	19	16	5	-
	F NW	69	-	3	5	2	6	8	17	4	3	9	7	5	-
2. Motor vehicle non-traffic (E820-E825)	Total	14	-	2	1	-	-	2	4	1	1	2	1	-	-
	MW	10	-	-	1	-	-	2	3	-	1	2	1	-	-
	FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M NW	3	-	1	-	-	-	-	1	1	-	-	-	-	-
	F NW	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3. Railway (E800-E807)	Total	16	-	1	-	-	-	6	5	2	1	-	1	-	-
	MW	8	-	1	-	-	-	3	2	1	-	-	1	-	-
	FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M NW	8	-	-	-	-	-	3	3	1	1	-	-	-	-
	F NW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Poisoning by drugs and medicaments (E850-E858)	Total	30	-	-	-	-	1	2	17	4	4	-	1	1	-
	MW	16	-	-	-	-	1	1	9	1	3	-	1	-	-
	FW	8	-	-	-	-	-	1	4	1	1	-	-	1	-
	M NW	5	-	-	-	-	-	-	4	1	-	-	-	-	-
	F NW	1	-	-	-	-	-	-	-	1	-	-	-	-	-
5. Falls (E880-E888)	Total	137	1	-	-	-	-	5	5	5	7	23	23	68	-
	MW	61	1	-	-	-	-	4	3	3	3	11	18	28	-
	FW	51	-	-	-	-	-	-	-	2	3	5	9	32	-
	M NW	18	-	-	-	-	-	1	2	-	1	6	4	4	-
	F NW	7	-	-	-	-	-	-	-	-	-	1	2	4	-

Table 53. (Cont.)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
6. Fire & Flames (E890-E899)	Total	149	3	16	7	3	6	10	16	20	13	14	19	21	1
	MW	40	1	3	1	–	2	4	8	4	5	2	5	4	1
	FW	23	–	4	–	1	2	–	3	3	2	1	3	4	–
	M NW	59	2	4	4	2	1	5	4	12	5	7	5	8	–
	F NW	27	–	5	2	–	1	1	1	1	1	4	6	5	–
7. Drowning (E910)	Total	73	1	7	4	16	12	7	9	7	1	2	5	2	–
	MW	20	–	3	1	2	3	2	3	3	1	–	2	–	–
	FW	8	1	3	–	–	–	2	1	–	–	–	–	1	–
	M NW	39	–	–	2	14	9	3	3	3	–	2	3	–	–
	F NW	6	–	1	1	–	–	–	2	1	–	–	–	1	–
8. Firearms (E922)	Total	42	–	1	3	–	7	7	8	6	2	3	2	3	–
	MW	27	–	–	3	–	6	5	4	1	2	2	2	2	–
	FW	4	–	1	–	–	–	–	2	–	–	–	–	1	–
	M NW	10	–	–	–	–	1	2	2	4	–	1	–	–	–
	F NW	1	–	–	–	–	–	–	–	1	–	–	–	–	–
9. Residual (E800-E949)	Total	325	4	12	4	4	7	26	41	38	38	59	50	42	–
	MW	143	1	6	2	2	2	15	26	20	15	21	26	7	–
	FW	56	1	2	–	1	2	3	5	5	2	15	5	15	–
	M NW	86	2	1	2	1	3	5	8	13	14	16	11	10	–
	F NW	40	–	3	–	–	–	3	2	–	7	7	8	10	–
SUICIDE (E950-E959)	Total	390	–	–	–	1	18	36	90	62	44	56	53	30	–
	MW	265	–	–	–	1	11	23	55	43	29	40	36	27	–
	FW	75	–	–	–	–	5	5	15	15	12	12	9	2	–
	M NW	40	–	–	–	–	2	6	18	3	1	3	6	1	–
	F NW	10	–	–	–	–	–	2	2	1	2	1	2	–	–
1. Firearms (E955)	Total	282	–	–	–	1	14	25	54	39	33	42	46	28	–
	MW	205	–	–	–	1	11	16	35	31	22	31	32	26	–
	FW	49	–	–	–	–	2	4	10	6	10	8	8	1	–
	M NW	21	–	–	–	–	1	4	7	1	–	2	5	1	–
	F NW	7	–	–	–	–	–	1	2	1	1	1	1	–	–
2. Hanging, strangulation and suffocation (E953)	Total	42	–	–	–	–	3	5	14	9	2	6	2	1	–
	MW	28	–	–	–	–	–	4	8	7	2	4	2	1	–
	FW	5	–	–	–	–	2	–	–	1	–	2	–	–	–
	M NW	8	–	–	–	–	1	–	6	1	–	–	–	–	–
	F NW	1	–	–	–	–	–	1	–	–	–	–	–	–	–

Table 53. (Cont.)

Cause of Death	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk
3. Poisoning (E950-E952)	Total	48	-	-	-	-	1	3	20	13	3	4	3	1	-
	MW	25	-	-	-	-	-	2	12	5	1	3	2	-	-
	FW	20	-	-	-	-	1	1	5	8	2	1	1	1	-
	M NW	3	-	-	-	-	-	-	3	-	-	-	-	-	-
	F NW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Residual (E950-E959)	Total	18	-	-	-	-	-	3	2	1	6	4	2	-	-
	MW	7	-	-	-	-	-	1	-	-	4	2	-	-	-
	FW	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	M NW	8	-	-	-	-	-	2	2	1	1	1	1	-	-
	F NW	2	-	-	-	-	-	-	-	-	1	-	1	-	-
HOMICIDE AND LEGAL INTERVENTION (E960-E978)	Total	304	3	5	1	2	16	31	83	69	46	22	18	8	-
	MW	89	-	1	-	-	4	7	24	19	19	8	4	3	-
	FW	36	-	1	-	2	4	2	6	10	3	4	3	1	-
	M NW	129	1	1	1	-	3	17	41	28	22	6	7	2	-
	F NW	50	2	2	-	-	5	5	12	12	2	4	4	2	-
1. Assault by firearms (E965)	Total	189	-	-	1	-	9	21	58	47	29	14	8	2	-
	MW	64	-	-	-	-	2	4	19	13	16	7	3	-	-
	FW	22	-	-	-	-	3	1	5	7	2	1	2	1	-
	M NW	79	-	-	1	-	1	13	26	20	11	4	2	1	-
	F NW	24	-	-	-	-	3	3	8	7	-	2	1	-	-
2. Assault by cutting and piercing (E966)	Total	56	-	-	-	2	3	6	16	13	7	2	3	4	-
	MW	14	-	-	-	-	1	2	2	4	2	1	-	2	-
	FW	4	-	-	-	2	-	-	-	1	-	1	-	-	-
	M NW	29	-	-	-	-	2	3	10	6	5	-	2	1	-
	F NW	9	-	-	-	-	-	1	4	2	-	-	1	1	-
3. Residual (E960-E978)	Total	59	3	5	-	-	4	4	9	9	10	6	7	2	-
	MW	11	-	1	-	-	1	1	3	2	1	-	1	1	-
	FW	10	-	1	-	-	1	1	1	2	1	2	1	-	-
	M NW	21	1	1	-	-	-	1	5	2	6	2	3	-	-
	F NW	17	2	2	-	-	2	1	-	3	2	2	2	1	-
OTHER EXTERNAL CAUSES (E980-E999)	Total	27	1	-	-	-	1	6	5	4	5	3	2	-	-
	MW	12	-	-	-	-	1	5	1	1	1	1	2	-	-
	FW	4	-	-	-	-	-	1	-	-	1	2	-	-	-
	M NW	8	-	-	-	-	-	-	3	3	2	-	-	-	-
	F NW	3	1	-	-	-	-	-	1	-	1	-	-	-	-

Table 54.
Deaths by Certifier*
South Carolina and Each County, 1984
(Occurrence Data)

County of Occurrence	Total	TOTAL		
		Coroner	Physician	Medical Examiner
SOUTH CAROLINA	25,390	3,918	20,715	757
Abbeville	154	74	80	-
Aiken	587	145	442	-
Allendale	95	15	80	-
Anderson	1,105	138	967	-
Bamberg	190	43	147	-
Barnwell	130	46	84	-
Beaufort	392	98	294	-
Berkeley	221	154	67	-
Calhoun	55	38	17	-
Charleston	2,996	35	2,614	347
Cherokee	259	5	250	4
Chester	188	61	127	-
Chesterfield	252	74	178	-
Clarendon	162	38	124	-
Colleton	359	86	273	-
Darlington	436	99	337	-
Dillon	219	82	137	-
Dorchester	168	59	109	-
Edgefield	99	25	74	-
Fairfield	150	67	83	-
Florence	1,286	211	1,075	-
Georgetown	336	38	298	-
Greenville	2,572	61	2,109	402
Greenwood	638	42	596	-
Hampton	130	8	122	-
Horry	903	292	611	-
Jasper	115	60	55	-
Kershaw	242	70	172	-
Lancaster	375	76	299	-
Laurens	389	97	292	-
Lee	86	37	49	-
Lexington	735	201	534	-
McCormick	30	24	6	-
Marion	345	77	268	-
Marlboro	251	10	241	-
Newberry	265	82	182	1
Oconee	374	23	350	1
Orangeburg	714	230	484	-
Pickens	428	82	346	-
Richland	3,220	291	2,929	-
Saluda	103	10	93	-
Spartanburg	1,868	199	1,669	-
Sumter	575	146	429	-
Union	246	27	217	2
Williamsburg	237	69	168	-
York	710	73	637	-

---

*Person certifying the original death certificate

Table 54-A.
Deaths by Certifier*
South Carolina and Each County, 1984
(Occurrence Data)

County of Occurrence	Total	WHITE		
		Coroner	Physician	Medical Examiner
SOUTH CAROLINA	17,133	2,228	14,437	468
Abbeville	102	40	62	-
Aiken	401	92	309	-
Allendale	44	5	39	-
Anderson	904	105	799	-
Bamberg	86	19	67	-
Barnwell	69	21	48	-
Beaufort	247	62	185	-
Berkeley	129	82	47	-
Calhoun	24	17	7	-
Charleston	1,817	22	1,615	180
Cherokee	214	4	206	4
Chester	116	33	83	-
Chesterfield	150	41	109	-
Clarendon	70	14	56	-
Colleton	198	40	158	-
Darlington	290	60	230	-
Dillon	133	39	94	-
Dorchester	102	32	70	-
Edgefield	49	7	42	-
Fairfield	75	31	44	-
Florence	735	97	638	-
Georgetown	185	22	163	-
Greenville	2,093	41	1,770	282
Greenwood	425	25	400	-
Hampton	50	4	46	-
Horry	739	213	526	-
Jasper	46	26	20	-
Kershaw	160	44	116	-
Lancaster	281	48	233	-
Laurens	280	66	214	-
Lee	28	17	11	-
Lexington	642	177	465	-
McCormick	14	14	-	-
Marion	185	27	158	-
Marlboro	143	4	139	-
Newberry	167	38	129	-
Oconee	323	22	300	1
Orangeburg	359	85	274	-
Pickens	389	75	314	-
Richland	2,039	151	1,888	-
Saluda	68	6	62	-
Spartanburg	1,471	139	1,332	-
Sumter	287	42	245	-
Union	184	16	167	1
Williamsburg	88	20	68	-
York	532	43	489	-

*Person certifying the original death certificate

Table 54-A.
Deaths by Certifier*
South Carolina and Each County, 1984
(Occurrence Data)

County of Occurrence	Total	NONWHITE		
		Coroner	Physician	Medical Examiner
SOUTH CAROLINA	8,257	1,690	6,278	289
Abbeville	52	34	18	-
Aiken	186	53	133	-
Allendale	51	10	41	-
Anderson	201	33	168	-
Bamberg	104	24	80	-
Barnwell	61	25	36	-
Beaufort	145	36	109	-
Berkeley	92	72	20	-
Calhoun	31	21	10	-
Charleston	1,179	13	999	167
Cherokee	45	1	44	-
Chester	72	28	44	-
Chesterfield	102	33	69	-
Clarendon	92	24	68	-
Colleton	161	46	115	-
Darlington	146	39	107	-
Dillon	86	43	43	-
Dorchester	66	27	39	-
Edgefield	50	18	32	-
Fairfield	75	36	39	-
Florence	551	114	437	-
Georgetown	151	16	135	-
Greenville	479	20	339	120
Greenwood	213	17	196	-
Hampton	80	4	76	-
Horry	164	79	85	-
Jasper	69	34	35	-
Kershaw	82	26	56	-
Lancaster	94	28	66	-
Laurens	109	31	78	-
Lee	58	20	38	-
Lexington	93	24	69	-
McCormick	16	10	6	-
Marion	160	50	110	-
Marlboro	108	6	102	-
Newberry	98	44	53	1
Oconee	51	1	50	-
Orangeburg	355	145	210	-
Pickens	39	7	32	-
Richland	1,181	140	1,041	-
Saluda	35	4	31	-
Spartanburg	397	60	337	-
Sumter	288	104	184	-
Union	62	11	50	1
Williamsburg	149	49	100	-
York	178	30	148	-

*Person certifying the original death certificate

Table 55.
Deaths by Burial Disposition: South Carolina and Each County, 1984
(Occurrence Data)

County of Occurrence*	Total	Total			
		Burial	Cremation	Removal	Other
SOUTH CAROLINA	25,390	23,870	814	420	286
Abbeville	154	148	5	–	1
Aiken	587	550	35	2	–
Allendale	95	93	1	1	–
Anderson	1,105	1,069	28	2	6
Bamberg	190	188	1	–	1
Barnwell	130	124	5	–	1
Beaufort	392	321	64	5	2
Berkeley	221	197	7	15	2
Calhoun	55	55	–	–	–
Charleston	2,996	2,621	134	182	59
Cherokee	259	255	4	–	–
Chester	188	186	1	–	1
Chesterfield	252	247	2	1	2
Clarendon	162	157	5	–	–
Colleton	359	343	7	9	–
Darlington	436	426	5	2	3
Dillon	219	215	4	–	–
Dorchester	168	158	8	1	1
Edgefield	99	98	1	–	–
Fairfield	150	145	1	1	3
Florence	1,286	1,222	29	20	15
Georgetown	336	309	6	13	8
Greenville	2,572	2,431	95	2	44
Greenwood	638	624	14	–	–
Hampton	130	129	1	–	–
Horry	903	808	84	2	9
Jasper	115	106	3	6	–
Kershaw	242	235	5	–	2
Lancaster	375	369	3	–	3
Laurens	389	381	7	1	–
Lee	86	85	–	1	–
Lexington	735	663	32	34	6
McCormick	30	30	–	–	–
Marion	345	340	2	–	3
Marlboro	251	247	3	1	–
Newberry	265	261	4	–	–
Oconee	374	358	13	–	3
Orangeburg	714	700	11	1	2
Pickens	428	419	8	–	1
Richland	3,220	2,941	105	102	72
Saluda	103	102	–	–	1
Spartanburg	1,868	1,797	40	12	19
Sumter	575	550	10	2	13
Union	246	242	3	1	–
Williamsburg	237	234	2	–	1
York	710	691	16	1	2

* by county where death occurred

Table 55-A.
Deaths by Burial Disposition:
South Carolina and Each County, 1984
(Occurrence Data)

County of Occurrence*	Total	White				Nonwhite				
		Burial	Cremation	Removal	Other	Total	Burial	Cremation	Removal	Other
SOUTH CAROLINA	17,133	15,793	782	401	157	8,257	8,077	32	19	129
Abbeville	102	96	5	–	1	52	52	–	–	–
Aiken	401	364	35	2	–	186	186	–	–	–
Allendale	44	42	1	1	–	51	51	–	–	–
Anderson	904	872	28	2	2	201	197	–	–	4
Bamberg	86	85	1	–	–	104	103	–	–	1
Barnwell	69	64	4	–	1	61	60	1	–	–
Beaufort	247	176	64	5	2	145	145	–	–	–
Berkeley	129	105	7	15	2	92	92	–	–	–
Calhoun	24	24	–	–	–	31	31	–	–	–
Charleston	1,817	1,485	130	178	24	1,179	1,136	4	4	35
Cherokee	214	210	4	–	–	45	45	–	–	–
Chester	116	116	–	–	–	72	70	1	–	1
Chesterfield	150	145	2	1	2	102	102	–	–	–
Clarendon	70	65	5	–	–	92	92	–	–	–
Colleton	198	185	6	7	–	161	158	1	2	–
Darlington	290	282	5	1	2	146	144	–	1	1
Dillon	133	130	3	–	–	86	85	1	–	–
Dorchester	102	92	8	1	1	66	66	–	–	–
Edgefield	49	48	1	–	–	50	50	–	–	–
Fairfield	75	70	1	1	3	75	75	–	–	–
Florence	735	683	29	19	4	551	539	–	1	11
Georgetown	185	164	5	13	3	151	145	1	–	5
Greenville	2,093	1,970	92	2	29	479	461	3	–	15
Greenwood	425	413	12	–	–	213	211	2	–	–
Hampton	50	49	1	–	–	80	80	–	–	–
Horry	739	645	84	2	8	164	163	–	–	1
Jasper	46	38	3	5	–	69	68	–	1	–
Kershaw	160	156	3	–	1	82	79	2	–	1
Lancaster	281	275	3	–	3	94	94	–	–	–
Laurens	280	274	5	1	–	109	107	2	–	–
Lee	28	27	–	1	–	58	58	–	–	–
Lexington	642	571	32	33	6	93	92	–	1	–
McCormick	14	14	–	–	–	16	16	–	–	–
Marion	185	183	2	–	–	160	157	–	–	3
Marlboro	143	139	3	1	–	108	108	–	–	–
Newberry	167	163	4	–	–	98	98	–	–	–
Oconee	323	307	13	–	3	51	51	–	–	–
Orangeburg	359	347	9	1	2	355	353	2	–	–
Pickens	389	380	8	–	1	39	39	–	–	–
Richland	2,039	1,815	95	93	36	1,181	1,126	10	9	36
Saluda	68	67	–	–	1	35	35	–	–	–
Spartanburg	1,471	1,408	38	12	13	397	389	2	–	6
Sumter	287	270	10	2	5	288	280	–	–	8
Union	184	180	3	1	–	62	62	–	–	–
Williamsburg	88	85	2	–	1	149	149	–	–	–
York	532	514	16	1	1	178	177	–	–	1

* by county where death occurred

Table 56.

Major Causes of Accidental Death: South Carolina and Each County, 1984

(Residence Data)

County of Residence	Cause of Accidental Death							
	Total	Transportation	Poison	Falls	Fire & Flames	Firearms	Drowning	Residual of
	E800-E949	E800-E848	E850-E869	E880-E888	E890 E899	E922	E910	E800-E949
SOUTH CAROLINA	1,721	1,023	59	137	149	42	73	238
Abbeville	15	4	-	-	6	-	2	3
Aiken	55	28	8	7	2	2	-	8
Allendale	11	10	-	-	-	-	-	1
Anderson	67	45	7	6	1	-	2	6
Bamberg	15	11	-	-	-	1	-	3
Barnwell	12	8	1	-	1	1	-	1
Beaufort	35	21	3	1	1	-	4	5
Berkeley	62	45	1	1	5	4	2	4
Calhoun	10	7	-	1	-	1	-	1
Charleston	135	72	6	16	16	5	3	17
Cherokee	20	14	1	1	-	2	1	1
Chester	26	16	-	1	3	-	2	4
Chesterfield	34	26	-	-	2	-	1	5
Clarendon	13	6	-	2	1	-	1	3
Colleton	31	18	-	1	5	1	5	1
Darlington	50	34	2	-	5	3	1	5
Dillon	19	11	1	-	3	1	2	1
Dorchester	40	25	1	2	3	-	5	4
Edgefield	12	7	-	1	2	-	-	2
Fairfield	16	9	-	-	1	-	-	6
Florence	68	40	1	3	7	3	3	11
Georgetown	38	25	3	1	1	1	2	5
Greenville	112	70	4	10	11	-	4	13
Greenwood	29	20	1	2	2	-	1	3
Hampton	7	3	-	-	-	1	-	3
Horry	58	39	1	4	6	2	2	4
Jasper	15	7	1	-	3	-	-	4
Kershaw	18	15	-	1	-	-	1	1
Lancaster	29	19	1	2	2	2	-	3
Laurens	28	15	3	3	4	-	-	3
Lee	18	12	-	2	1	-	2	1
Lexington	54	32	-	1	3	2	4	12
McCormick	6	4	-	1	-	-	1	-
Marion	22	13	-	2	3	-	2	2
Marlboro	29	7	2	-	4	-	-	16
Newberry	16	8	2	1	1	-	1	3
Oconee	25	13	-	7	1	-	-	4
Orangeburg	48	25	-	7	6	2	2	6
Pickens	35	24	-	2	1	2	1	5
Richland	110	52	4	13	12	3	5	21
Saluda	7	6	-	-	1	-	-	-
Spartanburg	129	64	2	22	14	1	7	19
Sumter	47	34	-	3	3	-	2	5
Union	12	8	-	1	1	1	-	1
Williamsburg	23	20	-	-	-	-	1	2
York	60	31	3	9	5	1	1	10

Table 57.

Major Causes of Accidental Death: South Carolina and Each County, 1984
(Occurrence Data)

County of Occurrence	Cause of Accidental Death							
	Total	Transportation	Poison	Falls	Fire & Flames	Fire-arms	Drowning	Residual of
	E800-E949	E800-E848	E850-E869	E880-E888	E890 E899	E922	E910	E800-E949
SOUTH CAROLINA	1,698	1,017	58	127	138	42	82	234
Abbeville	14	3	1	-	6	-	2	2
Aiken	43	19	7	5	2	-	1	9
Allendale	10	10	-	-	-	-	-	-
Anderson	59	36	7	8	1	-	2	5
Bamberg	13	9	-	-	-	1	-	3
Barnwell	7	6	-	-	-	-	-	1
Beaufort	34	17	3	-	1	1	7	5
Berkeley	41	26	1	1	4	2	5	2
Calhoun	7	5	-	-	-	1	-	1
Charleston	203	106	6	18	25	9	6	33
Cherokee	20	15	1	1	1	2	-	-
Chester	18	12	-	-	2	-	1	3
Chesterfield	29	23	-	-	2	-	1	3
Clarendon	10	7	-	-	2	-	-	1
Colleton	33	22	-	1	4	1	5	-
Darlington	42	32	-	-	3	3	-	4
Dillon	19	11	1	-	3	1	2	1
Dorchester	19	13	1	1	2	-	2	-
Edgefield	7	5	-	-	1	-	-	1
Fairfield	15	8	-	-	1	1	-	5
Florence	92	61	2	5	7	3	3	11
Georgetown	40	24	4	1	2	1	2	6
Greenville	129	92	4	11	8	-	2	12
Greenwood	31	20	-	2	2	-	3	4
Hampton	3	1	-	-	-	-	-	2
Horry	69	47	1	2	5	1	9	4
Jasper	17	14	-	-	2	-	-	1
Kershaw	18	14	-	2	-	-	1	1
Lancaster	28	20	1	2	1	2	-	2
Laurens	26	13	4	3	2	1	-	3
Lee	15	11	-	-	1	-	2	1
Lexington	47	26	-	1	3	2	3	12
McCormick	3	2	-	-	-	-	1	-
Marion	14	8	-	1	2	-	1	2
Marlboro	26	5	3	-	4	-	1	13
Newberry	15	8	2	1	1	-	-	3
Oconee	27	12	-	6	1	-	2	6
Orangeburg	54	34	1	5	6	2	1	5
Pickens	23	17	-	-	1	1	2	2
Richland	152	74	5	20	9	3	8	33
Saluda	7	5	-	-	2	-	-	-
Spartanburg	131	66	2	22	12	2	6	21
Sumter	27	20	-	2	2	-	1	2
Union	5	4	-	-	-	1	-	-
Williamsburg	16	15	-	-	-	-	-	1
York	40	19	1	6	5	1	-	8

Deaths From Suicide by Method:
South Carolina and Each County, 1984
(Residence Data)

County of Residence	Total (E950-E959)	Firearms (E955)	Hanging Strangulation & Suffocation (E953)	Poisoning (E950-E952)	Residual (E950-E959)
SOUTH CAROLINA	390	282	42	48	18
Abbeville	1	1	–	–	–
Aiken	11	10	–	1	–
Allendale	1	1	–	–	–
Anderson	28	22	2	2	2
Bamberg	2	2	–	–	–
Barnwell	–	–	–	–	–
Beaufort	9	4	2	3	–
Berkeley	14	8	3	2	1
Calhoun	3	3	–	–	–
Charleston	29	14	6	5	4
Cherokee	7	4	–	2	1
Chester	2	2	–	–	–
Chesterfield	5	5	–	–	–
Clarendon	4	3	–	–	1
Colleton	4	2	–	1	1
Darlington	4	4	–	–	–
Dillon	2	2	–	–	–
Dorchester	8	7	–	1	–
Edgefield	–	–	–	–	–
Fairfield	2	1	–	1	–
Florence	6	6	–	–	–
Georgetown	5	3	2	–	–
Greenville	35	25	6	3	1
Greenwood	5	3	–	2	–
Hampton	2	2	–	–	–
Horry	14	7	2	5	–
Jasper	1	1	–	–	–
Kershaw	4	3	1	–	–
Lancaster	10	10	–	–	–
Laurens	8	7	1	–	–
Lee	4	4	–	–	–
Lexington	23	20	2	1	–
McCormick	3	1	2	–	–
Marion	3	1	–	1	1
Marlboro	7	6	–	1	–
Newberry	4	3	–	1	–
Oconee	4	2	2	–	–
Orangeburg	2	2	–	–	–
Pickens	9	5	–	3	1
Richland	33	23	2	6	2
Saluda	–	–	–	–	–
Spartanburg	37	25	4	6	2
Sumter	7	5	–	1	1
Union	9	8	1	–	–
Williamsburg	–	–	–	–	–
York	19	15	4	–	–

Table 59.
Deaths From Homicide by Method: South Carolina and Each County, 1984
(Residence Data)

County of Residence	Total (E960-E978)	Firearms (E965)	Assault by Cutting and Piercing (E966)	Residual (E960-E978)
SOUTH CAROLINA	304	189	56	59
Abbeville	1	–	1	–
Aiken	11	7	3	1
Allendale	2	1	–	1
Anderson	13	11	1	1
Bamberg	1	1	–	–
Barnwell	1	1	–	–
Beaufort	4	3	–	1
Berkeley	8	5	–	3
Calhoun	3	–	–	3
Charleston	28	15	5	8
Cherokee	2	2	–	–
Chester	3	3	–	–
Chesterfield	4	2	–	2
Clarendon	3	–	3	–
Colleton	3	2	1	–
Darlington	6	4	2	–
Dillon	5	4	1	–
Dorchester	11	7	2	2
Edgefield	1	1	–	–
Fairfield	3	1	2	–
Florence	8	5	1	2
Georgetown	6	3	1	2
Greenville	28	19	6	3
Greenwood	5	2	1	2
Hampton	1	1	–	–
Horry	14	10	1	3
Jasper	4	2	2	–
Kershaw	3	2	–	1
Lancaster	3	3	–	–
Laurens	6	5	–	1
Lee	–	–	–	–
Lexington	7	4	–	3
McCormick	–	–	–	–
Marion	4	–	3	1
Marlboro	4	4	–	–
Newberry	4	3	1	–
Oconee	3	2	–	1
Orangeburg	8	3	2	3
Pickens	3	1	–	2
Richland	33	17	10	6
Saluda	3	2	–	1
Spartanburg	18	12	3	3
Sumter	9	5	3	1
Union	1	–	1	–
Williamsburg	7	6	–	1
York	9	8	–	1

Table 60.
Infant Deaths and Infant Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1984
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA..........	743	14.7	339	11.1	404.	20.2
Abbeville................	3	9.6	2	10.9	1	7.8
Abbeville.............	1	11.1	–	0	1	18.7
Honea Path(Part).......	–	0	–	0	–	0
Balance of County......	2	9.1	2	13.9	–	0
Aiken....................	26	14.9	12	10.0	14	25.7
Aiken.................	5	19.2	2	14.6	3	24.4
New Ellenton...........	–	0	–	0	–	0
North Augusta..........	4	16.1	1	5.3	3	49.2
Balance of County......	17	14.2	9	10.5	8	23.6
Allendale................	4	20.3	1	20.4	3	20.3
Allendale.............	–	0	–	0	–	0
Balance of County......	4	36.0	1	30.3	3	38.5
Anderson.................	21	11.8	9	6.6	12	28.8
Anderson..............	10	24.8	–	0	10	54.3
Belton.................	1	19.2	–	0	1	76.9
Clemson Village(Part)..	–	0	–	0	–	0
Honea Path(Part).......	–	0	–	0	–	0
Pendleton..............	–	0	–	0	–	0
Williamston............	–	0	–	0	–	0
Balance of County......	10	8.3	9	8.7	1	5.6
Bamberg..................	7	24.7	2	18.5	5	28.6
Bamberg................	1	14.9	–	0	1	33.3
Denmark................	2	31.7	1	83.3	1	19.6
Balance of County......	4	26.1	1	16.9	3	31.9
Barnwell.................	2	6.6	–	0	2	14.8
Barnwell...............	–	0	–	0	–	0
Blackville.............	1	22.7	–	0	1	31.2
Williston..............	1	21.3	–	0	1	47.6
Balance of County......	–	0	–	0	–	0
Beaufort.................	24	17.2	13	15.4	11	20.0
Beaufort...............	2	12.3	2	18.7	–	0
Port Royal.............	–	0	–	0	–	0
Hilton Head............	7	41.7	6	40.8	1	47.6
Balance of County......	15	15.3	5	9.4	10	22.4
Berkeley.................	22	10.2	13	8.6	9	13.9
Goose Creek............	3	10.3	3	12.8	–	0
Hanahan................	2	9.5	1	5.9	1	23.8
Moncks Corner..........	–	0	–	0	–	0
Balance of County......	17	10.9	9	8.7	8	15.4

Table 60. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Calhoun..................	3	16.8	1	13.0	2	19.6
Balance of County......	3	16.8	1	13.0	2	19.6
Charleston..............	79	14.4	26	8.6	53	21.7
Charleston............	34	18.8	8	10.3	26	25.2
Isle of Palms..........	1	28.6	1	28.6	–	0
Mt. Pleasant...........	2	5.6	1	3.5	1	13.5
N. Charleston..........	16	14.9	5	7.9	11	24.7
Summerville(Part)......	–	0	–	0	–	0
Balance of County......	26	11.9	11	8.4	15	16.9
Cherokee................	5	9.2	4	10.7	1	5.8
Gaffney................	2	9.7	1	9.9	1	9.4
Balance of County......	3	8.8	3	10.9	–	0
Chester.................	10	19.3	5	19.6	5	19.1
Chester...............	2	13.9	1	20.4	1	10.5
Great Falls............	2	64.5	1	50.0	1	90.9
Balance of County......	6	17.5	3	16.1	3	19.2
Chesterfield............	15	28.4	10	33.3	5	21.8
Cheraw.................	–	0	–	0	–	0
Pageland..............	–	0	–	0	–	0
Balance of County......	15	38.8	10	44.4	5	30.9
Clarendon...............	5	11.2	–	0	5	15.6
Manning................	–	0	–	0	–	0
Balance of County......	5	13.4	–	0	5	19.0
Colleton................	8	14.7	4	16.1	4	13.5
Walterboro............	4	23.1	2	25.6	2	21.1
Balance of County......	4	10.8	2	11.8	2	10.0
Darlington..............	5	5.9	2	4.5	3	7.4
Darlington............	–	0	–	0	–	0
Hartsville............	3	20.3	2	25.6	1	14.3
Balance of County......	2	3.4	–	0	2	7.5
Dillon..................	3	5.5	–	0	3	9.1
Dillon................	3	21.6	–	0	3	34.4
Balance of County......	–	0	–	0	–	0
Dorchester..............	19	15.2	15	16.5	4	11.5
Summerville(Part)......	2	5.0	2	6.8	–	0
Balance of County......	17	19.8	13	21.2	4	16.4
Edgefield...............	5	17.4	2	15.9	3	18.5
Edgefield.............	–	0	–	0	–	0
Johnston..............	1	20.0	–	0	1	27.0
Balance of County......	4	20.7	2	20.0	2	21.5
Fairfield...............	11	34.1	4	41.2	7	31.0
Winnsboro.............	3	54.5	2	111.1	1	27.0
Balance of County......	8	29.8	2	25.3	6	31.7
Florence................	40	22.2	14	15.7	26	28.7
Florence..............	12	26.9	1	5.5	11	41.8
Lake City.............	3	27.3	2	80.0	1	11.8
Balance of County......	25	20.1	11	16.0	14	25.0
Georgetown..............	13	17.9	2	6.3	11	26.7
Andrews(Part)..........	–	0	–	0	–	0
Georgetown............	5	27.3	–	0	–	43.9
Balance of County......	8	16.3	2	8.8	6	22.7

Table 60. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Greenville..............	67	15.9	46	14.2	21	21.7
Fountain Inn(Part).....	1	58.8	1	83.3	–	0
Greenville............	15	12.2	7	9.8	8	15.5
Greer(Part)...........	3	55.6	3	63.8	–	0
Mauldin...............	–	0	–	0	–	0
Simpsonville..........	3	68.2	2	50.0	1	250.0
Travelers Rest........	3	600.0	1	250.0	2	2000.0
Balance of County......	42	14.7	32	13.2	10	23.1
Greenwood...............	8	9.9	2	4.1	6	18.2
Greenwood.............	5	14.3	1	6.2	4	21.3
Balance of County......	3	6.5	1	3.1	2	14.1
Hampton.................	8	26.4	3	30.9	5	24.3
Hampton...............	–	0	–	0	–	0
Balance of County......	8	30.0	3	38.5	5	26.5
Horry...................	20	10.5	14	10.3	6	11.2
Conway................	3	13.8	1	7.6	2	23.3
Myrtle Beach..........	4	10.2	4	12.5	–	0
N. Myrtle Beach........	–	0	–	0	–	0
Surfside Beach.........	–	0	–	0	–	0
Balance of County......	13	11.2	9	11.4	4	10.8
Jasper..................	3	11.2	1	10.6	2	11.6
Balance of County......	3	11.2	1	10.6	2	11.6
Kershaw.................	8	12.6	5	12.5	3	12.9
Camden................	1	8.5	–	0	1	15.9
Balance of County......	7	13.6	5	14.4	2	11.8
Lancaster...............	8	11.0	4	8.5	4	15.6
Lancaster.............	4	20.5	1	12.3	3	26.3
Balance of County......	4	7.5	3	7.8	1	7.0
Laurens.................	10	13.2	6	12.8	4	13.7
Clinton...............	2	16.8	1	17.5	1	16.1
Fountain Inn(Part).....	–	0	–	0	–	0
Laurens.................	2	13.2	1	15.9	1	11.2
Balance of County......	6	12.5	4	11.6	2	14.8
Lee.....................	8	25.2	–	0	8	33.3
Bishopville...........	–	0	–	0	–	0
Balance of County......	8	31.1	–	0	8	40.0
Lexington...............	23	10.8	19	10.5	4	12.3
Batesburg(Part)........	–	0	–	0	–	0
Cayce.................	3	20.5	3	27.0	–	0
Irmo(Part)............	–	0	–	0	–	0
Springdale............	–	0	–	0	–	0
West Columbia..........	6	18.2	5	17.9	1	19.6
Balance of County......	14	8.9	11	8.1	3	14.4
McCormick...............	4	33.9	–	0	4	51.9
Balance of County......	4	33.9	–	0	4	51.9
Marion..................	17	30.7	2	11.0	15	40.4
Marion................	6	38.7	–	0	6	56.1
Mullins...............	–	0	–	0	–	0
Balance of County......	11	35.0	2	17.7	9	44.8

Table 60. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Marlboro..................	6	12.6	3	15.8	3	10.4
Bennettsville..........	2	11.9	1	18.9	1	8.7
McColl.................	–	0	–	0	–	0
Balance of County......	4	15.5	2	21.3	2	12.2
Newberry.................	2	4.5	–	0	2	9.5
Newberry...............	1	6.8	–	0	1	11.8
Balance of County......	1	3.3	–	0	1	7.9
Oconee....................	9	13.3	8	13.7	1	11.1
Seneca.................	1	7.7	1	13.0	–	0
Walhalla...............	–	0	–	0	–	0
Westminster............	1	22.2	–	0	1	250.0
Balance of County......	7	15.4	7	16.3	–	0
Orangeburg................	16	12.0	5	11.9	11	12.0
Orangeburg.............	1	3.7	1	11.2	–	0
Balance of County......	15	14.1	4	12.1	11	15.0
Pickens...................	12	12.3	11	12.4	1	10.6
Clemson Village(Part)..	2	29.0	2	40.8	–	0
Easley.................	–	0	–	0	–	0
Liberty................	1	34.5	–	0	1	333.3
Pickens................	2	40.0	2	46.5	–	0
Balance of County......	7	11.8	7	12.6	–	0
Richland..................	66	16.2	14	7.1	52	24.8
Columbia...............	38	18.6	8	10.2	30	23.9
Forest Acres...........	–	0	–	0	–	0
Irmo(Part).............	–	0	–	0	–	0
Balance of County......	28	14.4	6	5.4	22	26.3
Saluda....................	2	7.9	1	7.8	1	8.1
Saluda.................	1	17.9	1	35.7	–	0
Batesburg(Part)........	–	0	–	0	–	0
Balance of County......	1	5.4	–	0	1	80.5
Spartanburg...............	45	15.3	28	13.3	17	20.5
Greer(Part)............	–	0	–	0	–	0
Spartanburg............	15	19.8	8	24.0	7	16.5
Woodruff...............	1	43.5	1	52.6	–	0
Balance of County......	29	13.6	19	11.0	10	25.3
Sumter....................	32	18.0	10	10.6	22	26.4
Sumter.................	13	23.3	2	9.0	11	32.8
Balance of County......	19	15.6	8	11.1	11	22.2
Union.....................	4	11.3	1	4.8	3	20.7
Union..................	1	2.4	–	0	1	16.7
Balance of County......	3	12.6	1	6.5	2	23.5
Williamsburg..............	11	17.9	–	0	11	24.1
Andrews(Part)..........	–	0	–	0	–	0
Kingstree..............	5	61.7	–	0	5	75.9
Balance of County......	6	11.3	–	0	6	15.3
York......................	24	14.0	15	12.6	9	17.5
Clover.................	–	0	–	0	–	0
Fort Mill..............	3	40.0	3	53.6	–	0
Rock Hill..............	8	13.4	3	10.2	5	16.6
York...................	1	8.0	–	0	1	17.2
Balance of County......	12	14.0	9	12.2	3	24.8

Rate per 1,000 live births

Table 61.

Infant Deaths and Infant Mortality Rates by Race: South Carolina and Each County, 1984

(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	743	14.7	339	11.1	404	20.2
Abbeville	3	9.6	2	10.9	1	7.8
Aiken	26	14.9	12	10.0	14	25.7
Allendale	4	20.3	1	20.4	3	20.3
Anderson	21	11.8	9	6.6	12	28.8
Bamberg	7	24.7	2	18.5	5	28.6
Barnwell	2	6.6	-	0	2	14.8
Beaufort	24	17.2	13	15.4	11	20.0
Berkeley	22	10.2	13	8.6	9	13.9
Calhoun	3	16.8	1	13.0	2	19.6
Charleston	79	14.4	26	8.6	53	21.7
Cherokee	5	9.2	4	10.7	1	5.8
Chester	10	19.3	5	19.6	5	19.1
Chesterfield	15	28.4	10	33.3	5	21.8
Clarendon	5	11.2	-	0	5	15.6
Colleton	8	14.7	4	16.1	4	13.5
Darlington	5	5.9	2	4.5	3	7.4
Dillon	3	5.5	-	0	3	9.1
Dorchester	19	15.2	15	16.5	4	11.5
Edgefield	5	17.4	2	15.9	3	18.5
Fairfield	11	34.1	4	41.2	7	31.0
Florence	40	22.2	14	15.7	26	28.7
Georgetown	13	17.9	2	6.3	11	26.7
Greenville	67	15.9	46	14.2	21	21.7
Greenwood	8	9.9	2	4.1	6	18.2
Hampton	8	26.4	3	30.9	5	24.3
Horry	20	10.5	14	10.3	6	11.2
Jasper	3	11.2	1	10.6	2	11.6
Kershaw	8	12.6	5	12.5	3	12.9
Lancaster	8	11.0	4	8.5	4	15.6
Laurens	10	13.2	6	12.8	4	13.7
Lee	8	25.2	-	0	8	33.3
Lexington	23	10.8	19	10.5	4	12.3
McCormick	4	33.9	-	0	4	51.9
Marion	17	30.7	2	11.0	15	40.4
Marlboro	6	12.6	3	15.8	3	10.4
Newberry	2	4.5	-	0	2	9.5
Oconee	9	13.3	8	13.7	1	11.1
Orangeburg	16	12.0	5	11.9	11	12.0
Pickens	12	12.3	11	12.4	1	10.6
Richland	66	16.2	14	7.1	52	24.8
Saluda	2	7.9	1	7.8	1	8.1
Spartanburg	45	15.3	28	13.3	17	20.5
Sumter	32	18.0	10	10.6	22	26.5
Union	4	11.3	1	4.8	3	20.7
Williamsburg	11	17.9	-	0	11	24.1
York	24	14.0	15	12.6	9	17.5

Rate per 1,000 live births

Table 62.

Neonatal Deaths and Neonatal Mortality Rates by Race: South Carolina and Each County, 1984

(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	495	9.8	239	7.8	256	12.8
Abbeville	3	9.6	2	10.9	1	7.8
Aiken	14	8.0	8	6.7	6	11.0
Allendale	1	5.1	–	0	1	6.8
Anderson	12	6.7	4	2.9	8	19.2
Bamberg	4	14.1	1	9.3	3	17.1
Barnwell	1	3.3	–	0	1	7.4
Beaufort	17	12.2	10	11.9	7	12.7
Berkeley	14	6.5	8	5.3	6	9.3
Calhoun	1	5.6	–	0	1	9.8
Charleston	49	8.9	14	4.6	35	14.3
Cherokee	2	3.7	2	5.3	–	0
Chester	6	11.6	2	7.8	4	15.3
Chesterfield	12	22.7	7	23.3	5	21.8
Clarendon	4	9.0	–	0	4	12.5
Colleton	6	11.0	3	12.1	3	10.1
Darlington	3	3.5	2	4.5	1	2.5
Dillon	2	3.7	–	0	2	6.1
Dorchester	11	8.8	9	9.9	2	5.8
Edgefield	2	6.9	1	7.9	1	6.2
Fairfield	6	18.6	3	30.9	3	13.3
Florence	29	16.1	9	10.1	20	22.1
Georgetown	11	15.1	2	6.3	9	21.8
Greenville	53	12.6	36	11.1	17	17.5
Greenwood	5	6.2	2	4.1	3	9.1
Hampton	3	9.9	2	20.6	1	4.9
Horry	14	7.4	12	8.8	2	3.7
Jasper	2	7.5	1	10.6	1	5.8
Kershaw	7	11.1	4	10.0	3	12.9
Lancaster	6	8.3	4	8.5	2	7.8
Laurens	7	9.2	4	8.5	3	10.3
Lee	6	18.9	–	0	6	25.0
Lexington	18	8.4	14	7.7	4	12.3
McCormick	1	8.5	–	0	1	13.0
Marion	10	18.1	2	11.0	8	21.6
Marlboro	4	8.4	2	10.5	2	6.9
Newberry	1	2.2	–	0	1	4.7
Oconee	7	10.4	6	10.2	1	11.1
Orangeburg	11	8.3	4	9.5	7	7.7
Pickens	10	10.2	9	10.2	1	10.6
Richland	39	9.6	9	4.6	30	14.3
Saluda	2	7.9	1	7.8	1	8.1
Spartanburg	29	9.9	19	9.0	10	12.1
Sumter	27	15.2	9	9.5	18	21.7
Union	2	5.6	1	4.8	1	6.9
Williamsburg	6	9.7	–	0	6	13.2
York	15	8.8	11	9.2	4	7.8

Rate per 1,000 live births

Table 63.
Postneonatal Deaths and Postneonatal Mortality Rates by Race
South Carolina and Each county, 1984
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	248	4.9	100	3.3	148	7.4
Abbeville	-	0	-	0	-	0
Aiken	12	6.9	4	3.3	8	14.7
Allendale	3	15.2	1	20.4	2	13.5
Anderson	9	5.1	5	3.7	4	9.6
Bamberg	3	10.6	1	9.3	2	11.4
Barnwell	1	3.3	-	0	1	7.4
Beaufort	7	5.0	3	3.6	4	7.3
Berkeley	8	3.7	5	3.3	3	4.6
Calhoun	2	11.2	1	13.0	1	9.8
Charleston	30	5.5	12	4.0	18	7.4
Cherokee	3	5.5	2	5.3	1	5.8
Chester	4	7.7	3	11.8	1	3.8
Chesterfield	3	5.8	3	10.0	-	0
Clarendon	1	2.2	-	0	1	3.1
Colleton	2	3.7	1	4.0	1	3.4
Darlington	2	2.4	-	0	2	5.0
Dillon	1	1.8	-	0	1	3.0
Dorchester	8	6.4	6	6.6	2	5.8
Edgefield	3	10.4	1	7.9	2	12.3
Fairfield	5	15.5	1	10.3	4	17.7
Florence	11	6.1	5	5.6	6	6.6
Georgetown	2	2.7	-	0	2	4.9
Greenville	14	3.3	10	3.1	4	4.1
Greenwood	3	3.7	-	0	3	9.1
Hampton	5	16.5	1	10.3	4	19.4
Horry	6	3.2	2	1.5	4	7.5
Jasper	1	3.7	-	0	1	5.8
Kershaw	1	1.6	1	2.5	-	0
Lancaster	2	2.8	-	0	2	7.8
Laurens	3	4.0	2	4.3	1	3.4
Lee	2	6.3	-	0	2	8.3
Lexington	5	2.3	5	2.8	-	0
McCormick	3	25.4	-	0	3	39.0
Marion	7	12.7	-	0	7	18.9
Marlboro	2	4.2	1	5.3	1	3.5
Newberry	1	2.2	-	0	1	4.7
Oconee	2	3.0	2	3.4	-	0
Orangeburg	5	3.8	1	2.4	4	4.4
Pickens	2	2.0	2	2.3	-	0
Richland	27	6.6	5	2.5	22	10.5
Saluda	-	0	-	0	-	0
Spartanburg	16	5.4	9	4.3	7	8.4
Sumter	5	2.8	1	1.1	4	4.8
Union	2	5.6	-	0	2	13.8
Williamsburg	5	8.1	-	0	5	11.0
York	9	5.3	4	3.4	5	9.7

Rate per 1,000 live births

Table 64.
Fetal Deaths and Fetal Mortality Rates by Race: South Carolina and Each County, 1984
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	640	12.7	292	9.5	348	17.4
Abbeville	6	19.3	3	16.4	3	23.4
Aiken	18	10.3	7	5.8	11	20.2
Allendale	2	10.2	-	0	2	13.5
Anderson	27	15.2	18	13.2	9	21.6
Bamberg	5	17.7	2	18.5	3	17.1
Barnwell	9	29.5	2	11.8	7	51.9
Beaufort	16	11.5	8	9.5	8	14.5
Berkeley	14	6.5	8	5.3	6	9.3
Calhoun	5	27.9	1	13.0	4	39.2
Charleston	71	13.0	28	9.2	43	17.6
Cherokee	3	5.5	2	5.3	1	5.8
Chester	6	11.6	1	3.9	5	19.1
Chesterfield	5	9.5	4	13.3	1	4.4
Clarendon	11	24.7	1	8.0	10	31.2
Colleton	14	25.7	4	16.1	10	33.8
Darlington	11	12.9	5	11.2	6	14.9
Dillon	11	20.3	6	28.0	5	15.2
Dorchester	16	12.8	9	9.9	7	20.2
Edgefield	3	10.4	1	7.9	2	12.3
Fairfield	2	6.2	1	10.3	1	4.4
Florence	21	11.7	8	8.9	13	14.3
Georgetown	8	11.0	1	3.2	7	17.0
Greenville	51	12.1	33	10.2	18	18.6
Greenwood	8	9.9	6	12.4	2	6.1
Hampton	1	3.3	-	0	1	4.9
Horry	21	11.1	14	10.3	7	13.1
Jasper	4	15.0	-	0	4	23.1
Kershaw	10	15.8	5	12.5	5	21.6
Lancaster	10	13.8	6	12.8	4	15.6
Laurens	5	6.6	1	2.1	4	13.7
Lee	8	25.2	-	0	8	33.3
Lexington	17	8.0	13	7.2	4	12.3
McCormick	1	8.5	-	0	1	13.0
Marion	11	19.9	1	5.5	10	27.0
Marlboro	12	25.1	2	10.5	10	34.7
Newberry	2	4.5	-	0	2	9.5
Oconee	16	23.7	14	23.9	2	22.2
Orangeburg	29	21.8	5	11.9	24	26.3
Pickens	16	16.3	14	15.8	2	21.3
Richland	34	8.3	10	5.1	24	11.4
Saluda	2	7.9	-	0	2	16.3
Spartanburg	34	11.6	22	10.4	12	14.5
Sumter	22	12.4	8	8.5	14	16.8
Union	3	8.5	2	9.5	1	6.9
Williamsburg	13	21.1	2	12.5	11	24.1
York	26	15.2	14	11.7	12	23.3

Rate per 1,000 live births

Table 65.
Fetal Deaths by Age of Mother
South Carolina and Each County, 1984
(Residence Data)

County of Residence	Total All Ages	Age of Mother							
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	Unk
SOUTH CAROLINA	640	9	132	206	144	105	33	10	1
Abbeville	6	-	2	1	1	1	1	-	-
Aiken	18	-	3	4	5	2	2	2	-
Allendale	2	-	1	-	-	-	1	-	-
Anderson	27	1	9	7	3	6	-	1	-
Bamberg	5	-	2	3	-	-	-	-	-
Barnwell	9	-	1	4	3	-	1	-	-
Beaufort	16	-	2	5	6	3	-	-	-
Berkeley	14	1	2	6	2	2	1	-	-
Calhoun	5	-	1	2	-	1	1	-	-
Charleston	71	-	11	24	15	15	14	2	-
Cherokee	3	-	-	2	-	1	-	-	-
Chester	6	1	2	3	-	-	-	-	-
Chesterfield	5	-	2	2	1	-	-	-	-
Clarendon	11	-	3	5	1	1	1	-	-
Colleton	14	-	6	4	3	-	1	-	-
Darlington	11	-	3	5	2	1	-	-	-
Dillon	11	-	3	6	2	-	-	-	-
Dorchester	16	-	3	3	3	5	2	-	-
Edgefield	3	1	-	2	-	-	-	-	-
Fairfield	2	-	1	-	1	-	-	-	-
Florence	21	-	1	5	4	7	3	1	-
Georgetown	8	1	1	2	2	1	1	-	-
Greenville	51	1	9	15	16	8	2	-	-
Greenwood	8	-	1	2	1	4	-	-	-
Hampton	1	-	1	-	-	-	-	-	-
Horry	21	-	5	6	8	1	1	-	-
Jasper	4	-	-	4	-	-	-	-	-
Kershaw	10	-	2	2	3	3	-	-	-
Lancaster	10	1	1	3	3	1	1	-	-
Laurens	5	-	-	1	3	1	-	-	-
Lee	8	-	2	4	1	1	-	-	-
Lexington	17	-	3	7	4	3	-	-	-
McCormick	1	-	-	-	-	-	-	1	-
Marion	11	1	6	2	1	-	1	-	-
Marlboro	12	-	4	4	3	1	-	-	-
Newberry	2	1	-	-	1	-	-	-	-
Oconee	16	-	2	7	3	2	1	1	-
Orangeburg	29	-	8	7	7	4	1	1	1
Pickens	16	-	7	2	3	3	1	-	-
Richland	34	-	8	6	11	8	1	-	-
Saluda	2	-	-	-	1	1	-	-	-
Spartanburg	34	-	6	15	8	5	-	-	-
Sumter	22	-	3	8	5	4	1	1	-
Union	3	-	-	1	1	-	1	-	-
Williamsburg	13	-	3	5	-	5	-	-	-
York	26	-	2	10	7	4	3	-	-

Table 66.
Perinatal Deaths and Perinatal Mortality Rates by Rate
South Carolina and Each County, 1984
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	1,135	22.2	531	17.2	604	29.8
Abbeville	9	28.4	5	26.9	4	30.5
Aiken	32	18.2	15	12.5	17	30.6
Allendale	3	15.1	-	0	3	20.0
Anderson	39	21.6	22	15.9	17	40.0
Bamberg	9	31.2	3	27.3	6	33.7
Barnwell	10	31.8	2	11.6	8	56.3
Beaufort	33	23.4	18	21.2	15	26.8
Berkeley	28	12.9	16	10.5	12	18.4
Calhoun	6	32.6	1	12.8	5	47.2
Charleston	120	21.6	42	13.7	78	31.4
Cherokee	5	9.1	4	10.6	1	5.8
Chester	12	22.9	3	11.7	9	33.7
Chesterfield	17	31.8	11	36.2	6	26.1
Clarendon	15	32.8	1	7.9	14	42.3
Colleton	20	35.8	7	27.8	13	42.5
Darlington	14	16.2	7	15.5	7	17.1
Dillon	13	23.5	6	27.3	7	21.0
Dorchester	27	21.3	18	19.6	9	25.4
Edgefield	5	17.2	2	15.7	3	18.3
Fairfield	8	24.6	4	40.8	4	17.6
Florence	50	27.4	17	18.8	33	35.9
Georgetown	19	25.8	3	9.5	16	38.2
Greenville	104	24.4	69	21.0	35	35.5
Greenwood	13	15.9	8	16.4	5	15.1
Hampton	4	13.2	2	20.6	2	9.7
Horry	35	18.3	26	18.9	9	16.6
Jasper	6	22.1	1	10.6	5	28.2
Kershaw	17	26.4	9	22.2	8	33.8
Lancaster	16	21.8	10	21.1	6	23.0
Laurens	12	15.7	5	10.7	7	23.7
Lee	14	43.1	-	0	14	56.5
Lexington	35	16.2	27	14.8	8	24.2
McCormick	2	16.8	-	0	2	25.6
Marion	21	37.2	3	16.4	18	47.2
Marlboro	16	32.7	4	20.8	12	40.3
Newberry	3	6.7	-	0	3	14.1
Oconee	23	33.2	20	33.3	3	32.6
Orangeburg	40	29.4	9	21.2	31	33.0
Pickens	26	26.1	23	25.6	3	31.2
Richland	73	17.8	19	9.6	54	25.5
Saluda	4	15.7	1	7.8	3	24.0
Spartanburg	63	21.2	41	19.2	22	26.2
Sumter	49	27.3	17	17.9	32	37.9
Union	5	14.0	3	14.2	2	13.7
Williamsburg	19	30.2	2	12.3	17	36.4
York	41	23.6	25	20.7	16	30.4

Rate per 1,000 deliveries

Table 67.

Maternal Deaths and Maternal Mortality Rates by Race: South Carolina and Each County, 1984 (Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	5	1.0	3	1.0	2	1.0
Beaufort	1	7.2	1	11.0	-	0
Colleton	1	18.4	-	0	1	33.8
Darlington	1	11.8	1	22.4	-	0
Lexington	1	4.8	1	5.2	-	0
Richland	1	2.5	-	0	1	4.8

Rate per 10,000 live births

Table 68.

Maternal Deaths and Maternal Mortality Rates by Race: South Carolina and Each County, 1984 (Occurrence Data)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	5	1.0	3	1.0	2	1.0
Beaufort	1	6.5	1	11.9	-	0
Colleton	1	31.4	-	0	1	47.4
Darlington	1	18.1	1	40.5	-	0
Lexington	1	5.2	1	6.3	-	0
Richland	1	2.0	-	0	1	4.1

Rate per 10,000 live births

MARRIAGES, DIVORCES, AND ANNULMENTS

SUMMARY OF MARRIAGES, DIVORCES, AND ANNULMENTS

MARRIAGES

In 1984, there were 55,357 marriages recorded in South Carolina at a rate of 16.8 per 1,000 population. This is an increase of 3.7 percent from the rate recorded in 1983.

As shown in Figure 10 , the trend in residential status of persons obtaining marriage licenses in South Carolina over the past twenty years shows an interesting reversal in 1972. From 1965 through 1971, the majority of persons obtaining marriage licenses in South Carolina were not residents of this state. However, in 1972, 50.3 percent were South Carolina residents, and 49.7 percent were non-residents of South Carolina. The decrease in non-residents obtaining licenses continued in 1984, when the percentage of marriages where neither the bride nor the groom was a resident of South Carolina fell to 38.4.

Figure 10.
Percentage of Non-Residents Obtaining
Marriage Licenses in South Carolina, 1965-1984



Table 71 shows that there were 31,130 marriages or 56.2 percent of total marriages in which both the bride and the groom were residents of South Carolina. In 38.4 percent of the marriages, neither the bride nor groom were residents of this state. Over twice as many marriages occurred between resident brides and non-resident grooms as compared to resident grooms and non-resident brides.

Again in 1984, the greatest number of marriages occurred between brides within the 20-24 year age group and grooms within the 20-24 year age group. There were 16,099 persons under the age of twenty who married in South Carolina in 1984. Therefore, teenagers represent 14.5 percent of all persons married in this state in 1984. This percentage is lower than that for 1983, when 15.3 percent of all persons marrying were teenagers.

There were 1,133 marriages between persons of different races in South Carolina in 1984. Table 69 shows a cross-classification of race of bride by race of groom for South Carolina, 1984.

Table 69.
Marriages by Race of Bride by Race of Groom
South Carolina, 1984

Race of Bride	Race of Groom							
	White	Black	Indian	Chinese	Japanese	Other	Unknown	Total
White	42,193	343	139	3	4	83	1	42,766
Black	177	11,673	9	-	-	14	-	11,873
Indian	107	13	285	-	-	2	-	407
Chinese	6	-	-	7	-	2	-	15
Japanese	14	-	-	-	-	-	-	14
Other	179	29	1	5	2	66	-	282
Total	42,676	12,058	434	15	6	167	1	55,357

"Other" includes Hawaiian, Filipino, other Asian and Pacific Islander and other nonwhite.

DIVORCES AND ANNULMENTS

In 1984, South Carolina recorded 13,674 divorces and annulments. The rate of divorces and annulments was 4.1 per 1,000 estimated population. The rate remains unchanged from 1983.

The divorce rate for the white population has been consistently higher than the nonwhite divorce rate since 1962, the year divorces were first required to be registered with the Office of Vital Records and Public Health Statistics. In 1984 the white rate was 4.9 and the nonwhite rate was 2.5.

There were 12,189 children involved in divorces and annulments in 1984, which averaged less than one child per divorce decree. The most frequently cited grounds for divorce were one year separation, which accounted for 71.4 percent of all grounds for divorce, followed by adultery, cruelty, and drunkeness. Table 76 shows divorces by legal grounds for decree, for South Carolina and each county, 1984.

Out of the total 27,348 persons in 1984 who were granted divorces, 38.1 percent were between the ages of 20 and 29.

Table 70.
Marriages by County in Which License Was Issued, by Residential Status: South Carolina and Each County, 1984

County License Issued	Total	Residence of Bride				Residence of Groom			
		S.C. Resident		Non-Resident		S.C. Resident		Non-Resident	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
SOUTH CAROLINA	55,357	33,136	59.9	22,221	40.1	32,120	58.0	23,237	42.0
Abbeville	215	169	78.6	46	21.4	158	73.5	57	26.5
Aiken	3,292	1,269	38.5	2,023	61.5	1,195	36.3	2,097	63.7
Allendale	250	80	32.0	170	68.0	76	30.4	174	69.6
Anderson	1,416	1,244	87.9	172	12.1	1,213	85.7	203	14.3
Bamberg	166	154	92.8	12	7.2	152	91.6	14	8.4
Barnwell	175	165	94.3	10	5.7	164	93.7	11	6.3
Beaufort	963	723	75.1	240	24.9	715	74.2	248	25.8
Berkeley	788	756	95.9	32	4.1	732	92.9	56	7.1
Calhoun	110	107	97.3	3	2.7	106	96.4	4	3.6
Charleston	4,491	4,027	89.7	464	10.3	3,903	86.9	588	13.1
Cherokee	2,367	501	21.2	1,866	78.8	499	21.1	1,868	78.9
Chester	291	251	86.3	40	13.7	240	82.5	51	17.5
Chesterfield	1,103	339	30.7	764	69.3	327	29.6	776	70.4
Clarendon	220	202	91.8	18	8.2	195	88.6	25	11.4
Colleton	309	270	87.4	39	12.6	265	85.8	44	14.2
Darlington	584	542	92.8	42	7.2	519	88.9	65	11.1
Dillon	6,986	462	6.6	6,524	93.4	448	6.4	6,538	93.6
Dorchester	636	609	95.8	27	4.2	601	94.5	35	5.5
Edgefield	154	132	85.7	22	14.3	129	83.8	25	16.2
Fairfield	158	151	95.6	7	4.4	142	89.9	16	10.1
Florence	1,199	1,103	92.0	96	8.0	1,075	89.7	124	10.3
Georgetown	504	438	86.9	66	13.1	428	84.9	76	15.1
Greenville	3,869	3,285	84.9	584	15.1	3,170	81.9	699	18.1
Greenwood	616	593	96.3	23	3.7	572	92.9	44	7.1
Hampton	164	153	93.3	11	6.7	145	88.4	19	11.6
Horry	2,252	1,438	63.9	814	36.1	1,376	61.1	876	38.9
Jasper	1,204	162	13.5	1,042	86.5	159	13.2	1,045	86.8
Kershaw	443	422	95.3	21	4.7	409	92.3	34	7.7
Lancaster	922	516	56.0	406	44.0	494	53.6	428	46.4
Laurens	533	511	95.6	22	4.1	499	93.6	34	6.4
Lee	116	108	93.1	8	6.9	105	90.5	11	9.5
Lexington	1,219	1,183	97.0	36	3.0	1,159	95.1	60	4.9
McCormick	129	59	45.7	70	54.3	60	46.5	69	53.5
Marion	301	253	84.1	48	15.9	250	83.1	51	16.9
Marlboro	1,119	268	23.9	851	76.1	267	23.9	852	76.1
Newberry	279	267	95.7	12	4.3	258	92.5	21	7.5
Oconee	1,693	546	32.3	1,147	67.7	524	31.0	1,169	69.0
Orangeburg	743	698	93.9	45	6.1	674	90.7	69	9.3
Pickens	910	766	84.2	144	15.8	746	82.0	164	18.0
Richland	3,462	3,238	93.5	224	6.5	3,129	90.4	333	9.6
Saluda	134	127	94.8	7	5.2	127	94.8	7	5.2
Spartanburg	2,411	2,153	89.3	258	10.7	2,098	87.0	313	13.0
Sumter	969	903	93.2	66	6.8	861	88.9	108	11.1
Union	261	255	97.7	6	2.3	243	93.1	18	6.9
Williamsburg	332	313	94.3	19	5.7	313	94.3	19	5.7
York	4,899	1,225	25.0	3,674	75.0	1,200	24.5	3,699	75.5

Table 71.
Marriages by Residential Status, by County of Marriage
South Carolina, 1984
(Occurrence Data)

County of Occurrence	Total Marriages	Residential Status			
		Resident Bride and Groom	Resident Groom Only	Resident Bride Only	Neither Res. Bride nor Groom
SOUTH CAROLINA	55,357	31,130	990	2,006	21,231
Abbeville	229	161	8	15	45
Aiken	3,256	1,091	96	159	1,910
Allendale	259	81	5	5	168
Anderson	1,477	1,254	23	51	149
Bamberg	173	151	5	6	11
Barnwell	185	170	2	8	5
Beaufort	1,000	696	46	55	203
Berkeley	900	822	11	45	22
Calhoun	118	114	-	3	1
Charleston	4,248	3,534	106	230	378
Cherokee	2,361	472	32	33	1,824
Chester	308	251	6	17	34
Chesterfield	1,131	325	27	37	742
Clarendon	235	205	4	11	15
Colleton	311	256	7	14	34
Darlington	592	522	6	30	34
Dillon	7,024	444	49	66	6,465
Dorchester	746	690	14	23	19
Edgefield	156	123	4	8	21
Fairfield	179	161	2	10	6
Florence	1,185	1,043	17	43	82
Georgetown	546	451	11	22	62
Greenville	3,738	2,993	36	161	548
Greenwood	590	534	6	29	21
Hampton	175	154	3	11	7
Horry	2,256	1,309	54	116	777
Jasper	1,187	140	10	13	1,024
Kershaw	454	415	4	18	17
Lancaster	890	453	15	37	385
Laurens	576	538	4	19	15
Lee	144	129	1	6	8
Lexington	1,423	1,323	12	49	39
McCormick	132	62	3	4	63
Marion	309	245	12	15	37
Marlboro	1,106	242	20	22	822
Newberry	293	273	1	7	12
Oconee	1,676	485	20	50	1,121
Orangeburg	771	692	9	34	36
Pickens	969	792	15	29	133
Richland	3,081	2,677	86	179	139
Saluda	143	131	3	5	4
Spartanburg	2,411	2,049	52	100	210
Sumter	958	827	24	64	43
Union	274	252	2	13	7
Williamsburg	333	304	9	11	9
York	4,844	1,092	105	123	3,524
Unknown	5	2	3	-	-

Table 72.
Marriages by Race, by Residential Status, by Age Groups of Brides: South Carolina, 1984

Years of Age	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Residents						
All Ages	33,136	100.0	25,315	100.0	7,821	100.0
Under 15 Yrs	81	0.2	77	0.3	4	0.1
15-19	6,810	20.6	5,549	21.9	1,261	16.1
20-24	11,335	34.2	8,341	32.9	2,994	38.3
25-29	6,349	19.2	4,594	18.1	1,755	22.4
30-34	3,342	10.1	2,476	9.8	866	11.1
35-39	2,107	6.4	1,695	6.7	412	5.3
40-44	1,220	3.7	1,022	4.0	198	2.5
45-49	679	2.0	554	2.2	125	1.6
50-54	441	1.3	377	1.5	64	.8
55-59	279	0.8	229	0.9	50	0.6
60-64	228	0.7	188	0.7	40	0.5
65-69	153	0.5	124	0.5	29	0.4
70-74	82	0.2	70	0.3	12	0.2
75 Yrs & Over	26	0.1	18	0.1	8	0.1
Unknown	4	0.0	1	0.0	3	0.0
Non-Residents						
All Ages	22,221	100.0	17,276	100.0	4,945	100.0
Under 15 Yrs	165	0.7	159	0.9	6	0.1
15-19	4,246	19.1	3,547	20.5	699	14.1
20-24	5,643	25.4	4,121	23.9	1,522	30.8
25-29	4,087	18.4	3,058	17.7	1,029	20.8
30-34	2,679	12.1	2,001	11.6	678	13.7
35-39	2,028	9.1	1,603	9.3	425	8.6
40-44	1,304	5.9	1,086	6.3	218	4.4
45-49	785	3.5	652	3.8	133	2.7
50-54	485	2.2	384	2.2	101	2.0
55-59	335	1.5	277	1.6	58	1.2
60-64	244	1.1	209	1.2	35	0.7
65-69	126	0.6	100	0.6	26	0.5
70-74	65	0.3	52	0.3	13	0.3
75 Yrs & Over	29	0.1	27	0.2	2	0.0
Unknown	-	0	-	0	-	0

Table 73.
Marriages by Race, by Residential Status, by Age Groups of Grooms: South Carolina, 1984

Years of Age	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Residents						
All Ages	32,120	100.0	24,519	100.0	7,601	100.0
Under 15 Yrs	1	0.0	-	0	1	0.0
15-19	2,688	8.4	2,265	9.2	423	5.6
20-24	11,031	34.3	8,266	33.7	2,765	36.4
25-29	7,393	23.0	5,316	21.7	2,077	27.3
30-34	4,101	12.8	3,094	12.6	1,007	13.2
35-39	2,545	7.9	1,999	8.2	546	7.2
40-44	1,534	4.8	1,254	5.1	280	3.7
45-49	913	2.8	765	3.1	148	1.9
50-54	635	2.0	536	2.2	99	1.3
55-59	439	1.4	364	1.5	75	1.0
60-64	353	1.1	283	1.2	70	0.9
65-69	234	0.7	173	0.7	61	0.8
70-74	139	0.4	109	0.4	30	0.4
75 Yrs & Over	114	0.4	95	0.4	19	0.2
Unknown	-	0	-	0	-	0
Non-Residents						
All Ages	23,237	100.0	18,038	100.0	5,199	100.0
Under 15 Yrs	-	0	-	0	-	0
15-19	2,108	9.1	1,836	10.2	272	5.2
20-24	6,224	26.8	4,667	25.9	1,557	29.9
25-29	4,753	20.5	3,485	19.3	1,268	24.4
30-34	3,063	13.2	2,333	12.9	730	14.0
35-39	2,301	9.9	1,809	10.0	492	9.5
40-44	1,541	6.6	1,266	7.0	275	5.3
45-49	1,052	4.5	855	4.7	197	3.8
50-54	763	3.3	627	3.5	136	2.6
55-59	512	2.2	419	2.3	93	1.8
60-64	459	2.0	372	2.1	87	1.7
65-69	251	1.1	199	1.1	52	1.0
70-74	135	0.6	112	0.6	23	0.4
75 Yrs & Over	75	0.3	58	0.3	17	0.3
Unknown	-	0	-	0	-	0

Table 74.
Marriages by Age of Bride, by Age of Groom
South Carolina, 1984

Age of Groom	Total	Age of Bride														
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & Over	Not Stated
Total	45,357	246	11,056	16,978	436	6,021	4,135	2,524	1,464	926	614	472	279	147	55	4
Under 15	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
15 - 19	4,796	141	3,588	907	121	29	8	2	-	-	-	-	-	-	-	-
20 - 24	17,255	82	5,962	8,576	1,943	472	168	33	11	4	-	1	1	1	-	1
25 - 29	12,146	12	1,130	5,145	4,057	1,260	403	108	24	4	1	-	1	-	-	1
30 - 34	7,164	7	240	1,485	2,519	1,849	777	217	57	9	2	-	1	1	-	-
35 - 39	4,846	1	79	570	1,118	1,326	1,140	438	133	25	8	4	3	1	-	-
40 - 44	3,075	1	33	182	408	627	826	647	238	83	22	5	2	1	-	-
45 - 49	1,965	1	11	69	161	280	434	504	339	117	35	10	2	1	1	-
50 - 54	1,398	-	5	22	67	89	228	322	306	211	106	30	8	2	1	1
55 - 59	951	-	5	7	27	48	93	143	176	227	151	51	17	5	1	-
60 - 64	812	-	2	8	9	24	44	69	114	159	161	148	56	16	2	-
65 - 69	485	1	-	5	5	10	12	26	45	59	71	136	88	21	6	-
70 - 74	274	-	1	2	1	3	1	10	16	20	35	57	61	52	15	-
75 & Over	189	-	-	-	-	4	1	5	5	8	22	30	38	46	29	1
Not Stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 75.
Divorces and Annulments by Number of Children Involved, by Race: South Carolina and Each County, 1984

County of Decree	Divorces and Annulments			Children		
	Total	White	Nonwhite	Total	White	Nonwhite
SOUTH CAROLINA	13,674	11,111	2,563	12,189	9,162	3,027
Abbeville	73	61	12	91	72	19
Aiken	516	442	74	500	399	101
Allendale	26	13	13	15	12	3
Anderson	673	617	56	588	512	76
Bamberg	49	21	28	49	18	31
Barnwell	45	30	15	35	20	15
Beaufort	209	159	50	194	129	65
Berkeley	506	459	47	474	413	61
Calhoun	56	29	27	48	17	31
Charleston	1,371	1,062	309	1,128	783	345
Cherokee	205	183	22	193	165	28
Chester	120	91	29	124	71	53
Chesterfield	78	64	14	62	49	13
Clarendon	49	35	14	42	31	11
Colleton	122	86	36	123	66	57
Darlington	174	135	39	158	111	47
Dillon	80	65	15	74	47	27
Dorchester	210	183	27	254	196	58
Edgefield	64	43	21	97	46	51
Fairfield	73	42	31	68	31	37
Florence	405	325	80	350	271	79
Georgetown	170	128	42	160	98	62
Greenville	1,615	1,434	181	1,331	1,163	168
Greenwood	301	243	58	253	195	58
Hampton	54	40	14	69	44	25
Horry	515	465	50	414	345	69
Jasper	23	13	10	23	14	9
Kershaw	181	148	33	159	112	47
Lancaster	231	192	39	213	167	46
Laurens	252	191	61	222	161	61
Lee	42	21	21	35	15	20
Lexington	776	734	42	663	614	49
McCormick	21	13	8	14	9	5
Marion	177	92	85	180	79	101
Marlboro	83	57	26	71	48	23
Newberry	121	105	16	107	92	15
Oconee	222	203	19	179	154	25
Orangeburg	310	200	110	273	164	109
Pickens	207	197	10	199	193	6
Richland	1,024	670	354	826	447	379
Saluda	58	36	22	60	33	27
Spartanburg	1,160	994	166	1,050	842	208
Sumter	465	341	124	495	315	180
Union	135	113	22	136	109	27
Williamsburg	56	28	28	54	25	29
York	371	308	63	336	265	71

Table 76.
Divorces by Plaintiff by Legal Grounds for Decree: South Carolina and Each County, 1984

County of Decree	Plaintiff		Legal Grounds for Divorce*								
	Husband	Wife	Desertion	Cruelty	Drunkenness	Habitual Drug Use	Adultery	Separated 1 Year	Multiple Grounds	Annulment	Unk
SOUTH CAROLINA	4,662	8,997	27	1,131	700	12	1,633	9,764	172	229	6
Abbeville	21	52	1	7	6	–	7	51	1	–	–
Aiken	176	340	1	43	39	–	51	371	3	8	–
Allendale	8	18	–	1	–	–	1	24	–	–	–
Anderson	223	450	2	95	41	–	106	374	25	30	–
Bamberg	17	32	–	2	1	–	3	43	–	–	–
Barnwell	16	29	–	2	3	–	3	37	–	–	–
Beaufort	71	138	1	9	6	–	25	160	3	4	1
Berkeley	201	304	2	30	13	–	84	364	6	7	–
Calhoun	22	34	–	5	2	–	3	46	–	–	–
Charleston	521	850	3	64	35	1	136	1,108	10	14	–
Cherokee	78	127	1	27	7	–	30	135	2	3	–
Chester	39	81	–	19	4	–	9	88	–	–	–
Chesterfield	26	52	–	10	5	–	9	49	–	5	–
Clarendon	11	38	–	3	–	–	6	37	–	2	1
Colleton	45	76	–	16	8	–	4	91	1	2	–
Darlington	58	116	–	19	14	–	28	108	1	4	–
Dillon	24	55	–	4	4	–	13	57	–	2	–
Dorchester	79	131	–	16	5	–	20	166	2	1	–
Edgefield	21	43	–	7	2	–	5	48	–	2	–
Fairfield	23	50	–	12	2	–	6	52	–	1	–
Florence	143	261	1	24	20	–	61	290	3	5	1
Georgetown	68	102	3	14	4	–	14	132	2	1	–
Greenville	540	1,075	1	171	119	5	211	1,048	22	38	–
Greenwood	103	198	–	23	15	1	37	222	2	1	–
Hampton	16	38	–	7	2	–	4	40	1	–	–
Horry	174	338	–	23	27	–	60	394	6	5	–
Jasper	10	13	–	1	1	–	2	19	–	–	–
Kershaw	63	118	–	12	2	–	27	133	4	2	1
Lancaster	62	169	–	11	19	–	22	176	3	–	–
Laurens	82	170	1	25	17	–	34	170	5	–	–
Lee	14	28	–	7	2	–	3	30	–	–	–
Lexington	261	515	1	45	45	–	117	549	7	11	1
McCormick	5	16	–	3	2	–	3	13	–	–	–
Marion	57	120	–	5	7	–	16	148	1	–	–
Marlboro	25	58	–	10	6	–	4	61	1	1	–
Newberry	42	79	–	22	3	–	16	77	2	1	–
Oconee	79	113	–	19	13	–	36	152	1	1	–
Orangeburg	104	206	1	26	9	–	27	239	3	5	–
Pickens	68	139	–	21	13	–	39	128	3	3	–
Richland	346	674	5	77	25	1	78	801	6	30	1
Saluda	22	36	–	3	2	–	6	47	–	–	–
Spartanburg	350	809	2	110	94	4	143	759	24	24	–
Sumter	165	300	1	44	21	–	65	312	14	8	–
Union	38	97	–	18	15	–	11	83	5	3	–
Williamsburg	16	37	–	1	3	–	3	49	–	–	–
York	129	242	–	18	17	–	45	283	3	5	–

*Frequencies may not agree due to multiple grounds and incomplete reporting.

Table 77.
Divorces by Age Groups, by Race*:
South Carolina, 1984

YEARS OF AGE	TOTAL	WHITE	NONWHITE
* by age and race of husband			
All Ages	13,674	11,111	2,563
Under 15	7	5	2
15 - 19	58	53	5
20 - 24	1,521	1,358	163
25 - 29	3,034	2,484	550
30 - 34	2,936	2,243	693
35 - 39	2,350	1,870	480
40 - 44	1,554	1,284	270
45 - 49	918	765	153
50 - 54	556	471	85
55 - 59	341	266	75
60 - 64	196	152	44
65 - 69	94	72	22
70 - 74	40	30	10
75+	60	50	10
Unknown	9	8	1
* by age and race of wife			
All Ages	13,674	11,079	2,595
Under 15	8	7	1
15 - 19	350	332	18
20 - 24	2,442	2,140	302
25 - 29	3,413	2,674	739
30 - 34	2,619	1,967	652
35 - 39	2,087	1,681	406
40 - 44	1,250	1,037	213
45 - 49	635	537	98
50 - 54	388	320	68
55 - 59	226	174	52
60 - 64	140	114	26
65 - 69	69	57	12
70 - 74	17	15	2
75+	22	20	2
Unknown	8	4	4

Table 78.
Divorces by Duration of Marriage, by Plaintiff by Legal Grounds for Decree*
South Carolina, 1984

Duration of Marriage	Plaintiff		Legal Grounds for Decree*								
	Husband	Wife	Desertion	Cruelty	Drunkenness	Habitual Drug Use	Adultery	Separated 1 Year	Multiple Grounds	Annulment	Unk
Total	4,662	8,997	27	1,131	700	12	1,633	9,764	172	230	6
Under 1 Year	43	81	1	24	10	-	16	17	2	54	-
1-4 Years	1,344	2,730	8	508	267	4	456	2,625	74	134	2
1 Year	186	386	-	133	61	-	87	192	18	80	1
2 Years	360	718	-	144	78	2	123	688	16	27	-
3 Years	414	812	2	118	70	-	117	890	17	15	1
4 Years	384	814	6	113	58	2	129	855	23	12	-
5-9 Years	1,244	2,699	11	301	181	6	430	2,948	45	26	2
5 Years	325	670	5	89	52	2	107	721	16	6	-
6 Years	256	631	3	65	40	1	105	660	7	7	1
7 Years	275	543	-	58	38	-	87	624	7	4	1
8 Years	203	501	2	58	29	1	75	527	8	5	-
9 Years	185	354	1	31	22	2	56	416	7	4	-
10-14 Years	802	1,497	3	146	83	2	292	1,743	21	8	2
15-19 Years	532	967	2	83	67	-	219	1,115	14	2	-
20-24 Years	322	532	-	42	49	-	111	642	8	2	-
25-29 Years	139	260	-	19	25	-	65	288	3	-	-
30 & Over	231	221	2	8	17	-	43	374	5	3	-
Unknown	5	10	-	-	1	-	1	12	-	1	-

* Frequencies may not agree due to multiple grounds and incomplete reporting.

MORBIDITY

Table 79.
Reported Cases of Selected Communicable Diseases: South Carolina and Each County, 1984
(Occurrence Data)

County of Occurrence	German Measles (Rubella)	Tetanus	Tuberculosis	Tularemia	Typhoid Fever	Rocky Mountain Spotted Fever	Influenza	Salmonella	Shigella	Rabies in Animals	Aseptic Meningitis
1983	1	1	440	–	2	80	242	915	92	35	82
1984	–	1	544	–	1	80	506	677	136	59	59
Abbeville	–	–	1	–	–	–	–	3	–	–	1
Aiken	–	–	8	–	–	1	1	10	2	1	2
Allendale	–	–	2	–	–	–	–	2	–	–	–
Anderson	–	–	11	–	1	1	4	52	1	3	7
Bamberg	–	–	1	–	–	–	–	6	–	1	–
Barnwell	–	–	6	–	–	–	–	–	–	1	–
Beaufort	–	–	9	–	–	5	84	24	2	5	5
Berkeley	–	–	11	–	–	–	–	6	2	3	–
Calhoun	–	–	5	–	–	1	–	2	–	–	–
Charleston	–	–	41	–	–	–	103	156	14	7	5
Cherokee	–	–	23	–	–	12	1	6	–	–	–
Chester	–	–	7	–	–	6	–	–	–	–	–
Chesterfield	–	–	4	–	–	–	1	9	–	–	–
Clarendon	–	1	9	–	–	–	–	4	–	1	–
Colleton	–	–	6	–	–	–	2	7	2	5	1
Darlington	–	–	16	–	–	–	–	32	1	–	–
Dillon	–	–	5	–	–	–	1	6	–	–	–
Dorchester	–	–	5	–	–	–	–	3	–	1	–
Edgefield	–	–	7	–	–	–	–	–	–	–	–
Fairfield	–	–	5	–	–	4	–	1	–	–	–
Florence	–	–	44	–	–	–	–	26	–	–	–
Georgetown	–	–	7	–	–	1	4	9	–	–	–
Greenville	–	–	31	–	–	13	72	21	3	1	10
Greenwood	–	–	8	–	–	1	19	8	–	3	–
Hampton	–	–	3	–	–	–	–	–	–	1	–
Horry	–	–	42	–	–	–	–	21	–	2	3
Jasper	–	–	5	–	–	–	1	–	–	5	1
Kershaw	–	–	7	–	–	1	–	12	3	1	–
Lancaster	–	–	3	–	–	–	2	6	–	1	–
Laurens	–	–	1	–	–	4	–	4	–	–	–
Lee	–	–	2	–	–	2	–	2	–	–	–
Lexington	–	–	9	–	–	–	6	80	55	7	3
McCormick	–	–	–	–	–	–	–	8	–	–	–
Marion	–	–	18	–	–	–	–	2	–	–	1
Marlboro	–	–	10	–	–	–	–	2	–	–	1
Newberry	–	–	2	–	–	–	–	3	–	–	–
Oconee	–	–	4	–	–	2	–	7	–	–	–
Orangeburg	–	–	23	–	–	–	–	4	–	3	5
Pickens	–	–	7	–	–	1	7	6	2	3	6
Richland	–	–	41	–	–	1	22	63	46	2	1
Saluda	–	–	1	–	–	–	–	–	–	–	–
Spartanburg	–	–	26	–	–	18	152	34	2	1	4
Sumter	–	–	32	–	–	–	20	27	–	1	–
Union	–	–	5	–	–	1	3	5	–	–	–
Williamsburg	–	–	20	–	–	–	–	6	–	–	–
York	–	–	11	–	–	5	1	11	1	–	3
Unknown	–	–	–	–	–	–	–	1	–	–	–

Table 79. (Cont.)

County of Occurrence	Unspecified Hepatitis	Measles (Rubeola)	Meningococcal Infections	Mumps	Pertussis	Malaria	Brucellosis	Primary Encephalitis	Infectious Hepatitis-A	Serum Hepatitis-B	Hepatitis Non A-Non B
1983	49	4	53	14	14	5	-	4	235	508	16
1984	37	1	58	6	2	2	-	6	236	628	24
Abbeville	-	-	-	-	-	-	-	-	-	1	-
Aiken	-	-	3	-	-	-	-	-	-	12	-
Allendale	-	-	-	-	-	-	-	-	-	1	-
Anderson	2	-	6	-	-	-	-	-	1	26	2
Bamberg	-	-	1	-	-	-	-	-	1	1	-
Barnwell	-	-	-	-	-	-	-	-	3	-	-
Beaufort	-	-	3	-	1	-	-	2	1	5	-
Berkeley	-	-	-	-	-	-	-	-	-	12	-
Calhoun	-	-	-	-	-	-	-	-	-	-	-
Charleston	4	-	4	3	-	-	-	-	4	105	3
Cherokee	1	-	1	-	-	-	-	-	-	3	-
Chester	-	-	3	-	-	-	-	-	-	2	-
Chesterfield	-	-	2	-	-	-	-	-	-	2	-
Clarendon	-	-	-	-	-	-	-	-	-	-	-
Colleton	-	-	2	-	-	-	-	-	-	3	1
Darlington	1	-	-	-	-	-	-	-	-	8	-
Dillon	1	-	-	-	-	-	-	-	-	2	-
Dorchester	-	-	-	-	-	1	-	-	2	15	1
Edgefield	-	-	1	-	-	-	-	-	-	1	-
Fairfield	-	-	-	-	-	-	-	-	-	-	-
Florence	-	-	1	-	-	-	-	1	1	21	-
Georgetown	-	-	-	-	-	-	-	-	-	1	1
Greenville	7	-	12	-	-	-	-	1	3	121	5
Greenwood	-	-	-	-	-	-	-	-	-	5	-
Hampton	-	-	-	-	-	-	-	-	1	1	-
Horry	-	-	-	-	-	-	-	-	-	6	-
Jasper	-	-	-	-	-	-	-	-	-	2	-
Kershaw	-	-	1	-	-	-	-	-	-	3	-
Lancaster	-	-	-	-	-	-	-	-	-	1	-
Laurens	-	-	1	-	-	-	-	-	-	40	-
Lee	1	-	1	-	-	-	-	-	-	-	-
Lexington	-	1	2	-	-	-	-	-	-	14	1
McCormick	-	-	-	1	-	-	-	-	-	1	-
Marion	-	-	-	-	-	-	-	-	-	2	-
Marlboro	-	-	-	1	-	-	-	-	1	1	-
Newberry	-	-	-	-	-	-	-	-	-	-	1
Oconee	-	-	-	-	-	-	-	-	-	5	1
Orangeburg	-	-	1	1	-	-	-	-	1	4	-
Pickens	1	-	8	-	-	-	-	-	-	12	2
Richland	6	-	1	-	-	1	-	1	3	126	2
Saluda	-	-	-	-	-	-	-	-	-	1	-
Spartanburg	13	-	1	-	-	-	-	1	12	32	2
Sumter	-	-	-	-	-	-	-	-	-	2	-
Union	-	-	-	-	-	-	-	-	1	2	-
Williamsburg	-	-	-	-	-	-	-	-	-	3	1
York	-	-	2	-	1	-	-	-	-	18	1
Unknown	-	-	1	-	-	-	-	-	1	5	-

Table 80.
Reported Cases of Venereal Disease
South Carolina and Each County, 1984
(Occurrence Data)

County of Occurrence	Gonorrhea	Syphilis		Other V. D.	Total V. D.1/
		Infectious	Other2/		
SOUTH CAROLINA 1983	21,485	608	615	1	22,709
1984	21,522	772	837	-	23,131
Abbeville	20	1	4	-	25
Aiken	508	24	27	-	559
Allendale	73	1	-	-	74
Anderson	806	49	54	-	909
Bamberg	145	1	3	-	149
Barnwell	52	2	3	-	57
Beaufort	301	-	2	-	303
Berkeley	143	6	7	-	156
Calhoun	106	-	1	-	107
Charleston	3,043	39	52	-	3,134
Cherokee	53	7	4	-	64
Chester	111	28	24	-	163
Chesterfield	73	-	1	-	74
Clarendon	291	1	5	-	297
Colleton	136	3	5	-	144
Darlington	299	11	10	-	320
Dillon	192	-	4	-	196
Dorchester	202	2	10	-	214
Edgefield	86	7	3	-	96
Fairfield	20	5	3	-	28
Florence	818	27	45	-	890
Georgetown	310	10	11	-	331
Greenville	3,180	80	64	-	3,324
Greenwood	436	3	9	-	448
Hampton	64	1	1	-	66
Horry	495	41	33	-	569
Jasper	61	3	3	-	67
Kershaw	379	4	10	-	393
Lancaster	156	34	21	-	211
Laurens	232	33	20	-	285
Lee	151	3	5	-	159
Lexington	309	9	11	-	329
McCormick	22	2	2	-	26
Marion	276	4	9	-	289
Marlboro	65	-	-	-	65
Newberry	206	6	3	-	215
Oconee	28	-	-	-	28
Orangeburg	1,042	22	30	-	1,094
Pickens	205	5	8	-	218
Richland	3,904	134	134	-	4,172
Saluda	74	1	3	-	78
Spartanburg	617	80	77	-	774
Sumter	1,112	3	18	-	1,133
Union	34	2	1	-	37
Williamsburg	216	17	26	-	259
York	466	29	18	-	513
Not Stated	3	-	-	-	3
Institutions	1	32	53	-	86

1/ Excludes Military

2/ Includes early latent, under 1 year, congenital, and all other Syphilis

APPENDIX



TYPE
OR PRINT
IN
PERMANENT
INK
FOR
INSTRUCTIONS
SEE
HANDBOOK

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
CERTIFICATE OF LIVE BIRTH

139-

BIRTH NUMBER

CHILD

CHILD—NAME FIRST MIDDLE LAST
1.

SEX
2

DATE OF BIRTH (Mo., Day, Yr.)
3a.

HOUR
3b.

HOSPITAL—NAME (If not in hospital, give street and number)
4a.

CITY, TOWN OR LOCATION OF BIRTH
4b

COUNTY OF BIRTH
4c

CERTIFIER

I certify that the stated information concerning this child is true to the best of my knowledge and belief.
5a. (Signature) ▶

DATE SIGNED (Mo., Day, Yr.)
5b

NAME AND TITLE OF ATTENDANT AT BIRTH IF OTHER THAN CERTIFIER (Type or print)
5c.

CERTIFIER—NAME AND TITLE (Type or print)
5d.

MAILING ADDRESS (Street or R.F.D. No., City or Town, State, Zip)
5e

REGISTRAR
6a. (Signature) ▶

DATE RECEIVED BY REGISTRAR (Month, Day, Year)
6b

MOTHER

MOTHER—MAIDEN NAME FIRST MIDDLE LAST
7a.

AGE (At time of this birth)
7b

STATE OF BIRTH (If not in U.S.A., name country)
7c

RESIDENCE—STATE
8a.

COUNTY
8b.

CITY, TOWN OR LOCATION

STREET AND NUMBER OF RESIDENCE
8d.

INSIDE CITY LIMITS (Specify yes or no)
8e

MOTHER'S MAILING ADDRESS—If same as above, enter Zip Code only
9.

FATHER

FATHER—NAME FIRST MIDDLE LAST
10a.

AGE (At time of this birth)
10b

STATE OF BIRTH (If not in U.S.A., name country)
10c

I certify that the personal information provided on this certificate is correct to the best of my knowledge and belief.
11a (Signature of Parent or other Informant) ▶

RELATION TO CHILD
11b

DHEC-608 Rev. 1978

INFORMATION FOR MEDICAL AND HEALTH USE ONLY

RACE—MOTHER (e.g., White, Black, American Indian, etc.) (Specify)
12.

RACE—FATHER (e.g., White, Black, American Indian, etc.) (Specify)
13.

BIRTH WEIGHT
14.

THIS BIRTH—Single, twin, triplet, etc. (Specify)
15a.

IF NOT SINGLE BIRTH—Born first, second, third, etc. (Specify)
15b.

IS MOTHER MARRIED? (Specify yes or no)
16.

PREGNANCY HISTORY
(Complete each section)

LIVE BIRTHS (Do not include this Child)

17a. Now living
Number____
None ☐

17b. Now dead
Number____
None ☐

OTHER TERMINATIONS (Spontaneous and induced)

17d. Before 20 wks.
Number____
None ☐

17e. After 20 wks.
Number____
None ☐

DATE OF LAST LIVE BIRTH (Month, Year)
17c.

DATE OF LAST OTHER TERMINATION (as indicated in d or e above) (Month, Year)
17f.

EDUCATION—MOTHER (Specify only highest grade completed)

Elementary or Secondary (0-12)
18a

College (1-4 or 5+)

Usual Occupation
18b.

Business or Industry
18c.

EDUCATION—FATHER (Specify only highest grade completed)

Elementary or Secondary (0-12)
19a

College (1-4 or 5+)

Usual Occupation
19b.

Business or Industry
19c.

DATE LAST NORMAL MENSES BEGAN (Month, Day, Year)
20.

MONTH OF PREGNANCY PRENATAL CARE BEGAN First, second, etc. (Specify)
21a

PRENATAL VISITS Total number (If none, so state)
21b

APGAR SCORE
1 min
22a.
5 min
22b.

COMPLICATIONS OF PREGNANCY (Describe or write "none")
23.

DEATH UNDER ONE YEAR OF AGE
Enter State File Number of death certificate for this child

MULTIPLE BIRTHS
Enter State File Number for Mate(s)

LIVE BIRTH(S)

FETAL DEATH(S)

CONCURRENT ILLNESSES OR CONDITIONS AFFECTING THE PREGNANCY (Describe or write "none")
24.

COMPLICATIONS OF LABOR AND/OR DELIVERY (Describe or write "none")
25.

CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD (Describe or write "none")
26.

MOTHER'S BLOOD TESTED FOR SYPHILIS?
(SPECIFY YES OR NO) MONTH DAY YEAR
DATE
27a.

LABORATORY
27b

WHAT PROPHYLACTIC USED IN EYES?
(Specify)
28

TIME USED M

SAMPLE



STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

CERTIFICATE OF DEATH

STATE BIRTH NUMBER

STATE FILE NUMBER

TYPE OR PRINT IN PERMANENT INK FOR INSTRUCTIONS SEE HANDBOOK

DECEDENT

IF DEATH OCCURRED IN INSTITUTION SEE HANDBOOK REGARDING COMPLETION OF RESIDENCE ITEMS

DECEDENT—NAME FIRST MIDDLE LAST 1
SEX 2
DATE OF DEATH (Mo. Day Yr.) 3
RACE—(e.g. White, Black, American Indian, etc.) (Specify) 4
AGE—Last Birthday (Yrs.) 5a
UNDER 1 YEAR MOS. DAYS 5b
UNDER 1 DAY HOURS MINS. 5c
DATE OF BIRTH (Mo. Day Yr.) 6
COUNTY OF DEATH 7a
CITY, TOWN OR LOCATION OF DEATH 7b
HOSPITAL OR OTHER INSTITUTION—Name (If not in either, give street and number) 7c
IF HOSP. OR INST. Indicate DOA, OP/Emer. Rm., Inpatient (Specify) 7d
STATE OF BIRTH (If not in U.S.A., name country) 8
CITIZEN OF WHAT COUNTRY 9
MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (Specify) 10
SURVIVING SPOUSE (If wife, give maiden name) 11
WAS DECEDENT EVER IN U.S. ARMED FORCES? (Specify Yes or No) 12
SOCIAL SECURITY NUMBER 13
USUAL OCCUPATION (Give kind of work done during most of working life, even if retired) 14a
KIND OF BUSINESS OR INDUSTRY 14b
RESIDENCE—STATE 15a
COUNTY 15b
CITY, TOWN OR LOCATION 15c
STREET AND NUMBER 15d
INSIDE CITY LIMITS (Specify Yes or No) 15e

PARENTS

FATHER—NAME FIRST MIDDLE LAST 16
MOTHER—MAIDEN NAME FIRST MIDDLE LAST 17
INFORMANT—NAME (Type or Print) 18a
MAILING ADDRESS STREET OR R.F.D. NO. CITY OR TOWN STATE Zip 18b

SAMPLE

DISPOSITION

BURIAL, CREMATION, REMOVAL, Other (Specify) 19a
CEMETERY OR CRE TORY—N 19b
LOCATION CITY OR TOWN STATE 19c
FUNERAL DIRECTOR OR PERSON ACTING AS SUCH 20a ▶ (Signature)
O 20b
ALMER'S SIGNATURE 20c
LIC. NO. 20d
NAME OF FACILITY 20e
LIC. NO. 20f
AD SS C CILITY 20g

CERTIFIER

To be Completed by CERTIFYING PHYSICIAN Only
21a To the best of my knowledge, death occurred at the time, date and place and due to the cause(s) stated. (Signature and Title) ▶
DATE SIGNED (Mo. Day Yr.) 21b
HOUR OF DEATH 21c M
NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER (Type or Print) 21d

To be Completed by MEDICAL EXAMINER or CORONER Only
22a n the bas mination and/or investigation, in my opinion death occurred at time, date and place and due to the cause(s) stated. (Signature and Title)
TE SIGNE 22b
HOUR OF DEATH 22c M
PRONOUN AD (Mo. Day Yr.) 22d ON
PRONOUNCED DEAD (Hour) 22e AT M

NAME AND ADDRESS OF CERTIFIER (PHYSICIAN, MEDICAL EXAMINER OR CORONER) (Type or Print) 23a
LIC. NO. 23b
REGISTRAR 24a (Signature) ▶
DATE RECEIVED BY REGISTRAR (Mo. Day Yr.) 24b

CAUSE OF DEATH

CONDITIONS IF ANY WHICH GAVE RISE TO IMMEDIATE CAUSE STATING THE UNDERLYING CAUSE LAST

25 PART I IMMEDIATE CAUSE [ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c).] Interval between onset and death
(a)
DUE TO, OR AS A CONSEQUENCE OF Interval between onset and death
(b)
DUE TO, OR AS A CONSEQUENCE OF Interval between onset and death
(c)
PART II OTHER SIGNIFICANT CONDITIONS—Conditions contributing to death but not related to cause given in PART I (a)
AUTOPSY (Specify Yes or No) 26
WAS CASE REFERRED TO MEDICAL EXAMINER OR CORONER (Specify Yes or No) 27
ACC., SUICIDE, HOM., UNDET. OR PENDING INVEST. (Specify) 28a
DATE OF INJURY (Mo. Day Yr.) 28b
HOUR OF INJURY 28c M
DESCRIBE HOW INJURY OCCURRED 28d
INJURY AT WORK (Specify Yes or No) 28e
PLACE OF INJURY—At home, farm, street, factory, office building, etc. (Specify) 28f
LOCATION STREET OR R.F.D. NO. CITY OR TOWN STATE 28g

DHEC-670
Rev. 1978

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

OFFICE OF VITAL RECORDS AND PUBLIC HEALTH STATISTICS

Columbia, South Carolina

REPORT OF DIVORCE OR ANNULMENT OF MARRIAGE

State File No.

SAMPLE

ADDRESS

ATTORNEY FOR PLAINTIFF

HUSBAND—NAME (first) (middle) (last) 1	DATE OF BIRTH 2	STATE OF BIRTH 3
RESIDENCE (state) (county) (city) 4	NUMBER OF THIS MARRIAGE 5	RACE OR COLOR (specify) 6
WIFE—MAIDEN NAME (first) (middle) (last) 7	DATE OF BIRTH 8	STATE OF BIRTH 9
RESIDENCE (state) (co ty) ity) 10	NUMBER OF THIS MARRIAGE 11	RACE OR COLOR (specify) 12
PLACE OF THIS MARRIAGE tate) ount 13	ATE OF MARRIAGE nth) (day) (year) 14	NUMBER OF CHILDREN UNDER 18 15
PLAINTIFF (specify) 16 DECREE GRANTED TO (specify) 17	IVO E CONTESTED (spe y yes or 18	LEGAL GROUNDS 19
DATE DECREE SIGNED (month) (day) (year) 20	TYPE O DECREE olute divorce or annulment (specif 21	
MAIDEN NAME RESUMED BY DECREE 22a Yes ☐ No ☐	SUPPLEMENT RDER (if any) (month-day-year) 22b	
COUNTY 23	DOCKET NUMBER 24	
I CERTIFY THAT THE ABOVE IS CORRECT ACCORDING TO THE RECORDS OF THIS COURT FILED ON: signature of clerk of court month day year 25		

SCDHEC—682—Rev. 4-1979 15M

AUTHORITY FOR THIS REPORT IS FOUND IN SECTION 20-3-230 CODE OF LAWS OF SOUTH CAROLINA

INSTRUCTIONS: To the Clerk of Court: When a petition for divorce or annulment is filed, please hand a copy of this form to the attorney for completion of items No. 1 through No. 19. When the decr is signed, check completeness of these items, execute the bottom section and mail to South Carolina Department of Health and Environmental Control, Office of Vital Records and Public Health Statistic Columbia, South Carolina, on or before the 10th of the month next succeeding the divorce or annulment.

To the Attorney: Please complete items No. 1 through No. 19 of the Report of Divorce of Annulment of Marriage and ask your client to verify the information. WHEN THE DECREE IS SIGNED RETURN THE FORM TO THE CLERK OF COURT FOR CERTIFICATION.

COMPARABLE CATEGORY NUMBERS AND *ESTIMATED* COMPARABILITY RATIOS FOR 72 SELECTED CAUSES OF DEATH ACCORDING TO THE NINTH AND EIGHTH REVISIONS

Cause of death according to the Ninth Revision of the International Classification of Disease, 1975	**Category Numbers According to:**		**Estimated compara-bility ratio[1]**	**Standard Error of the Estimate in Column (3)**	**95 Percent confidence limits[2]**	
	ICD-9 Revision (1)	**ICDA-8 Revision (2)**	**(3)**	**(4)**	**Upper (5)**	**Lower (6)**
Shigellosis and amebiasis	004,006	004,006	0.9818	0.0378	1.0559	0.9077
Certain other intestinal infections	007-009	008,009	0.1821	0.0207	0.2227	0.1415
Tuberculosis	010-018	010-019	0.7668	0.0119	0.7901	0.7435
Tuberculosis of respiratory system	010-012	010-012	0.8429	0.0146	0.8715	0.8143
Other tuberculosis	013-018	013-019	0.5077	0.0167	0.5404	0.4750
Whooping cough	033	033	0.8571	0.0000	0.8571	0.8571
Streptococcal sore throat, scarlatina, and erysipelas	034-035	034	1.4286	0.0000	1.4286	1.4286
Meningococcal infection	036	036	0.9788	0.0124	1.0030	0.9546
Septicemia	038	038	0.8500	0.0180	0.8853	0.8147
Acute poliomyelitis	045	040-043	0.5000	0.0000	0.5000	0.5000
Measles	055	055	0.9167	0.0000	0.9167	0.9167
Viral hepatitis	070	070	1.3986	0.0820	1.5593	1.2379
Syphilis	090-097	090-097	1.0089	0.0259	1.0596	0.9582
All other infectious and parasitic diseases	001-003,005,020-032, 037,039-041,046-054, 056-066,071-088,098-139	Remainder of 000-136	1.0321	0.0634	1.1563	0.9079
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-208	140-209	1.0026	0.0017	1.0059	0.9993
Malignant neoplasms of lip, oral cavity, and pharynx	140-149	140-149	1.0117	0.0087	1.0286	0.9948
Malignant neoplasms of digestive organs and peritoneum	150-159	150-159	1.0330	0.0035	1.0398	1.0262
Malignant neoplasms of respiratory and intrathoracic organs	160-165	160-163	1.0007	0.0033	1.0071	0.9943
Malignant neoplasm of breast	174-175	174	1.0089	0.0022	1.0131	1.0047
Malignant neoplasms of genital organs	179-187	180-187	1.0111	0.0031	1.0171	1.0051
Maligant neoplasms of urinary organs	188-189	188,189	0.9924	0.0045	1.0011	0.9837
Malignant neoplasms of all other and unspecified sites	170-173,190-199	170-173,190-199	0.9557	0.0082	0.9718	0.9396
Leukemia	204-208	204-207	1.0070	0.0056	1.0180	0.9960
Other malignant neoplasms of lymphatic and hematopoietic tissues	200-203	200-203,208,209	0.9385	0.0069	0.9519	0.9251
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature	210-239	210-239	1.2085	0.0261	1.2595	1.1575
Diabetes mellitus	250	250	0.9991	0.0087	1.0162	0.9820
Nutritional deficiencies	260-269	260-269	0.7167	0.0262	0.7680	0.6654
Anemias	280-285	280-285	0.9296	0.0124	0.9538	0.9054
Meningitis	320-322	320	0.9459	0.0163	0.9777	0.9141
Major cardiovascular diseases	390-448	390-448	1.0069	0.0004	1.0076	1.0062
Diseases of heart	390-398,402,404-429	390-398,402,404, 410-429	1.0126	0.0039	1.0202	1.0050
Rheumatic fever and rheumatic heart disease	390-398	390-398	0.6648	0.0080	0.6804	0.6492
Hypertensive heart disease	402	402	3.3022	0.0557	3.4114	3.1930
Hypertensive heart and renal disease	404	404	1.2119	0.0438	1.2978	1.1260
Ischemic heart disease	410-414	410-413	0.8784	0.0038	0.8859	0.8709
Acute myocardial infarction	410	410	1.0003	0.0054	1.0108	0.9898
Other acute and subacute forms of ischemic heart disease	411	411	1.2224	0.0661	1.3519	1.0929
Angina pectoris	413	413	1.0484	0.0666	1.1789	0.9179
Old myocardial infarction and other forms of chronic ischemic heart disease	412,414	412	0.7533	0.0055	0.7640	0.7426
Other diseases of endocardium	424	424,428	1.2286	0.0227	1.2731	1.1841
All other forms of heart disease	415-423,425-429	420-423,425-427,429	2.5035	0.0257	2.5539	2.4531
Hypertension with or without renal disease	401,403	400,401,403	1.2703	0.0294	1.3280	1.2126
Cerebrovascular diseases	430-438	430-438	1.0049	0.0066	1.0178	0.9920
Intracerebral and other intracranial hemorrhage	431-432	431	0.9969	0.0068	1.0102	0.9836
Cerebral thrombosis and unspecified occlusion of cerebral arteries	434.0,434.9	433	1.0340	0.0222	1.0774	0.9906
Cerebral embolism	434.1	434	1.1211	0.0924	1.3022	0.9400
All other and late effects of cerebrovascular diseases	430,433,435-438	430,432,435-438	0.9948	0.0061	1.0067	0.9829
Atherosclerosis	440	440	1.0649	0.0246	1.1130	1.0168
Other diseases of arteries, arterioles, and capillaries	441-448	441-448	0.7409	0.0098	0.7600	0.7218



STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

REPORT OF FETAL DEATH

STATE FILE NUMBER

TYPE OR PRINT IN PERMANENT INK SEE HANDBOOK FOR INSTRUCTIONS

HOSPITAL—NAME *(If not in hospital, give street and number)* 1a.
CITY, TOWN OR LOCATION OF DELIVERY 1b.
COUNTY OF DELIVERY 1c.
DATE OF DELIVERY *(Month, Day, Year)* 2a.
HOUR OF DELIVERY 2b. M
SEX OF FETUS 3.
WEIGHT OF FETUS 4.

MOTHER

MOTHER—MAIDEN NAME FIRST MIDDLE LAST 5a.
AGE (At time of this delivery) 5b.
RESIDENCE—STATE 6a.
COUNTY 6b.
CITY, TOWN OR LOCATION 6c.
STREET AND NUMBER 6d.
INSIDE CITY LIMITS (Specify Yes or No) 6e.
RACE— (e.g., White, Black, American Indian, etc.) (Specify) 7.
EDUCATION (Specify only highest grade completed) Elementary or [illegible] (0-1[illegible] College (1-4 or 5+) 8.
DATE LAST NORMAL MENSES BEGAN (Month, Day, Year) 9.
IS MOTHER MARRIED? (Specify yes or no) 10.

PREGNANCY HISTORY (Complete each section)

LIVE BIRTHS
11a. Now living Number___ None ☐
11b. Now dead Number___ None ☐
DATE OF LAST LIVE BIRTH (Month, Year) 11c.

OTHER TERMINATIONS (Spontaneous and induced)
11d. Before 20 wks Number___ None ☐
11e. After 20 wks. Number___ (Do not include this fetus) None ☐
DATE OF LAST OTHER TERMINATION (as indicated in d or e above) (Month, Year) 11f.

MONTH OF PREGNANCY PRENATAL CARE BEGAN First, second, etc. (Specify) 12a.
PRENATAL VIS[illegible]— Total nu[illegible] (If none, so state) 12b.
[illegible] BIRTH—Single, [illegible], triplet, etc. (Specify) 13a.
IF NOT SINGLE BIRTH—Born first, second, third, etc. (Specify) 13b.

FATHER

FATHER—NAME FIRST MID[illegible] [illegible] 14a.
AGE (At time [illegible] delivery) 4b.
RACE— (e.g., White, Black, American Indian, etc.) (Specify) 14c.
EDUCATION (Specify only highest grade completed) Elementary or Secondary (0-12) College (1-4 or 5+) 14d.

CAUSE OF FETAL DEATH

15 PART I
IMMEDIATE CAUSE [ENT[illegible] ONLY ONE C[illegible]E PER LIN[illegible]), (b), AND (c).]
Fetal or maternal condition directly causing fetal death (a) Specify Fetal or Maternal
DUE TO, OR AS A CONSEQUENCE OF:
Fetal and/or maternal conditions, if any giving rise to the immediate cause (a), stating the underlying cause last (b) Specify Fetal or Maternal
DUE TO, OR AS A CONSEQUENCE OF:
(c) Specify Fetal or Maternal

PART II OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER: Conditions contributing to fetal death but not related to cause given in (a)
FETUS DIED BEFORE LABOR, DURING LABOR OR DELIVERY, UNKNOWN (Specify) 16.
PHYSICIAN'S ESTIMATE OF GESTATION 17. Weeks
AUTOPSY (Specify yes or no) 18.

MULTIPLE BIRTHS Enter State File Number for mate(s)
LIVE BIRTH(S)
FETAL DEATH(S)

COMPLICATIONS OF PREGNANCY *(Describe or write "none")* 19.
COMPLICATIONS OF LABOR AND/OR DELIVERY *(Describe or write "none")* 20.
CONCURRENT ILLNESSES OR CONDITIONS AFFECTING THE PREGNANCY *(Describe or write "none")* 21.
CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS *(Describe or write "none")* 22.
NAME OF PHYSICIAN OR ATTENDANT *(Type or print)* 23.
NAME OF PERSON COMPLETING REPORT *(Type or print)* TITLE 24.
DATE REPORT COMPLETED 25.
DATE RECEIVED BY HEALTH DEPARTMENT 26.

SAMPLE

DHEC-665
Rev. 1978



SAMPLE

LICENSE AND CERTIFICATE FOR MARRIAGE

STATE OF SOUTH CAROLINA

LICENSE NUMBER	COUNTY

GROOM—NAME (FIRST) (MIDDLE) (LAST) (1)			BIRTHDATE (MONTH, DAY, YEAR) (2a)		AGE (2b)
BIRTHPLACE (State or foreign country) (3)	RACE (4)	RESIDENCE (Street and Number) (5a)			
CITY, TOWN OR LOCATION (5b)	COUNTY (5c)		STATE (5d)	NO. OF THIS MARRIAGE (1st, 2nd, etc.) (6)	
BRIDE—NAME (FIRST) (MIDDLE) (LAST) (7)			BIRTHDATE (MONTH, DAY, YEAR) (8a)		AGE (8b)
BIRTHPLACE (State or foreign country) (9)	RACE (10)	RESIDENCE (Street and Number) (11a)			
CITY, TOWN OR LOCATION (11b)	COUNTY (11c)		STATE (11d)	NO. OF THIS MARRIAGE (1st, 2nd, etc.) (12)	
MAIDEN NAME OF BRIDE (If Different From Above) (13)					

Application for a license was filed with this court at ______ M. on the ______ day of ______________, 19___. These are, therefore, to authorize any person qualified to perform marriage ceremonies to perform the marriage ceremony for the persons above named, and for the so doing this shall be sufficient warrant. Given under my hand and seal at ________ M. this the ________ day of ______________, A.D. 19________.

Signature of Issuing Officer	Title of Issuing Officer

GROOM—Signature (14)	BRIDE—Signature (15)
I certify that the above named persons were married on (MONTH) (DAY) (YEAR) (16)	Place of Marriage COUNTY (17) SOUTH CAROLINA
OFFICIANT—Signature (18a)	OFFICIANT—Title (18b)
OFFICIANT—Mailing Address (18c)	

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

OFFICE OF VITAL RECORDS AND PUBLIC HEALTH STATISTICS
Columbia, South Carolina

REPORT OF DIVORCE OR ANNULMENT OF MARRIAGE

State File No.

SCDHEC—682—Rev. 4-1979 15M

ADDRESS

ATTORNEY FOR PLAINTIFF

HUSBAND—NAME (first) (middle) (last) 1	DATE OF BIRTH 2	STATE OF BIRTH 3
RESIDENCE (state) (county) (city) 4	NUMBER OF THIS MARRIAGE 5	RACE OR COLOR (specify) 6
WIFE—MAIDEN NAME (first) (middle) (last) 7	DATE OF BIRTH 8	STATE OF BIRTH 9
RESIDENCE (state) (co[illegible]ty) ([illegible]ity) 10	NUMBER OF THIS MARRIAGE 11	RACE OR COLOR (specify) 12
PLACE OF THIS MARRIAGE ([illegible]tate) ([illegible]ounty) 13	DATE OF MARRIAGE ([illegible]nth) (day) (year) 14	NUMBER OF CHILDREN UNDER 18 15
PLAINTIFF (specify) 16 DECREE GRANTED TO (specify) 17	[illegible]IVO[illegible]E CONTESTED (spe[illegible]y yes or [illegible] 18	LEGAL GROUNDS 19
DATE DECREE SIGNED (month) (day) (year) 20	TYPE O[illegible] DECREE [illegible]solute divorce or annulment (specif[illegible] 21	
MAIDEN NAME RESUMED BY DECREE 22a Yes ☐ No ☐	SUPPLEMENTA[illegible]RDER (if any) (month-day-year) 22b	
COUNTY 23	DOCKET NUMBER 24	
I CERTIFY THAT THE ABOVE IS CORRECT ACCORDING TO THE RECORDS OF THIS COURT FILED ON: signature of clerk of court month day year 25		

AUTHORITY FOR THIS REPORT IS FOUND IN SECTION 20-3-230 CODE OF LAWS OF SOUTH CAROLINA

INSTRUCTIONS: To the Clerk of Court: When a petition for divorce or annulment is filed, please hand a copy of this form to the attorney for completion of items No. 1 through No. 19. When the decr is signed, check completeness of these items, execute the bottom section and mail to South Carolina Department of Health and Environmental Control, Office of Vital Records and Public Health Statistic Columbia, South Carolina, on or before the 10th of the month next succeeding the divorce or annulment.

To the Attorney: Please complete items No. 1 through No. 19 of the Report of Divorce of Annulment of Marriage and ask your client to verify the information. WHEN THE DECREE IS SIGNED RETURN THE FORM TO THE CLERK OF COURT FOR CERTIFICATION.

COMPARABLE CATEGORY NUMBERS AND *ESTIMATED* COMPARABILITY RATIOS FOR 72 SELECTED CAUSES OF DEATH ACCORDING TO THE NINTH AND EIGHTH REVISIONS

Cause of death according to the Ninth Revision of the International Classification of Disease, 1975	Category Numbers According to:		Estimated compara-bility ratio[1] (3)	Standard Error of the Estimate in Column (3) (4)	95 Percent confidence limits[2]	
	ICD-9 Revision (1)	ICDA-8 Revision (2)			Upper (5)	Lower (6)
Shigellosis and amebiasis	004,006	004,006	0.9818	0.0378	1.0559	0.9077
Certain other intestinal infections	007-009	008,009	0.1821	0.0207	0.2227	0.1415
Tuberculosis	010-018	010-019	0.7668	0.0119	0.7901	0.7435
Tuberculosis of respiratory system	010-012	010-012	0.8429	0.0146	0.8715	0.8143
Other tuberculosis	013-018	013-019	0.5077	0.0167	0.5404	0.4750
Whooping cough	033	033	0.8571	0.0000	0.8571	0.8571
Streptococcal sore throat, scarlatina, and erysipelas	034-035	034	1.4286	0.0000	1.4286	1.4286
Meningococcal infection	036	036	0.9788	0.0124	1.0030	0.9546
Septicemia	038	038	0.8500	0.0180	0.8853	0.8147
Acute poliomyelitis	045	040-043	0.5000	0.0000	0.5000	0.5000
Measles	055	055	0.9167	0.0000	0.9167	0.9167
Viral hepatitis	070	070	1.3986	0.0820	1.5593	1.2379
Syphilis	090-097	090-097	1.0089	0.0259	1.0596	0.9582
All other infectious and parasitic diseases	001-003,005,020-032, 037,039-041,046-054, 056-066,071-088,098-139	Remainder of 000-136	1.0321	0.0634	1.1563	0.9079
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-208	140-209	1.0026	0.0017	1.0059	0.9993
Malignant neoplasms of lip, oral cavity, and pharynx	140-149	140-149	1.0117	0.0087	1.0286	0.9948
Malignant neoplasms of digestive organs and peritoneum	150-159	150-159	1.0330	0.0035	1.0398	1.0262
Malignant neoplasms of respiratory and intrathoracic organs	160-165	160-163	1.0007	0.0033	1.0071	0.9943
Malignant neoplasm of breast	174-175	174	1.0089	0.0022	1.0131	1.0047
Malignant neoplasms of genital organs	179-187	180-187	1.0111	0.0031	1.0171	1.0051
Maligant neoplasms of urinary organs	188-189	188,189	0.9924	0.0045	1.0011	0.9837
Malignant neoplasms of all other and unspecified sites	170-173,190-199	170-173,190-199	0.9557	0.0082	0.9718	0.9396
Leukemia	204-208	204-207	1.0070	0.0056	1.0180	0.9960
Other malignant neoplasms of lymphatic and hematopoietic tissues	200-203	200-203,208,209	0.9385	0.0069	0.9519	0.9251
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature	210-239	210-239	1.2085	0.0261	1.2595	1.1575
Diabetes mellitus	250	250	0.9991	0.0087	1.0162	0.9820
Nutritional deficiencies	260-269	260-269	0.7167	0.0262	0.7680	0.6654
Anemias	280-285	280-285	0.9296	0.0124	0.9538	0.9054
Meningitis	320-322	320	0.9459	0.0163	0.9777	0.9141
Major cardiovascular diseases	390-448	390-448	1.0069	0.0004	1.0076	1.0062
Diseases of heart	390-398,402,404-429	390-398,402,404, 410-429	1.0126	0.0039	1.0202	1.0050
Rheumatic fever and rheumatic heart disease	390-398	390-398	0.6648	0.0080	0.6804	0.6492
Hypertensive heart disease	402	402	3.3022	0.0557	3.4114	3.1930
Hypertensive heart and renal disease	404	404	1.2119	0.0438	1.2978	1.1260
Ischemic heart disease	410-414	410-413	0.8784	0.0038	0.8859	0.8709
Acute myocardial infarction	410	410	1.0003	0.0054	1.0108	0.9898
Other acute and subacute forms of ischemic heart disease	411	411	1.2224	0.0661	1.3519	1.0929
Angina pectoris	413	413	1.0484	0.0666	1.1789	0.9179
Old myocardial infarction and other forms of chronic ischemic heart disease	412,414	412	0.7533	0.0055	0.7640	0.7426
Other diseases of endocardium	424	424,428	1.2286	0.0227	1.2731	1.1841
All other forms of heart disease	415-423,425-429	420-423,425-427,429	2.5035	0.0257	2.5539	2.4531
Hypertension with or without renal disease	401,403	400,401,403	1.2703	0.0294	1.3280	1.2126
Cerebrovascular diseases	430-438	430-438	1.0049	0.0066	1.0178	0.9920
Intracerebral and other intracranial hemorrhage	431-432	431	0.9969	0.0068	1.0102	0.9836
Cerebral thrombosis and unspecified occlusion of cerebral arteries	434.0,434.9	433	1.0340	0.0222	1.0774	0.9906
Cerebral embolism	434.1	434	1.1211	0.0924	1.3022	0.9400
All other and late effects of cerebrovascular diseases	430,433,435-438	430,432,435-438	0.9948	0.0061	1.0067	0.9829
Atherosclerosis	440	440	1.0649	0.0246	1.1130	1.0168
Other diseases of arteries, arterioles, and capillaries	441-448	441-448	0.7409	0.0098	0.7600	0.7218

COMPARABLE CATEGORY NUMBERS AND *ESTIMATED* COMPARABILITY RATIOS FOR 72 SELECTED CAUSES OF DEATH ACCORDING TO THE NINTH AND EIGHTH REVISIONS

Cause of death according to the Ninth Revision of the International Classification of Disease, 1975	Category Numbers According to:		Estimated compara-bility ratio[1] (3)	Standard Error of the Estimate in Column (3) (4)	95 Percent confidence limits[2]	
	ICD-9 Revision (1)	ICDA-8 Revision (2)			Upper (5)	Lower (6)
Acute bronchitis and bronchiolitis	466	466	0.8888	0.0274	0.9425	0.8351
Pneumonia and influenza	480-487	470-474,480-486	0.9264	0.0067	0.9394	0.9134
Pneumonia	480-486	480-486	0.9199	0.0076	0.9347	0.9051
Influenza	487	470-474	0.9714	0.0078	0.9866	0.9562
Chronic obstructive pulmonary diseases and allied conditions	490-496	490-493	1.8846	0.0150	1.9141	1.8551
Bronchitis, chronic and unspecified	490-491	490-491	0.9383	0.0134	0.9646	0.9120
Emphysema	492	492	0.9770	0.0127	1.0018	0.9522
Asthma	493	493	1.3544	0.0636	1.4790	1.2298
Other chronic obstructive pulmonary diseases and allied conditions	494-496	...[2]	[3]...	[3]...	[3]...	[3]...
Ulcer of stomach and duodenum	531-533	531-533	1.1192	0.0247	1.1675	1.0709
Appendicitis	540-543	540-543	1.0080	0.0264	1.0597	0.9563
Hernia of abdominal cavity and intestinal obstruction without mention of hernia	550-553,560	550-553,560	0.9432	0.0169	0.9762	0.9102
Chronic liver disease and cirrhosis	571	571	1.0110	0.0069	1.0245	0.9975
Cholelithiasis and other disorders of gallbladder	574-575	574,575	1.0494	0.0445	1.1366	0.9622
Nephritis, nephrotic syndrome, and nephrosis	580-589	580-584	1.7397	0.0777	1.8920	1.5874
Acute glomerulonephritis and nephrotic syndrome	580-581	580,581	0.2422	0.0185	0.2783	0.2061
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified	582-583,587	582-584	0.4954	0.0195	0.5335	0.4573
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	584-586,588-589	582-584	1.6327	0.0958	1.8205	1.4449
Infections of kidney	590	590	0.9878	0.0091	1.0056	0.9700
Hyperplasia of prostate	600	600	1.0232	0.0226	1.0674	0.9790
Complications of pregnancy, childbirth, and the puerperium	630-676	630-678	1.1000	0.0435	1.1853	1.0147
Pregnancy with abortive outcome	630-638	640-645	3.8125	0.0000	3.8125	3.8125
Other complications of pregnancy, childbirth and the puerperium	640-676	630-639,650-678	0.9840	0.0454	1.0729	0.8951
Congenital anomalies	740-759	740-759	0.9984	0.0100	1.0179	0.9789
Certain conditions originating in the perinatal period	760-779	760-769.2,769.4-772, 774-778	1.0765	0.0238	1.1230	1.0300
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome	767-769	764-768,772,776	0.7483	0.0306	0.8083	0.6883
Other conditions originating in the perinatal period	760-766,770-779	Remainder of 760-778	1.4639	0.0371	1.5367	1.3911
Symptoms, signs, and ill-defined conditions	780-799	780-796	0.9102	0.0121	0.9338	0.8866
All other diseases	Residual	Residual	0.7786	0.0082	0.7947	0.7625
Accidents and adverse effects	E800-E949	E800-E949	0.9970	0.0030	1.0029	0.9911
Motor vehicle accidents	E810-E825	E810-E823	1.0117	0.0027	1.0169	1.0065
All other accidents and adverse effects	E800-E807,E826-E949	E800-E807,E825-E949	0.9841	0.0051	0.9941	0.9741
Suicide	E950-E959	E950-E959	1.0032	0.0042	1.0114	0.9950
Homicide and legal intervention	E960-E978	E960-E978	1.0057	0.0030	1.0115	0.9999
All other external causes	E980-E999	E980-E999	0.9675	0.0144	0.9957	0.9393

COMPARABLE CATEGORY NUMBERS AND *ESTIMATED* COMPARABILITY RATIOS FOR 10 SELECTED CAUSES OF INFANT DEATHS ACCORDING TO THE NINTH AND EIGHTH REVISIONS

Cause of death according to the Ninth Revision of the International Classification of Disease, 1975	Category Numbers According to:		Estimated comparability ratio[1] (3)	Standard Error of the Estimate in Column (3) (4)	95 Percent confidence limits[2]	
	ICD-9 Revision (1)	ICDA-8 Revision (2)			Upper (5)	Lower (6)
All causes	....	....	1.0000	....	....	....
Certain gastrointestinal diseases	008 009,535,555 558	004,006 009,535, 561,563	0.4678	0.0228	0.5125	0.4231
Pneumonia and influenza	480 487	470 474,480 486	0.7471	0.0200	0.7862	0.7078
Congenital anomalies	740 759	740 759	1.0071	0.0062	1.0191	0.9949
Disorders relating to short gestation and unspecified low birthweight	765	777	0.9630	0.0107	0.9839	0.9421
Birth trauma	767	764 768(0 3),772	0.7154	0.0337	0.7813	0.6493
Intrauterine hypoxia and birth asphyxia	768	776 9	0.3270	0.0212	0.3684	0.2856
Respiratory distress syndrome	769	...	...	...	...	...
Other conditions originating in the perinatal period	760 764,766,770 779	Remainder of 760 778	0.8492	0.0098	0.8683	0.8301
Sudden infant death syndrome	798.0	...	...	...	...	...
All other causes	Residual	Residual	0.5455	0.0061	0.5573	0.5335

---

[1] Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[2] The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

[3] Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema (No. *519.3), introduced by NCHS to be used with the Eighth Revision, is comparable to Other chronic obstructive pulmonary diseases and allied conditions (ICD Nos. 494-496) of the Ninth Revision. The comparability ratio for this set of titles is 1.0054, with a standard error of 0.0118, a relative error of 1.2 percent, and 95 percent confidence limits of 1.0285 and 0.9823. These data are not shown in this table because there are no sample data for *519.3.

Source: *MONTHLY VITAL STATISTICS REPORT*, National Center for Health Statistics, DHEW Publication No. (PHS) 80-1120, Vol. 28, No. 11 Supplement, February 29, 1980, pp. 3-4, 12-13

South Carolina Department of Health and Environmental Control

2600 Bull Street
Columbia, S.C. 29201

Commissioner
Robert S. Jackson, M.D.

Board
Moses H. Clarkson, Jr., Chairman
Gerald A. Kaynard, Vice-Chairman
Oren L. Brady, Jr., Secretary
Barbara P. Nuessle
James A. Spruill, Jr.
William H. Hester, M.D.
Euta M. Colvin, M.D.

October 1986

ERRATA SHEET

TO: Users of South Carolina Vital and Morbidity Statistics, 1984

FROM: Office of Vital Records and Public Health Statistics

Please note: There is an error on Table 74 on page 142 "Marriages by Age of Bride, by Age of Groom". For bride's age group 25-29, the total should be 10,436, rather than 436.

We apologize for this error.